

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. "Person" is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as "an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity."

10. The Respondent USET is a "person" as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Perform sampling and analysis of both dryer furnace stacks using Method TO-15, "Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters And Analyzed By Gas Chromatography/Mass Spectrometry (GC/MS)". If the total

organic matter result is greater than 10 ppmV for either stack, the analysis shall include speciation of the gas. This information shall be included in the report required in Paragraph 69.A.5.g below.

g. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

h. Subsequent tune-ups shall be conducted annually until the TDU is reconfigured.

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).

8. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU)

instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

9. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

10. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table B that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii).

11. The Respondents shall conduct a test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one-hour runs during which the TDU is operated on oil-bearing hazardous waste. The emissions from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be

demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1 – June 30 and July 1 - December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the test, the Respondents shall submit a test report to EPA summarizing the test results. The time periods for conducting the test may be changed to once during each twelve (12) month calendar period, January 1 - December 31, if the Respondents submit to EPA, with a copy to TCEQ, a detailed feed stream analysis plan that characterizes the waste received by the facility, and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document “Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste”, OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA, immediately upon receipt of EPA’s approval.

12. The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 30, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within thirty (30) days of the end of the reporting period. The report shall include the following:

a. For each waste stream accepted by the oil reclamation unit, identify the customer, original generator, waste stream description, RCRA waste codes, the SIC or NAICS code of the process generating the waste, a summary of any analyses conducted by the Respondents to verify the waste stream profiles, and the total volume of waste accepted during the reporting period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters and the AWFCO requirements set forth in Appendix 1, Tables A and B, and exceedances of the hourly rolling averages for CO (Paragraph 69.A.9).

c. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements established in accordance with Paragraph 69.C.9.

d. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

e. Documentation showing the installation of the TOU required by Paragraph 69.A.8, and the additional AWFCO requirements required by Appendix 1, Table B (Paragraph 69.A.10).

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the issued RCRA permit modification include the following:

- a. The feedstock limitations applicable to the operation of the oil reclamation unit under 40 C.F.R. § 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;
- b. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii);
- c. Appropriate recordkeeping and reporting requirements; and
- d. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which

incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a RCRA Subpart X permit for the Reconfigured TDU as described above by the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix C and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of 40 C.F.R. § 63.1219(b) set forth in Paragraph C.5, the destruction and removal efficiency standard of 40 C.F.R. § 63.1219(c)(1) set forth in Paragraph C.4, and establish limits for the operating parameters set forth in Paragraph 69.C.6 (Appendix 1, Table C).

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance "Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units" dated August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC). The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).
6. The operating parameters limits that will be established during the CDT are set forth in Appendix 1, Table C.
7. The Respondents must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99% for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must immediately cease processing hazardous waste in the Reconfigured TDU. The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents may not resume operation of the Reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan, at which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs.
8. All analyses required by the CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.
9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standard and emission limits set forth in Paragraphs 69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The DRE standard, emission limits, operating parameter limits, and the AWFCO settings shall also be set forth in a separate Appendix entitled

“Reconfigured TDU Compliance Standards”. All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements set forth in the “Reconfigured TDU Compliance Standards”, unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. Subject to Paragraph 69.C.7 of this CAFO, the issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. Unless the TDU and the tanks identified in Paragraph 20 are authorized by the RCRA Permit Modification required by Section III.B of this CAFO (or any subsequent permit amendment) to receive wastes that do not meet the requirements set forth in 40 C.F.R. § 261.6(a)(3)(iv)(C), feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products

4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices. The Respondents shall request that this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C.

§§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and

40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C.

§ 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

II. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shakedown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.6) subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies

of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.11 (if applicable) and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved plans shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the

seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of **ONE HUNDRED SIXTY-FIVE THOUSAND, SIX HUNDRED FIFTY-SEVEN DOLLARS (\$165,657)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of **SIX HUNDRED TWENTY-TWO THOUSAND, FOUR HUNDRED SIXTY-THREE DOLLARS (\$622,463)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in four (4) payments as follows:

Payment No. 1: \$157,978.35 within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$157,978.35 (\$153,268.99 civil penalty plus interest of \$4,709.36) within one year of the effective date of this CAFO.

Payment No. 3: \$157,978.35 (\$154,822.97 civil penalty plus interest of \$3,155.38) within two years of the effective date of this CAFO.

Payment No. 4: \$157,978.34 (\$156,392.69 civil penalty plus interest of \$1,585.65) within three years of the effective date of this CAFO.

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be
remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a

penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall submit to EPA a certification that the following equipment in the oil reclamation unit and the TDU is not in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;

6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

This certification shall be submitted in accordance with Paragraphs 76.H and 76.I.

C. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

D. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

E. The Respondents shall use a submerged fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

F. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R.

§ 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within ninety (90) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 76.H and 76.I.

G. Within 210 days of the effective date of the CAFO, the Respondents shall submit a written report to EPA showing compliance with Paragraphs 76.C, 76.D, and 76.E.

H. The certification and report identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. The certification and report required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs 69.A.11, 69.A.12, and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), 69A.8, and 69.A.11

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance

Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.H (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting

delay to the greatest extent possible. "Force Majeure" does not include the Respondents' financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ's permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents' past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents' rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other

obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous

substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this

CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.


M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: 9/27/12


US Ecology Texas, Inc.


FOR THE RESPONDENT:

Date: September 26, 2012

Carl R. Palmer
TD*X Associates L.P.

FOR THE COMPLAINANT:

Date: 10.03.12




John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: 10/4/12

A handwritten signature in black ink, appearing to read 'Patrick Rankin', is written over a horizontal line.

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

TABLE A

TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TDU INSTALLATION

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TT-18/19	TDU Dryer, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ¹ , 60-sec time delay
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 6-min Rolling Average (RA) ²
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-100	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁴
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation

¹ Continuous Process Monitoring System – See Paragraph 69.1 of CAFO.² Previous six 1-minute readings are summed and divided by six.³ 40 C.F.R. §§ 63.1209(b)(5).⁴ See Paragraph 69.A.3 of the CAFO.

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TDU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁵ , 6-min RA ⁶
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁷
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppm V @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA

⁵ Continuous Process Monitoring System – See Paragraph 69.1 of the CAFO.

⁶ Previous six 1-minute readings are summed and divided by six.

⁷ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁸ , Feed Stream Analysis Plan (if applicable) ⁹
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁰	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ¹¹	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

⁸ See Paragraph 69.A.3 of the CAFO.

⁹ See Paragraph 69.A.11 of the CAFO.

¹⁰ Semi-volatile metals means a combination of cadmium and lead.

¹¹ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

TABLE C
TDU OIL RECLAMATION REQUIREMENTS AFTER TDU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹² , 6-min RA ¹³
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁴
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec time delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow

¹² Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹³ Previous six 1-minute readings are summed and divided by six.

¹⁴ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 3-run Average Based on CDT	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ¹⁵ , Feed Stream Analysis Plan (if applicable) ¹⁶
	Maximum TDU Feed Organic Halide Concentration	OPL Established as Measured Ratio ¹⁷	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁸	OPL Established as Measured Ratio ¹⁹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ²⁰	OPL Established as Measured Ratio ²¹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

¹⁵ See Paragraph 69.A.3 of the CAFO.

¹⁶ See Paragraph 69.A.11 of the CAFO.

¹⁷ Maximum TDU Feed Concentration established as a measured ratio (not to exceed 4000 ppm/bin) from emissions data collected during CDT. See plan example calculations.

¹⁸ Semi-volatile metals means a combination of cadmium and lead.

¹⁹ Maximum TDU Feed Concentration established as measured ration from emissions data collected during CDT. See plan example calculations.

²⁰ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²¹ Maximum TDU Feed Concentration established as measured ratio from emissions data collected during CDT. See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the 4th day of October, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that true and correct copies of the CAFO were sent to the following by the method indicated below:

For US Ecology Texas, Inc.

Certified Mail – Return Receipt Requested – 7007 0710 0002 1385 1491

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue, Suite 2100
Austin, Texas 78701

For TD*X Associates LP

Certified Mail – Return Receipt Requested – 7007 0710 0002 1385 1507

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Evan L Pearson

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. "Person" is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as "an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity."

10. The Respondent USET is a "person" as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Perform sampling and analysis of both dryer furnace stacks using Method TO-15, "Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters And Analyzed By Gas Chromatography/Mass Spectrometry (GC/MS)". If the total

organic matter result is greater than 10 ppmV for either stack, the analysis shall include speciation of the gas. This information shall be included in the report required in Paragraph 69.A.5.g below.

g. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

h. Subsequent tune-ups shall be conducted annually until the TDU is reconfigured.

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).

8. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU)

instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

9. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

10. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table B that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii).

11. The Respondents shall conduct a test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one-hour runs during which the TDU is operated on oil-bearing hazardous waste. The emissions from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be

demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1 – June 30 and July 1 - December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the test, the Respondents shall submit a test report to EPA summarizing the test results. The time periods for conducting the test may be changed to once during each twelve (12) month calendar period, January 1 - December 31, if the Respondents submit to EPA, with a copy to TCEQ, a detailed feed stream analysis plan that characterizes the waste received by the facility, and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document “Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste”, OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA, immediately upon receipt of EPA’s approval.

12. The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 30, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within thirty (30) days of the end of the reporting period. The report shall include the following:

a. For each waste stream accepted by the oil reclamation unit, identify the customer, original generator, waste stream description, RCRA waste codes, the SIC or NAICS code of the process generating the waste, a summary of any analyses conducted by the Respondents to verify the waste stream profiles, and the total volume of waste accepted during the reporting period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters and the AWFCO requirements set forth in Appendix 1, Tables A and B, and exceedances of the hourly rolling averages for CO (Paragraph 69.A.9).

c. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements established in accordance with Paragraph 69.C.9.

d. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

e. Documentation showing the installation of the TOU required by Paragraph 69.A.8, and the additional AWFCO requirements required by Appendix 1, Table B (Paragraph 69.A.10).

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the issued RCRA permit modification include the following:

- a. The feedstock limitations applicable to the operation of the oil reclamation unit under 40 C.F.R. § 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;
- b. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii);
- c. Appropriate recordkeeping and reporting requirements; and
- d. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which

incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a RCRA Subpart X permit for the Reconfigured TDU as described above by the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix C and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of 40 C.F.R. § 63.1219(b) set forth in Paragraph C.5, the destruction and removal efficiency standard of 40 C.F.R. § 63.1219(c)(1) set forth in Paragraph C.4, and establish limits for the operating parameters set forth in Paragraph 69.C.6 (Appendix 1, Table C).

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance "Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units" dated August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC). The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).
6. The operating parameters limits that will be established during the CDT are set forth in Appendix 1, Table C.
7. The Respondents must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99% for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must immediately cease processing hazardous waste in the Reconfigured TDU. The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents may not resume operation of the Reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan, at which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs.
8. All analyses required by the CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.
9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standard and emission limits set forth in Paragraphs 69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The DRE standard, emission limits, operating parameter limits, and the AWFCO settings shall also be set forth in a separate Appendix entitled

“Reconfigured TDU Compliance Standards”. All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements set forth in the “Reconfigured TDU Compliance Standards”, unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. Subject to Paragraph 69.C.7 of this CAFO, the issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. Unless the TDU and the tanks identified in Paragraph 20 are authorized by the RCRA Permit Modification required by Section III.B of this CAFO (or any subsequent permit amendment) to receive wastes that do not meet the requirements set forth in 40 C.F.R. § 261.6(a)(3)(iv)(C), feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products

4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices. The Respondents shall request that this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C.

§§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and

40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C.

§ 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

II. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shakedown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.6) subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies

of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.11 (if applicable) and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved plans shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the

seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of **ONE HUNDRED SIXTY-FIVE THOUSAND, SIX HUNDRED FIFTY-SEVEN DOLLARS (\$165,657)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of **SIX HUNDRED TWENTY-TWO THOUSAND, FOUR HUNDRED SIXTY-THREE DOLLARS (\$622,463)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in four (4) payments as follows:

Payment No. 1: \$157,978.35 within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$157,978.35 (\$153,268.99 civil penalty plus interest of \$4,709.36) within one year of the effective date of this CAFO.

Payment No. 3: \$157,978.35 (\$154,822.97 civil penalty plus interest of \$3,155.38) within two years of the effective date of this CAFO.

Payment No. 4: \$157,978.34 (\$156,392.69 civil penalty plus interest of \$1,585.65) within three years of the effective date of this CAFO.

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be
remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a

penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall submit to EPA a certification that the following equipment in the oil reclamation unit and the TDU is not in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;

6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

This certification shall be submitted in accordance with Paragraphs 76.H and 76.I.

C. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

D. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

E. The Respondents shall use a submerged fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

F. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R.

§ 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within ninety (90) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 76.H and 76.I.

G. Within 210 days of the effective date of the CAFO, the Respondents shall submit a written report to EPA showing compliance with Paragraphs 76.C, 76.D, and 76.E.

H. The certification and report identified in this Section must be accompanied by the following certification:

"I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. The certification and report required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs 69.A.11, 69.A.12, and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), 69A.8, and 69.A.11

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance

Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.H (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting

delay to the greatest extent possible. "Force Majeure" does not include the Respondents' financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ's permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents' past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents' rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other

obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous

substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this

CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.


M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: 9/27/12


US Ecology Texas, Inc.


FOR THE RESPONDENT:

Date: September 26, 2012

Carl R. Palmer
TD*X Associates L.P.

FOR THE COMPLAINANT:


Date: 10.03.12



John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: 10/4/12

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

TABLE A

TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TDU INSTALLATION

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TT-18/19	TDU Dryer, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ¹ , 60-sec time delay
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 6-min Rolling Average (RA) ²
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-100	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁴
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation

¹ Continuous Process Monitoring System – See Paragraph 69.1 of CAFO.

² Previous six 1-minute readings are summed and divided by six.

³ 40 C.F.R. §§ 63.1209(b)(5).

⁴ See Paragraph 69.A.3 of the CAFO.

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TDU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁵ , 6-min RA ⁶
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁷
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppm V @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA

⁵ Continuous Process Monitoring System – See Paragraph 69.1 of the CAFO.

⁶ Previous six 1-minute readings are summed and divided by six.

⁷ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁸ , Feed Stream Analysis Plan (if applicable) ⁹
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁰	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ¹¹	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

⁸ See Paragraph 69.A.3 of the CAFO.

⁹ See Paragraph 69.A.11 of the CAFO.

¹⁰ Semi-volatile metals means a combination of cadmium and lead.

¹¹ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

TABLE C
TDU OIL RECLAMATION REQUIREMENTS AFTER TDU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹² , 6-min RA ¹³
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
T1-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁴
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec time delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow

¹² Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹³ Previous six 1-minute readings are summed and divided by six.

¹⁴ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 3-run Average Based on CDT	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ¹⁵ , Feed Stream Analysis Plan (if applicable) ¹⁶
	Maximum TDU Feed Organic Halide Concentration	OPL Established as Measured Ratio ¹⁷	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁸	OPL Established as Measured Ratio ¹⁹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ²⁰	OPL Established as Measured Ratio ²¹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

¹⁵ See Paragraph 69.A.3 of the CAFO.

¹⁶ See Paragraph 69.A.11 of the CAFO.

¹⁷ Maximum TDU Feed Concentration established as a measured ratio (not to exceed 4000 ppm/bin) from emissions data collected during CDT. See plan example calculations.

¹⁸ Semi-volatile metals means a combination of cadmium and lead.

¹⁹ Maximum TDU Feed Concentration established as measured ration from emissions data collected during CDT. See plan example calculations.

²⁰ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²¹ Maximum TDU Feed Concentration established as measured ratio from emissions data collected during CDT. See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the 4th day of October, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that true and correct copies of the CAFO were sent to the following by the method indicated below:

For US Ecology Texas, Inc.

Certified Mail – Return Receipt Requested – 7007 0710 0002 1385 1491

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue, Suite 2100
Austin, Texas 78701

For TD*X Associates LP

Certified Mail – Return Receipt Requested – 7007 0710 0002 1385 1507

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Evan L Pearson

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. "Person" is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as "an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity."

10. The Respondent USET is a "person" as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Perform sampling and analysis of both dryer furnace stacks using Method TO-15, "Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters And Analyzed By Gas Chromatography/Mass Spectrometry (GC/MS)". If the total

organic matter result is greater than 10 ppmV for either stack, the analysis shall include speciation of the gas. This information shall be included in the report required in Paragraph 69.A.5.g below.

g. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

h. Subsequent tune-ups shall be conducted annually until the TDU is reconfigured.

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).

8. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU)

instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

9. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

10. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table B that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii).

11. The Respondents shall conduct a test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one-hour runs during which the TDU is operated on oil-bearing hazardous waste. The emissions from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be

demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1 – June 30 and July 1 - December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the test, the Respondents shall submit a test report to EPA summarizing the test results. The time periods for conducting the test may be changed to once during each twelve (12) month calendar period, January 1 - December 31, if the Respondents submit to EPA, with a copy to TCEQ, a detailed feed stream analysis plan that characterizes the waste received by the facility, and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document “Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste”, OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA, immediately upon receipt of EPA’s approval.

12. The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 30, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within thirty (30) days of the end of the reporting period. The report shall include the following:

a. For each waste stream accepted by the oil reclamation unit, identify the customer, original generator, waste stream description, RCRA waste codes, the SIC or NAICS code of the process generating the waste, a summary of any analyses conducted by the Respondents to verify the waste stream profiles, and the total volume of waste accepted during the reporting period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters and the AWFCO requirements set forth in Appendix 1, Tables A and B, and exceedances of the hourly rolling averages for CO (Paragraph 69.A.9).

c. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements established in accordance with Paragraph 69.C.9.

d. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

e. Documentation showing the installation of the TOU required by Paragraph 69.A.8, and the additional AWFCO requirements required by Appendix 1, Table B (Paragraph 69.A.10).

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the issued RCRA permit modification include the following:

- a. The feedstock limitations applicable to the operation of the oil reclamation unit under 40 C.F.R. § 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;
- b. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii);
- c. Appropriate recordkeeping and reporting requirements; and
- d. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which

incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a RCRA Subpart X permit for the Reconfigured TDU as described above by the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix C and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of 40 C.F.R. § 63.1219(b) set forth in Paragraph C.5, the destruction and removal efficiency standard of 40 C.F.R. § 63.1219(c)(1) set forth in Paragraph C.4, and establish limits for the operating parameters set forth in Paragraph 69.C.6 (Appendix 1, Table C).

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance "Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units" dated August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC). The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).
6. The operating parameters limits that will be established during the CDT are set forth in Appendix 1, Table C.
7. The Respondents must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99% for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must immediately cease processing hazardous waste in the Reconfigured TDU. The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents may not resume operation of the Reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan, at which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs.
8. All analyses required by the CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.
9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standard and emission limits set forth in Paragraphs 69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The DRE standard, emission limits, operating parameter limits, and the AWFCO settings shall also be set forth in a separate Appendix entitled

“Reconfigured TDU Compliance Standards”. All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements set forth in the “Reconfigured TDU Compliance Standards”, unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. Subject to Paragraph 69.C.7 of this CAFO, the issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. Unless the TDU and the tanks identified in Paragraph 20 are authorized by the RCRA Permit Modification required by Section III.B of this CAFO (or any subsequent permit amendment) to receive wastes that do not meet the requirements set forth in 40 C.F.R. § 261.6(a)(3)(iv)(C), feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products

4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices. The Respondents shall request that this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C.

§§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and

40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C.

§ 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

II. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shakedown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.6) subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies

of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.11 (if applicable) and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved plans shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the

seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of **ONE HUNDRED SIXTY-FIVE THOUSAND, SIX HUNDRED FIFTY-SEVEN DOLLARS (\$165,657)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of **SIX HUNDRED TWENTY-TWO THOUSAND, FOUR HUNDRED SIXTY-THREE DOLLARS (\$622,463)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in four (4) payments as follows:

Payment No. 1: \$157,978.35 within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$157,978.35 (\$153,268.99 civil penalty plus interest of \$4,709.36) within one year of the effective date of this CAFO.

Payment No. 3: \$157,978.35 (\$154,822.97 civil penalty plus interest of \$3,155.38) within two years of the effective date of this CAFO.

Payment No. 4: \$157,978.34 (\$156,392.69 civil penalty plus interest of \$1,585.65) within three years of the effective date of this CAFO.

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be
remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a

penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall submit to EPA a certification that the following equipment in the oil reclamation unit and the TDU is not in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;

6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

This certification shall be submitted in accordance with Paragraphs 76.H and 76.I.

C. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

D. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

E. The Respondents shall use a submerged fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

F. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R.

§ 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within ninety (90) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 76.H and 76.I.

G. Within 210 days of the effective date of the CAFO, the Respondents shall submit a written report to EPA showing compliance with Paragraphs 76.C, 76.D, and 76.E.

H. The certification and report identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. The certification and report required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs 69.A.11, 69.A.12, and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), 69A.8, and 69.A.11

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance

Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.H (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting

delay to the greatest extent possible. "Force Majeure" does not include the Respondents' financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ's permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents' past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents' rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other

obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous

substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this

CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.


M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: 9/27/12


US Ecology Texas, Inc.


FOR THE RESPONDENT:

Date: September 26, 2012

Carl R. Palmer
TD*X Associates L.P.

FOR THE COMPLAINANT:

Date: 10.03.12




John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: 10/4/12

A handwritten signature in black ink, appearing to read 'Patrick Rankin', is written over a horizontal line.

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

TABLE A

TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TDU INSTALLATION

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TT-18/19	TDU Dryer, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ¹ , 60-sec time delay
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 6-min Rolling Average (RA) ²
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-100	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁴
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation

¹ Continuous Process Monitoring System – See Paragraph 69.1 of CAFO.² Previous six 1-minute readings are summed and divided by six.³ 40 C.F.R. §§ 63.1209(b)(5).⁴ See Paragraph 69.A.3 of the CAFO.

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TDU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁵ , 6-min RA ⁶
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁷
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppm V @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA

⁵ Continuous Process Monitoring System – See Paragraph 69.1 of the CAFO.

⁶ Previous six 1-minute readings are summed and divided by six.

⁷ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁸ , Feed Stream Analysis Plan (if applicable) ⁹
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁰	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ¹¹	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

⁸ See Paragraph 69.A.3 of the CAFO.

⁹ See Paragraph 69.A.11 of the CAFO.

¹⁰ Semi-volatile metals means a combination of cadmium and lead.

¹¹ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

TABLE C
TDU OIL RECLAMATION REQUIREMENTS AFTER TDU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹² , 6-min RA ¹³
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
T1-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁴
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec time delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow

¹² Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹³ Previous six 1-minute readings are summed and divided by six.

¹⁴ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 3-run Average Based on CDT	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ¹⁵ , Feed Stream Analysis Plan (if applicable) ¹⁶
	Maximum TDU Feed Organic Halide Concentration	OPL Established as Measured Ratio ¹⁷	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁸	OPL Established as Measured Ratio ¹⁹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ²⁰	OPL Established as Measured Ratio ²¹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

¹⁵ See Paragraph 69.A.3 of the CAFO.

¹⁶ See Paragraph 69.A.11 of the CAFO.

¹⁷ Maximum TDU Feed Concentration established as a measured ratio (not to exceed 4000 ppm/bin) from emissions data collected during CDT. See plan example calculations.

¹⁸ Semi-volatile metals means a combination of cadmium and lead.

¹⁹ Maximum TDU Feed Concentration established as measured ration from emissions data collected during CDT. See plan example calculations.

²⁰ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²¹ Maximum TDU Feed Concentration established as measured ratio from emissions data collected during CDT. See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the 4th day of October, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that true and correct copies of the CAFO were sent to the following by the method indicated below:

For US Ecology Texas, Inc.

Certified Mail – Return Receipt Requested – 7007 0710 0002 1385 1491

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue, Suite 2100
Austin, Texas 78701

For TD*X Associates LP

Certified Mail – Return Receipt Requested – 7007 0710 0002 1385 1507

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Evan L Pearson

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. "Person" is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as "an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity."

10. The Respondent USET is a "person" as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Perform sampling and analysis of both dryer furnace stacks using Method TO-15, "Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters And Analyzed By Gas Chromatography/Mass Spectrometry (GC/MS)". If the total

organic matter result is greater than 10 ppmV for either stack, the analysis shall include speciation of the gas. This information shall be included in the report required in Paragraph 69.A.5.g below.

g. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

h. Subsequent tune-ups shall be conducted annually until the TDU is reconfigured.

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).

8. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU)

instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

9. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

10. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table B that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii).

11. The Respondents shall conduct a test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one-hour runs during which the TDU is operated on oil-bearing hazardous waste. The emissions from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be

demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1 – June 30 and July 1 - December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the test, the Respondents shall submit a test report to EPA summarizing the test results. The time periods for conducting the test may be changed to once during each twelve (12) month calendar period, January 1 - December 31, if the Respondents submit to EPA, with a copy to TCEQ, a detailed feed stream analysis plan that characterizes the waste received by the facility, and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document “Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste”, OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA, immediately upon receipt of EPA’s approval.

12. The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 30, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within thirty (30) days of the end of the reporting period. The report shall include the following:

a. For each waste stream accepted by the oil reclamation unit, identify the customer, original generator, waste stream description, RCRA waste codes, the SIC or NAICS code of the process generating the waste, a summary of any analyses conducted by the Respondents to verify the waste stream profiles, and the total volume of waste accepted during the reporting period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters and the AWFCO requirements set forth in Appendix 1, Tables A and B, and exceedances of the hourly rolling averages for CO (Paragraph 69.A.9).

c. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements established in accordance with Paragraph 69.C.9.

d. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

e. Documentation showing the installation of the TOU required by Paragraph 69.A.8, and the additional AWFCO requirements required by Appendix 1, Table B (Paragraph 69.A.10).

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the issued RCRA permit modification include the following:

- a. The feedstock limitations applicable to the operation of the oil reclamation unit under 40 C.F.R. § 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;
- b. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii);
- c. Appropriate recordkeeping and reporting requirements; and
- d. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which

incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a RCRA Subpart X permit for the Reconfigured TDU as described above by the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix C and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of 40 C.F.R. § 63.1219(b) set forth in Paragraph C.5, the destruction and removal efficiency standard of 40 C.F.R. § 63.1219(c)(1) set forth in Paragraph C.4, and establish limits for the operating parameters set forth in Paragraph 69.C.6 (Appendix 1, Table C).

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance "Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units" dated August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC). The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).
6. The operating parameters limits that will be established during the CDT are set forth in Appendix 1, Table C.
7. The Respondents must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99% for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must immediately cease processing hazardous waste in the Reconfigured TDU. The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents may not resume operation of the Reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan, at which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs.
8. All analyses required by the CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.
9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standard and emission limits set forth in Paragraphs 69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The DRE standard, emission limits, operating parameter limits, and the AWFCO settings shall also be set forth in a separate Appendix entitled

“Reconfigured TDU Compliance Standards”. All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements set forth in the “Reconfigured TDU Compliance Standards”, unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. Subject to Paragraph 69.C.7 of this CAFO, the issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. Unless the TDU and the tanks identified in Paragraph 20 are authorized by the RCRA Permit Modification required by Section III.B of this CAFO (or any subsequent permit amendment) to receive wastes that do not meet the requirements set forth in 40 C.F.R. § 261.6(a)(3)(iv)(C), feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products

4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices. The Respondents shall request that this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C.

§§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and

40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C.

§ 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

II. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shakedown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.6) subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies

of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.11 (if applicable) and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved plans shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the

seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of **ONE HUNDRED SIXTY-FIVE THOUSAND, SIX HUNDRED FIFTY-SEVEN DOLLARS (\$165,657)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of **SIX HUNDRED TWENTY-TWO THOUSAND, FOUR HUNDRED SIXTY-THREE DOLLARS (\$622,463)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in four (4) payments as follows:

Payment No. 1: \$157,978.35 within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$157,978.35 (\$153,268.99 civil penalty plus interest of \$4,709.36) within one year of the effective date of this CAFO.

Payment No. 3: \$157,978.35 (\$154,822.97 civil penalty plus interest of \$3,155.38) within two years of the effective date of this CAFO.

Payment No. 4: \$157,978.34 (\$156,392.69 civil penalty plus interest of \$1,585.65) within three years of the effective date of this CAFO.

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be
remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a

penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall submit to EPA a certification that the following equipment in the oil reclamation unit and the TDU is not in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;

6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

This certification shall be submitted in accordance with Paragraphs 76.H and 76.I.

C. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

D. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

E. The Respondents shall use a submerged fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

F. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R.

§ 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within ninety (90) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 76.H and 76.I.

G. Within 210 days of the effective date of the CAFO, the Respondents shall submit a written report to EPA showing compliance with Paragraphs 76.C, 76.D, and 76.E.

H. The certification and report identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. The certification and report required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs 69.A.11, 69.A.12, and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), 69A.8, and 69.A.11

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance

Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.H (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting

delay to the greatest extent possible. "Force Majeure" does not include the Respondents' financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ's permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents' past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents' rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other

obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous

substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this

CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.


M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: 9/27/12


US Ecology Texas, Inc.


FOR THE RESPONDENT:

Date: September 26, 2012

Carl R. Palmer
TD*X Associates L.P.

FOR THE COMPLAINANT:


Date: 10.03.12



John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: 10/4/12

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

TABLE A

TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TDU INSTALLATION

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TT-18/19	TDU Dryer, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ¹ , 60-sec time delay
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 6-min Rolling Average (RA) ²
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-100	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁴
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation

¹ Continuous Process Monitoring System – See Paragraph 69.1 of CAFO.² Previous six 1-minute readings are summed and divided by six.³ 40 C.F.R. §§ 63.1209(b)(5).⁴ See Paragraph 69.A.3 of the CAFO.

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TDU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁵ , 6-min RA ⁶
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁷
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppm V @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA

⁵ Continuous Process Monitoring System – See Paragraph 69.1 of the CAFO.

⁶ Previous six 1-minute readings are summed and divided by six.

⁷ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁸ , Feed Stream Analysis Plan (if applicable) ⁹
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁰	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ¹¹	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

⁸ See Paragraph 69.A.3 of the CAFO.

⁹ See Paragraph 69.A.11 of the CAFO.

¹⁰ Semi-volatile metals means a combination of cadmium and lead.

¹¹ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

TABLE C
TDU OIL RECLAMATION REQUIREMENTS AFTER TDU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹² , 6-min RA ¹³
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
T1-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁴
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec time delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow

¹² Continuous Process Monitoring System – See Paragraph 69.1 of CAFO.

¹³ Previous six 1-minute readings are summed and divided by six.

¹⁴ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 3-run Average Based on CDT	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ¹⁵ , Feed Stream Analysis Plan (if applicable) ¹⁶
	Maximum TDU Feed Organic Halide Concentration	OPL Established as Measured Ratio ¹⁷	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁸	OPL Established as Measured Ratio ¹⁹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ²⁰	OPL Established as Measured Ratio ²¹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

¹⁵ See Paragraph 69.A.3 of the CAFO.

¹⁶ See Paragraph 69.A.11 of the CAFO.

¹⁷ Maximum TDU Feed Concentration established as a measured ratio (not to exceed 4000 ppm/bin) from emissions data collected during CDT. See plan example calculations.

¹⁸ Semi-volatile metals means a combination of cadmium and lead.

¹⁹ Maximum TDU Feed Concentration established as measured ration from emissions data collected during CDT. See plan example calculations.

²⁰ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²¹ Maximum TDU Feed Concentration established as measured ratio from emissions data collected during CDT. See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the 4th day of October, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that true and correct copies of the CAFO were sent to the following by the method indicated below:

For US Ecology Texas, Inc.

Certified Mail – Return Receipt Requested – 7007 0710 0002 1385 1491

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue, Suite 2100
Austin, Texas 78701

For TD*X Associates LP

Certified Mail – Return Receipt Requested – 7007 0710 0002 1385 1507

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Evan L Pearson

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:

US ECOLOGY TEXAS, INC., and
TD*X ASSOCIATES LP

RESPONDENTS

DOCKET NOS. RCRA-06-2012-0936
and RCRA-06-2012-0937

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. "Person" is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as "an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity."

10. The Respondent USET is a "person" as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Perform sampling and analysis of both dryer furnace stacks using Method TO-15, "Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters And Analyzed By Gas Chromatography/Mass Spectrometry (GC/MS)". If the total

organic matter result is greater than 10 ppmV for either stack, the analysis shall include speciation of the gas. This information shall be included in the report required in Paragraph 69.A.5.g below.

g. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

h. Subsequent tune-ups shall be conducted annually until the TDU is reconfigured.

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).

8. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU)

instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

9. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

10. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table B that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii).

11. The Respondents shall conduct a test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one-hour runs during which the TDU is operated on oil-bearing hazardous waste. The emissions from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be

demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1 – June 30 and July 1 - December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the test, the Respondents shall submit a test report to EPA summarizing the test results. The time periods for conducting the test may be changed to once during each twelve (12) month calendar period, January 1 - December 31, if the Respondents submit to EPA, with a copy to TCEQ, a detailed feed stream analysis plan that characterizes the waste received by the facility, and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document “Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste”, OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA, immediately upon receipt of EPA’s approval.

12. The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 30, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within thirty (30) days of the end of the reporting period. The report shall include the following:

a. For each waste stream accepted by the oil reclamation unit, identify the customer, original generator, waste stream description, RCRA waste codes, the SIC or NAICS code of the process generating the waste, a summary of any analyses conducted by the Respondents to verify the waste stream profiles, and the total volume of waste accepted during the reporting period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters and the AWFCO requirements set forth in Appendix 1, Tables A and B, and exceedances of the hourly rolling averages for CO (Paragraph 69.A.9).

c. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements established in accordance with Paragraph 69.C.9.

d. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

e. Documentation showing the installation of the TOU required by Paragraph 69.A.8, and the additional AWFCO requirements required by Appendix 1, Table B (Paragraph 69.A.10).

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the issued RCRA permit modification include the following:

a. The feedstock limitations applicable to the operation of the oil reclamation unit under 40 C.F.R. § 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;

b. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii);

c. Appropriate recordkeeping and reporting requirements; and

d. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which

incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a RCRA Subpart X permit for the Reconfigured TDU as described above by the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix C and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of 40 C.F.R. § 63.1219(b) set forth in Paragraph C.5, the destruction and removal efficiency standard of 40 C.F.R. § 63.1219(c)(1) set forth in Paragraph C.4, and establish limits for the operating parameters set forth in Paragraph 69.C.6 (Appendix 1, Table C).

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance "Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units" dated August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC). The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).
6. The operating parameters limits that will be established during the CDT are set forth in Appendix 1, Table C.
7. The Respondents must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99% for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must immediately cease processing hazardous waste in the Reconfigured TDU. The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents may not resume operation of the Reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan, at which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs.
8. All analyses required by the CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.
9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standard and emission limits set forth in Paragraphs 69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The DRE standard, emission limits, operating parameter limits, and the AWFCO settings shall also be set forth in a separate Appendix entitled

“Reconfigured TDU Compliance Standards”. All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements set forth in the “Reconfigured TDU Compliance Standards”, unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. Subject to Paragraph 69.C.7 of this CAFO, the issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. Unless the TDU and the tanks identified in Paragraph 20 are authorized by the RCRA Permit Modification required by Section III.B of this CAFO (or any subsequent permit amendment) to receive wastes that do not meet the requirements set forth in 40 C.F.R. § 261.6(a)(3)(iv)(C), feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products

4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices. The Respondents shall request that this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C.

§§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and

40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C.

§ 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shakedown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.6) subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies

of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.11 (if applicable) and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved plans shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the

seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of **ONE HUNDRED SIXTY-FIVE THOUSAND, SIX HUNDRED FIFTY-SEVEN DOLLARS (\$165,657)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of **SIX HUNDRED TWENTY-TWO THOUSAND, FOUR HUNDRED SIXTY-THREE DOLLARS (\$622,463)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in four (4) payments as follows:

Payment No. 1: \$157,978.35 within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$157,978.35 (\$153,268.99 civil penalty plus interest of \$4,709.36) within one year of the effective date of this CAFO.

Payment No. 3: \$157,978.35 (\$154,822.97 civil penalty plus interest of \$3,155.38) within two years of the effective date of this CAFO.

Payment No. 4: \$157,978.34 (\$156,392.69 civil penalty plus interest of \$1,585.65) within three years of the effective date of this CAFO.

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
“D 68010727 Environmental Protection Agency”

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a

penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall submit to EPA a certification that the following equipment in the oil reclamation unit and the TDU is not in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;

6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

This certification shall be submitted in accordance with Paragraphs 76.H and 76.I.

C. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

D. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

E. The Respondents shall use a submerged fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

F. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R.

§ 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within ninety (90) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 76.H and 76.I.

G. Within 210 days of the effective date of the CAFO, the Respondents shall submit a written report to EPA showing compliance with Paragraphs 76.C, 76.D, and 76.E.

H. The certification and report identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. The certification and report required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs 69.A.11, 69.A.12, and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), 69A.8, and 69.A.11

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance

Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.H (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting

delay to the greatest extent possible. “Force Majeure” does not include the Respondents’ financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ’s permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents’ past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents’ rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent’s responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other

obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous

substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this

CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

[PAGE * MERGEFORMAT]

TABLE A**TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TOU INSTALLATION**

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TT-18/19	TDU Dryer, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ¹ , 60-sec time delay
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 6-min Rolling Average (RA) ²
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-100	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁴
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation

TABLE B

¹ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

² Previous six 1-minute readings are summed and divided by six.

³ 40 C.F.R. §§ 63.1209(b)(5).

⁴ See Paragraph 69.A.3 of the CAFO.

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TOU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁵ , 6-min RA ⁶
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁷
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppmV @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift

⁵ Continuous Process Monitoring System – See Paragraph 69.I of the CAFO.

⁶ Previous six 1-minute readings are summed and divided by six.

⁷ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁸ , Feed Stream Analysis Plan (if applicable) ⁹
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁰	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ¹¹	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

TABLE C

⁸ See Paragraph 69.A.3 of the CAFO.

⁹ See Paragraph 69.A.11 of the CAFO.

¹⁰ Semi-volatile metals means a combination of cadmium and lead.

¹¹ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

**TDU OIL RECLAMATION REQUIREMENTS AFTER TOU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹² , 6-min RA ¹³
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁴
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec time delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 3-run Average Based on CDT	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change	Installed and Δ Pressure	Installation Check; Δ Pressure

¹² Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹³ Previous six 1-minute readings are summed and divided by six.

¹⁴ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	Monitored to Ensure Integrity of Filter	Monitoring	Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ¹⁵ , Feed Stream Analysis Plan (if applicable) ¹⁶
	Maximum TDU Feed Organic Halide Concentration	OPL Established as Measured Ratio ¹⁷	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁸	OPL Established as Measured Ratio ¹⁹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ²⁰	OPL Established as Measured Ratio ²¹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

¹⁵ See Paragraph 69.A.3 of the CAFO.

¹⁶ See Paragraph 69.A.11 of the CAFO.

¹⁷ Maximum TDU Feed Concentration established as a measured ratio (not to exceed 4000 ppm/bin) from emissions data collected during CDT. See plan example calculations.

¹⁸ Semi-volatile metals means a combination of cadmium and lead.

¹⁹ Maximum TDU Feed Concentration established as measured ration from emissions data collected during CDT. See plan example calculations.

²⁰ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²¹ Maximum TDU Feed Concentration established as measured ratio from emissions data collected during CDT. See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the 4th day of October, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that true and correct copies of the CAFO were sent to the following by the method indicated below:

For US Ecology Texas, Inc.

Certified Mail – Return Receipt Requested – 7007 0710 0002 1385 1491

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue, Suite 2100
Austin, Texas 78701

For TD*X Associates LP

Certified Mail – Return Receipt Requested – 7007 0710 0002 1385 1507

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. "Person" is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as "an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity."

10. The Respondent USET is a "person" as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Perform sampling and analysis of both dryer furnace stacks using Method TO-15, "Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters And Analyzed By Gas Chromatography/Mass Spectrometry (GC/MS)". If the total

organic matter result is greater than 10 ppmV for either stack, the analysis shall include speciation of the gas. This information shall be included in the report required in Paragraph 69.A.5.g below.

g. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

h. Subsequent tune-ups shall be conducted annually until the TDU is reconfigured.

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).

8. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU)

instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

9. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

10. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table B that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii).

11. The Respondents shall conduct a test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one-hour runs during which the TDU is operated on oil-bearing hazardous waste. The emissions from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be

demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1 – June 30 and July 1 - December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the test, the Respondents shall submit a test report to EPA summarizing the test results. The time periods for conducting the test may be changed to once during each twelve (12) month calendar period, January 1 - December 31, if the Respondents submit to EPA, with a copy to TCEQ, a detailed feed stream analysis plan that characterizes the waste received by the facility, and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document “Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste”, OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA, immediately upon receipt of EPA’s approval.

12. The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 30, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within thirty (30) days of the end of the reporting period. The report shall include the following:

a. For each waste stream accepted by the oil reclamation unit, identify the customer, original generator, waste stream description, RCRA waste codes, the SIC or NAICS code of the process generating the waste, a summary of any analyses conducted by the Respondents to verify the waste stream profiles, and the total volume of waste accepted during the reporting period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters and the AWFCO requirements set forth in Appendix 1, Tables A and B, and exceedances of the hourly rolling averages for CO (Paragraph 69.A.9).

c. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements established in accordance with Paragraph 69.C.9.

d. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

e. Documentation showing the installation of the TOU required by Paragraph 69.A.8, and the additional AWFCO requirements required by Appendix 1, Table B (Paragraph 69.A.10).

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the issued RCRA permit modification include the following:

- a. The feedstock limitations applicable to the operation of the oil reclamation unit under 40 C.F.R. § 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;
- b. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii);
- c. Appropriate recordkeeping and reporting requirements; and
- d. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which

incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a RCRA Subpart X permit for the Reconfigured TDU as described above by the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix C and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of 40 C.F.R. § 63.1219(b) set forth in Paragraph C.5, the destruction and removal efficiency standard of 40 C.F.R. § 63.1219(c)(1) set forth in Paragraph C.4, and establish limits for the operating parameters set forth in Paragraph 69.C.6 (Appendix 1, Table C).

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance "Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units" dated August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC). The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).
6. The operating parameters limits that will be established during the CDT are set forth in Appendix 1, Table C.
7. The Respondents must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99% for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must immediately cease processing hazardous waste in the Reconfigured TDU. The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents may not resume operation of the Reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan, at which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs.
8. All analyses required by the CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.
9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standard and emission limits set forth in Paragraphs 69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The DRE standard, emission limits, operating parameter limits, and the AWFCO settings shall also be set forth in a separate Appendix entitled

“Reconfigured TDU Compliance Standards”. All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements set forth in the “Reconfigured TDU Compliance Standards”, unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. Subject to Paragraph 69.C.7 of this CAFO, the issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. Unless the TDU and the tanks identified in Paragraph 20 are authorized by the RCRA Permit Modification required by Section III.B of this CAFO (or any subsequent permit amendment) to receive wastes that do not meet the requirements set forth in 40 C.F.R. § 261.6(a)(3)(iv)(C), feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products

4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices. The Respondents shall request that this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C.

§§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and

40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C.

§ 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

II. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shakedown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.6) subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies

of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.11 (if applicable) and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved plans shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the

seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of **ONE HUNDRED SIXTY-FIVE THOUSAND, SIX HUNDRED FIFTY-SEVEN DOLLARS (\$165,657)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of **SIX HUNDRED TWENTY-TWO THOUSAND, FOUR HUNDRED SIXTY-THREE DOLLARS (\$622,463)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in four (4) payments as follows:

Payment No. 1: \$157,978.35 within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$157,978.35 (\$153,268.99 civil penalty plus interest of \$4,709.36) within one year of the effective date of this CAFO.

Payment No. 3: \$157,978.35 (\$154,822.97 civil penalty plus interest of \$3,155.38) within two years of the effective date of this CAFO.

Payment No. 4: \$157,978.34 (\$156,392.69 civil penalty plus interest of \$1,585.65) within three years of the effective date of this CAFO.

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be
remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a

penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall submit to EPA a certification that the following equipment in the oil reclamation unit and the TDU is not in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;

6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

This certification shall be submitted in accordance with Paragraphs 76.H and 76.I.

C. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

D. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

E. The Respondents shall use a submerged fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

F. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R.

§ 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within ninety (90) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 76.H and 76.I.

G. Within 210 days of the effective date of the CAFO, the Respondents shall submit a written report to EPA showing compliance with Paragraphs 76.C, 76.D, and 76.E.

H. The certification and report identified in this Section must be accompanied by the following certification:

"I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. The certification and report required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs 69.A.11, 69.A.12, and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), 69A.8, and 69.A.11

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance

Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.H (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting

delay to the greatest extent possible. "Force Majeure" does not include the Respondents' financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ's permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents' past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents' rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other

obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous

substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this

CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.


M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: 9/27/12


US Ecology Texas, Inc.


FOR THE RESPONDENT:

Date: September 26, 2012

Carl R. Palmer
TD*X Associates L.P.

FOR THE COMPLAINANT:

Date: 10.03.12




John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: 10/4/12

A handwritten signature in black ink, appearing to read 'Patrick Rankin', is written over a horizontal line.

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

TABLE A

TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TDU INSTALLATION

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TT-18/19	TDU Dryer, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ¹ , 60-sec time delay
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 6-min Rolling Average (RA) ²
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-100	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁴
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation

¹ Continuous Process Monitoring System – See Paragraph 69.1 of CAFO.

² Previous six 1-minute readings are summed and divided by six.

³ 40 C.F.R. §§ 63.1209(b)(5).

⁴ See Paragraph 69.A.3 of the CAFO.

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TDU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁵ , 6-min RA ⁶
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁷
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppm V @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA

⁵ Continuous Process Monitoring System – See Paragraph 69.1 of the CAFO.

⁶ Previous six 1-minute readings are summed and divided by six.

⁷ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁸ , Feed Stream Analysis Plan (if applicable) ⁹
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁰	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ¹¹	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

⁸ See Paragraph 69.A.3 of the CAFO.

⁹ See Paragraph 69.A.11 of the CAFO.

¹⁰ Semi-volatile metals means a combination of cadmium and lead.

¹¹ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

TABLE C
TDU OIL RECLAMATION REQUIREMENTS AFTER TDU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹² , 6-min RA ¹³
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁴
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec time delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow

¹² Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹³ Previous six 1-minute readings are summed and divided by six.

¹⁴ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 3-run Average Based on CDT	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ¹⁵ , Feed Stream Analysis Plan (if applicable) ¹⁶
	Maximum TDU Feed Organic Halide Concentration	OPL Established as Measured Ratio ¹⁷	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁸	OPL Established as Measured Ratio ¹⁹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ²⁰	OPL Established as Measured Ratio ²¹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

¹⁵ See Paragraph 69.A.3 of the CAFO.

¹⁶ See Paragraph 69.A.11 of the CAFO.

¹⁷ Maximum TDU Feed Concentration established as a measured ratio (not to exceed 4000 ppm/bin) from emissions data collected during CDT. See plan example calculations.

¹⁸ Semi-volatile metals means a combination of cadmium and lead.

¹⁹ Maximum TDU Feed Concentration established as measured ration from emissions data collected during CDT. See plan example calculations.

²⁰ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²¹ Maximum TDU Feed Concentration established as measured ratio from emissions data collected during CDT. See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the 4th day of October, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that true and correct copies of the CAFO were sent to the following by the method indicated below:

For US Ecology Texas, Inc.

Certified Mail – Return Receipt Requested – 7007 0710 0002 1385 1491

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue, Suite 2100
Austin, Texas 78701

For TD*X Associates LP

Certified Mail – Return Receipt Requested – 7007 0710 0002 1385 1507

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Evan L Pearson

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:

US ECOLOGY TEXAS, INC., and
TD*X ASSOCIATES LP

RESPONDENTS

DOCKET NOS. RCRA-06-2012-0936
and RCRA-06-2012-0937

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. “Person” is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as “an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity.”

10. The Respondent USET is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Perform sampling and analysis of both dryer furnace stacks using Method TO-15, "Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters And Analyzed By Gas Chromatography/Mass Spectrometry (GC/MS)". If the total

organic matter result is greater than 10 ppmV for either stack, the analysis shall include speciation of the gas. This information shall be included in the report required in Paragraph 69.A.5.g below.

g. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

h. Subsequent tune-ups shall be conducted annually until the TDU is reconfigured.

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).

8. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU)

instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

9. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

10. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table B that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii).

11. The Respondents shall conduct a test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one-hour runs during which the TDU is operated on oil-bearing hazardous waste. The emissions from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be

demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1 – June 30 and July 1 - December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the test, the Respondents shall submit a test report to EPA summarizing the test results. The time periods for conducting the test may be changed to once during each twelve (12) month calendar period, January 1 - December 31, if the Respondents submit to EPA, with a copy to TCEQ, a detailed feed stream analysis plan that characterizes the waste received by the facility, and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document “Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste”, OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA, immediately upon receipt of EPA’s approval.

12. The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 30, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within thirty (30) days of the end of the reporting period. The report shall include the following:

a. For each waste stream accepted by the oil reclamation unit, identify the customer, original generator, waste stream description, RCRA waste codes, the SIC or NAICS code of the process generating the waste, a summary of any analyses conducted by the Respondents to verify the waste stream profiles, and the total volume of waste accepted during the reporting period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters and the AWFCO requirements set forth in Appendix 1, Tables A and B, and exceedances of the hourly rolling averages for CO (Paragraph 69.A.9).

c. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements established in accordance with Paragraph 69.C.9.

d. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

e. Documentation showing the installation of the TOU required by Paragraph 69.A.8, and the additional AWFCO requirements required by Appendix 1, Table B (Paragraph 69.A.10).

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the issued RCRA permit modification include the following:

a. The feedstock limitations applicable to the operation of the oil reclamation unit under 40 C.F.R. § 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;

b. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii);

c. Appropriate recordkeeping and reporting requirements; and

d. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which

incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a RCRA Subpart X permit for the Reconfigured TDU as described above by the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix C and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of 40 C.F.R. § 63.1219(b) set forth in Paragraph C.5, the destruction and removal efficiency standard of 40 C.F.R. § 63.1219(c)(1) set forth in Paragraph C.4, and establish limits for the operating parameters set forth in Paragraph 69.C.6 (Appendix 1, Table C).

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance "Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units" dated August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC). The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).
6. The operating parameters limits that will be established during the CDT are set forth in Appendix 1, Table C.
7. The Respondents must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99% for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must immediately cease processing hazardous waste in the Reconfigured TDU. The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents may not resume operation of the Reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan, at which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs.
8. All analyses required by the CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.
9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standard and emission limits set forth in Paragraphs 69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The DRE standard, emission limits, operating parameter limits, and the AWFCO settings shall also be set forth in a separate Appendix entitled

“Reconfigured TDU Compliance Standards”. All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements set forth in the “Reconfigured TDU Compliance Standards”, unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. Subject to Paragraph 69.C.7 of this CAFO, the issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. Unless the TDU and the tanks identified in Paragraph 20 are authorized by the RCRA Permit Modification required by Section III.B of this CAFO (or any subsequent permit amendment) to receive wastes that do not meet the requirements set forth in 40 C.F.R. § 261.6(a)(3)(iv)(C), feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products

4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices. The Respondents shall request that this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C.

§§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and

40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C.

§ 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shakedown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.6) subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies

of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.11 (if applicable) and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved plans shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the

seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of **ONE HUNDRED SIXTY-FIVE THOUSAND, SIX HUNDRED FIFTY-SEVEN DOLLARS (\$165,657)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of **SIX HUNDRED TWENTY-TWO THOUSAND, FOUR HUNDRED SIXTY-THREE DOLLARS (\$622,463)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in four (4) payments as follows:

Payment No. 1: \$157,978.35 within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$157,978.35 (\$153,268.99 civil penalty plus interest of \$4,709.36) within one year of the effective date of this CAFO.

Payment No. 3: \$157,978.35 (\$154,822.97 civil penalty plus interest of \$3,155.38) within two years of the effective date of this CAFO.

Payment No. 4: \$157,978.34 (\$156,392.69 civil penalty plus interest of \$1,585.65) within three years of the effective date of this CAFO.

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
“D 68010727 Environmental Protection Agency”

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a

penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall submit to EPA a certification that the following equipment in the oil reclamation unit and the TDU is not in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;

6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

This certification shall be submitted in accordance with Paragraphs 76.H and 76.I.

C. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

D. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

E. The Respondents shall use a submerged fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

F. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R.

§ 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within ninety (90) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 76.H and 76.I.

G. Within 210 days of the effective date of the CAFO, the Respondents shall submit a written report to EPA showing compliance with Paragraphs 76.C, 76.D, and 76.E.

H. The certification and report identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. The certification and report required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs 69.A.11, 69.A.12, and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), 69A.8, and 69.A.11

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance

Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.H (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting

delay to the greatest extent possible. “Force Majeure” does not include the Respondents’ financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ’s permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents’ past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents’ rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent’s responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other

obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous

substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this

CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

[PAGE * MERGEFORMAT]

TABLE A**TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TOU INSTALLATION**

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TT-18/19	TDU Dryer, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ¹ , 60-sec time delay
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 6-min Rolling Average (RA) ²
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-100	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁴
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation

TABLE B

¹ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

² Previous six 1-minute readings are summed and divided by six.

³ 40 C.F.R. §§ 63.1209(b)(5).

⁴ See Paragraph 69.A.3 of the CAFO.

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TOU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁵ , 6-min RA ⁶
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁷
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppmV @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift

⁵ Continuous Process Monitoring System – See Paragraph 69.I of the CAFO.

⁶ Previous six 1-minute readings are summed and divided by six.

⁷ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁸ , Feed Stream Analysis Plan (if applicable) ⁹
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] < 1,500 ppm/Bin	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁰	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ¹¹	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

TABLE C

⁸ See Paragraph 69.A.3 of the CAFO.

⁹ See Paragraph 69.A.11 of the CAFO.

¹⁰ Semi-volatile metals means a combination of cadmium and lead.

¹¹ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

**TDU OIL RECLAMATION REQUIREMENTS AFTER TOU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹² , 6-min RA ¹³
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁴
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec time delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 3-run Average Based on CDT	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change	Installed and Δ Pressure	Installation Check; Δ Pressure

¹² Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹³ Previous six 1-minute readings are summed and divided by six.

¹⁴ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	Monitored to Ensure Integrity of Filter	Monitoring	Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ¹⁵ , Feed Stream Analysis Plan (if applicable) ¹⁶
	Maximum TDU Feed Organic Halide Concentration	OPL Established as Measured Ratio ¹⁷	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹⁸	OPL Established as Measured Ratio ¹⁹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ²⁰	OPL Established as Measured Ratio ²¹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

¹⁵ See Paragraph 69.A.3 of the CAFO.

¹⁶ See Paragraph 69.A.11 of the CAFO.

¹⁷ Maximum TDU Feed Concentration established as a measured ratio (not to exceed 4000 ppm/bin) from emissions data collected during CDT. See plan example calculations.

¹⁸ Semi-volatile metals means a combination of cadmium and lead.

¹⁹ Maximum TDU Feed Concentration established as measured ration from emissions data collected during CDT. See plan example calculations.

²⁰ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²¹ Maximum TDU Feed Concentration established as measured ratio from emissions data collected during CDT. See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:)

US ECOLOGY TEXAS, INC., and)
TD*X ASSOCIATES LP)

RESPONDENTS)
_____)

DOCKET NOS. RCRA-06-2012-0936
and RCRA-06-2012-0937

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. "Person" is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as "an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity."

10. The Respondent USET is a "person" as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Perform sampling and analysis of both dryer furnace stacks using Method TO-15, "Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters And Analyzed By Gas Chromatography/Mass Spectrometry (GC/MS)". If the total

organic matter result is greater than 10 ppmV for either stack, the analysis shall include speciation of the gas. This information shall be included in the report required in Paragraph 69.A.5.g below.

g. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

h. Subsequent tune-ups shall be conducted annually until the TDU is reconfigured.

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).

8. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU)

instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

9. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

10. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table B~~2~~ that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii).

11. The Respondents shall conduct a test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one-hour runs during which the TDU is operated on oil-bearing hazardous waste. The emissions from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be

demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1 – June 30 and July 1 - December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the test, the Respondents shall submit a test report to EPA summarizing the test results. The time periods for conducting the test may be changed to once during each twelve (12) month calendar period, January 1 - December 31, if the Respondents submit to EPA, with a copy to TCEQ, a detailed feed stream analysis plan that characterizes the waste received by the facility, and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document “Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste”, OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA, immediately upon receipt of EPA’s approval.

12. The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 30, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within thirty (30) days of the end of the reporting period. The report shall include the following:

a. For each waste stream accepted by the oil reclamation unit, identify the customer, original generator, waste stream description, RCRA waste codes, the SIC or NAICS code of the process generating the waste, a summary of any analyses conducted by the Respondents to verify the waste stream profiles, and the total volume of waste accepted during the reporting period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters and the AWFCO requirements set forth in Appendix 1, Tables A and B, and exceedances of the hourly rolling averages for CO (Paragraph 69.A.9).

c. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements established in accordance with Paragraph 69.C.9.

d. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

e. Documentation showing the installation of the TOU required by Paragraph 69.A.8, and the additional AWFCO requirements required by Appendix 1, Table B (Paragraph 69.A.910).

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in

accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the issued RCRA permit modification include the following:

a. The feedstock limitations applicable to the operation of the oil reclamation unit under 40 C.F.R. § 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;

b. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii).

c. Appropriate recordkeeping and reporting requirements; and

d. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in

accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a RCRA Subpart X permit for the Reconfigured TDU as described above by the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix C.2 and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of 40 C.F.R. § 63.1219(b) set forth in Paragraph C.5, the destruction and removal efficiency standard of 40 C.F.R. § 63.1219(c)(1) set forth in Paragraph C.4, and establish limits for the operating parameters set forth in Paragraph 69.C.6 (Appendix 1, Table C).

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance "Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units" dated August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC).

The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).

6. The operating parameters limits that will be established during the CDT are set forth in Appendix 1, Table C.

7. The Respondents must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99% for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must immediately cease processing hazardous waste burning immediately. The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents may not resume operation of the Reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan, at which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs.

8. All analyses required by the CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.

9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standard and emission limits set forth in Paragraphs

69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The DRE standard, emission limits, operating parameter limits, and the AWFCO settings shall also be set forth in a separate Appendix entitled “Reconfigured TDU Compliance Standards”. All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements set forth in the “Reconfigured TDU Compliance Standards”, unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. The issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT shall result in the termination of the Respondents’

authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. Unless the TDU and the tanks identified in Paragraph 20 are authorized by the RCRA Permit Modification required by Section III.B of this CAFO (or any subsequent permit amendment) to receive wastes that do not meet the requirements set forth in 40 C.F.R. § 261.6(a)(3)(iv)(C), feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services,	213112	Support Activities for Oil and Gas

	NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)		Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices. The Respondents shall request that

this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C. §§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and 40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

"I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shakedown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.8~~6~~) subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.11 (if applicable) and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved plans ~~reports~~ shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of **ONE HUNDRED SIXTY-FIVE THOUSAND, SIX HUNDRED FIFTY-SEVEN DOLLARS (\$165,657)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of **SIX HUNDRED TWENTY-TWO THOUSAND, FOUR HUNDRED SIXTY-THREE DOLLARS (\$622,463)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in four (4) payments as follows:

Payment No. 1: \$157,978.35 within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$157,978.35 (\$153,268.99 civil penalty plus interest of \$4,709.36) within one year of the effective date of this CAFO.

Payment No. 3: \$157,978.35 (\$154,822.97 civil penalty plus interest of \$3,155.38) within two years of the effective date of this CAFO.

Payment No. 4: \$157,978.34 (\$156,392.69 civil penalty plus interest of \$1,585.65) within three years of the effective date of this CAFO.

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6".

Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and

docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's

administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall submit to EPA a certification that the following equipment in the oil reclamation unit and the TDU is not in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;
6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

This certification shall be submitted in accordance with Paragraphs 76.H and 76.I.

C. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

D. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

E. The Respondents shall use a submerged fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

F. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R. § 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within ninety (90) ~~thirty (30)~~ days of completion of the performance tests. The performance test results shall be submitted in accordance with Paragraphs 76.H and 76.I.

G. Within 210 days of the effective date of the CAFO, the Respondents shall submit a written report to EPA showing compliance with Paragraphs 76.C, 76.D, and 76.E.

H. The certification and report identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. The certification and report required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs 69.A.11, 69.A.12, and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), 69.A.8, and 69.A.11

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the

agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.HG (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A “force majeure event” is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents’ best efforts to fulfill the obligation. “Best efforts” includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting delay to the greatest extent possible. “Force Majeure” does not include the Respondents’ financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ’s permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents’ past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents’ rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent’s responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment. Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary

documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

DRAFT

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

DRAFT

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

DRAFT

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

DRAFT

TABLE A

TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TOU INSTALLATION

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TDI-18/19	TDU Dryer, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ¹ , 60-sec time delay
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 6-min Rolling Average (RA) ²
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-100	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁴
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] ⁵ < 1,500 ppm/Bin	Blending Protocols & Documentation

¹ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

² ~~Previous six 1-minute readings are summed and divided by six.~~ ~~Need Definition of 6-Min Rolling Average.~~

³ 40 C.F.R. §§ 63.1209(b)(5).

⁴ See Paragraph 69.A.3 of the CAFO.

⁵ Total Organic Halides as expressed as a chloride (Cl⁻) equivalent, mass basis.

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TOU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C	AWFCO: CPMS ⁶ , 6-min RA ⁷
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁸
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppmV @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift

⁶ Continuous Process Monitoring System – See Paragraph 69.I of the CAFO.

⁷ Previous six 1-minute readings are summed and divided by six. ~~Need Definition of 6-Min Rolling Average.~~

⁸ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁴⁹ , Feed Stream Analysis Plan (if applicable) ⁵¹⁰
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] ¹¹ < 1,500 ppm/Bin	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹²	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ¹³	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

TABLE C

TDU OIL RECLAMATION REQUIREMENTS AFTER TOU INSTALLATION

⁹ See Paragraph 69.A.3 of the CAFO.

¹⁰ See Paragraph 69.A.11 of the CAFO.

¹¹ Total Organic Halides as expressed as a chloride (Cl⁻) equivalent, mass basis.

¹² Semi-volatile metals means a combination of cadmium and lead.

¹³ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹⁴ , 6-min RA ¹⁵
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁶
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec time delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 3-run Average From 4,000 ppm-Based on CDT	AWFCO: CPMS, HRA

¹⁴ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹⁵ Previous six 1-minute readings are summed and divided by six. ~~Need Definition of 6-Min Rolling Average.~~

¹⁶ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ¹⁷ , Feed Stream Analysis Plan (if applicable) ¹⁸
	Maximum TDU Feed Organic Halide Concentration	OPL Established as Measured Ratio [Total Organic Halides] ¹⁹ OPL Established @ from CDT ¹⁹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ²⁰	OPL Established as Measured Ratio ²¹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ²²	OPL Established as Measured Ratio ²³	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

¹⁷ See Paragraph 69.A.3 of the CAFO.

¹⁸ See Paragraph 69.A.11 of the CAFO.

¹⁹ ~~Total Organic Halides as expressed as a chloride (Cl⁻) equivalent, mass basis.~~

¹⁹ Total Organic Halides as expressed as a chloride (Cl⁻) equivalent, mass basis. Maximum TDU Feed Concentration established as a measured ratio (not to exceed 4000 ppm/bin) from emissions data collected during CDT. See plan example calculations

²⁰ Semi-volatile metals means a combination of cadmium and lead.

²¹ Maximum TDU Feed Concentration established as measured ration from emissions data collected during CDT. See plan example calculations.

²² Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²³ Maximum TDU Feed Concentration established as measured ratio from emissions data collected during CDT. See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DRAFT

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DRAFT

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

DRAFT

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

DRAFT

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:

US ECOLOGY TEXAS, INC., and
TD*X ASSOCIATES LP

RESPONDENTS

DOCKET NOS. RCRA-06-2012-0936
and RCRA-06-2012-0937

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. “Person” is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as “an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity.”

10. The Respondent USET is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Perform sampling and analysis of both dryer furnace stacks using Method TO-15, "Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters And Analyzed By Gas Chromatography/Mass Spectrometry (GC/MS)". If the total

organic matter result is greater than 10 ppmV for either stack, the analysis shall include speciation of the gas. This information shall be included in the report required in Paragraph 69.A.5.g below.

g. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

h. Subsequent tune-ups shall be conducted annually until the TDU is reconfigured.

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).

8. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU)

instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

9. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

10. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table B2 that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii).

11. The Respondents shall conduct a test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one-hour runs during which the TDU is operated on oil-bearing hazardous waste. The emissions from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be

demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1 – June 30 and July 1 - December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the test, the Respondents shall submit a test report to EPA summarizing the test results. The time periods for conducting the test may be changed to once during each twelve (12) month calendar period, January 1 - December 31, if the Respondents submit to EPA, with a copy to TCEQ, a detailed feed stream analysis plan that characterizes the waste received by the facility, and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document “Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste”, OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA, immediately upon receipt of EPA’s approval.

12. The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 30, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within ~~thirty~~ (30) days of the end of the reporting period. The report shall include the following:

a. For each waste stream accepted by the oil reclamation unit, identify the customer, original generator, waste stream description, RCRA waste codes, the SIC or NAICS code of the process generating the waste, a summary of any analyses conducted by the Respondents to verify the waste stream profiles, and the total volume of waste accepted during the reporting period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters and the AWFCO requirements set forth in Appendix 1, Tables A and B, and exceedances of the hourly rolling averages for CO (Paragraph 69.A.9).

c. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements established in accordance with Paragraph 69.C.9.

d. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

e. Documentation showing the installation of the TOU required by Paragraph 69.A.8, and the additional AWFCO requirements required by Appendix 1, Table B (Paragraph 69.A.9~~10~~).

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in

accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the issued RCRA permit modification include the following:

a. The feedstock limitations applicable to the operation of the oil reclamation unit under 40 C.F.R. § 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;

b. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii);

c. Appropriate recordkeeping and reporting requirements; and


d. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in

accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a RCRA Subpart X permit for the Reconfigured TDU as described above by the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix  and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of 40 C.F.R. § 63.1219(b) set forth in Paragraph C.5, the destruction and removal efficiency standard of 40 C.F.R. § 63.1219(c)(1) set forth in Paragraph C.4, and establish limits for the operating parameters set forth in Paragraph 69.C.6 (Appendix 1, Table C).

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance "Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units" dated August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC).

The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).

6. The operating parameters limits that will be established during the CDT are set forth in Appendix 1, Table C.

7. The Respondents must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99% for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must immediately cease processing hazardous waste-burning-immediately. The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents may not resume operation of the Reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan, at which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs.

8. All analyses required by the CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.

9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standard and emission limits set forth in Paragraphs

69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The DRE standard, emission limits, operating parameter limits, and the AWFCO settings shall also be set forth in a separate Appendix entitled “Reconfigured TDU Compliance Standards”. All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements set forth in the “Reconfigured TDU Compliance Standards”, unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. The issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT shall result in the termination of the Respondents’

authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. Unless the TDU and the tanks identified in Paragraph 20 are authorized by the RCRA Permit Modification required by Section III.B of this CAFO (or any subsequent permit amendment) to receive wastes that do not meet the requirements set forth in 40 C.F.R. § 261.6(a)(3)(iv)(C), feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services,	213112	Support Activities for Oil and Gas

	NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)		Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices. The Respondents shall request that

this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C. §§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and 40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

"I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shakedown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.8) subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.11 (if applicable) and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved plans/reports shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of **ONE HUNDRED SIXTY-FIVE THOUSAND, SIX HUNDRED FIFTY-SEVEN DOLLARS (\$165,657)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of **SIX HUNDRED TWENTY-TWO THOUSAND, FOUR HUNDRED SIXTY-THREE DOLLARS (\$622,463)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in four (4) payments as follows:

Payment No. 1: \$157,978.35 within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$157,978.35 (\$153,268.99 civil penalty plus interest of \$4,709.36) within one year of the effective date of this CAFO.

Payment No. 3: \$157,978.35 (\$154,822.97 civil penalty plus interest of \$3,155.38) within two years of the effective date of this CAFO.

Payment No. 4: \$157,978.34 (\$156,392.69 civil penalty plus interest of \$1,585.65) within three years of the effective date of this CAFO.

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6".

Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
“D 68010727 Environmental Protection Agency”

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and

docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's

administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall submit to EPA a certification that the following equipment in the oil reclamation unit and the TDU is not in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;
6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

This certification shall be submitted in accordance with Paragraphs 76.H and 76.I.

C. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

D. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

E. The Respondents shall use a submerged fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

F. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R.

§ 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within ninety (90) ~~thirty (30)~~ days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 76.H and 76.I.

G. Within 210 days of the effective date of the CAFO, the Respondent~~s~~ shall submit a written report to EPA showing compliance with Paragraphs 76.C, 76.D, and 76.E.

H. The certification and report identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent~~(s)~~ by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. The certification and report required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs 69.A.11, 69.A.12, and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), 69A.8, and 69.A.11

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the

agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.HG (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A “force majeure event” is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents’ best efforts to fulfill the obligation. “Best efforts” includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting delay to the greatest extent possible. “Force Majeure” does not include the Respondents’ financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ’s permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents’ past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents’ rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent’s responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary

documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

[PAGE * MERGEFORMAT]

TABLE A**TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TOU INSTALLATION**

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TDI-18/19	TDU Dryer, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ¹ , 60-sec time delay
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 6-min Rolling Average (RA) ²
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-100	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁴
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] ⁵ < 1,500 ppm/Bin	Blending Protocols & Documentation

¹ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

² ~~Previous six 1-minute readings are summed and divided by six.~~ ~~Need Definition of 6-Min Rolling Average.~~

³ 40 C.F.R. §§ 63.1209(b)(5).

⁴ See Paragraph 69.A.3 of the CAFO.

⁵ Total Organic Halides as expressed as a chloride (Cl⁻) equivalent, mass basis.

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TOU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁶ , 6-min RA ⁷
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁸
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppmV @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift

⁶ Continuous Process Monitoring System – See Paragraph 69.I of the CAFO.

⁷ ~~Previous six 1-minute readings are summed and divided by six.~~ ~~Need Definition of 6-Min Rolling Average.~~

⁸ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁴⁹ , Feed Stream Analysis Plan (if applicable) ⁵¹⁰
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] ¹¹ < 1,500 ppm/Bin	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹²	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ¹³	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

TABLE C**TDU OIL RECLAMATION REQUIREMENTS AFTER TOU INSTALLATION**

⁹ See Paragraph 69.A.3 of the CAFO.

¹⁰ See Paragraph 69.A.11 of the CAFO.

¹¹ Total Organic Halides as expressed as a chloride (Cl⁻) equivalent, mass basis.

¹² Semi-volatile metals means a combination of cadmium and lead.

¹³ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹⁴ , 6-min RA ¹⁵
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁶
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec time delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 3-run Average From 4,000 ppm Based on CDT	AWFCO: CPMS, HRA

¹⁴ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹⁵ ~~Previous six 1-minute readings are summed and divided by six. Need Definition of 6-Min Rolling Average.~~

¹⁶ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ¹⁷ , Feed Stream Analysis Plan (if applicable) ¹⁸
	Maximum TDU Feed Organic Halide Concentration	OPL Established as Measured Ratio[Total Organic Halides]¹⁹ OPL Established @ from CDT¹⁹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ²⁰	OPL Established as Measured Ratio ²¹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ²²	OPL Established as Measured Ratio ²³	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

¹⁷ See Paragraph 69.A.3 of the CAFO.

¹⁸ See Paragraph 69.A.11 of the CAFO.

~~¹⁹ Total Organic Halides as expressed as a chloride (Cl^-) equivalent, mass basis.~~

¹⁹ Total Organic Halides as expressed as a chloride (Cl^-) equivalent, mass basis. Maximum TDU Feed Concentration established as a measured ratio (not to exceed 4000 ppm/bin) from emissions data collected during CDT. See plan example calculations

²⁰ Semi-volatile metals means a combination of cadmium and lead.

²¹ Maximum TDU Feed Concentration established as measured ration from emissions data collected during CDT. See plan example calculations.

²² Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²³ Maximum TDU Feed Concentration established as measured ratio from emissions data collected during CDT. See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

IN THE MATTER OF:)	
)	
US ECOLOGY TEXAS, INC., and)	DOCKET NOS. RCRA-06-2012-0936
TD*X ASSOCIATES LP)	and RCRA-06-2012-0937
)	
RESPONDENTS)	
)	

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

ED 002427B 00007475-00001

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. “Person” is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as “an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity.”

10. The Respondent USET is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Perform sampling and analysis of both dryer furnace stacks using Method TO-15, "Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters And Analyzed By Gas Chromatography/Mass Spectrometry (GC/MS)". If the total

organic matter result is greater than 10 ppmV for either stack, the analysis shall include speciation of the gas. This information shall be included in the report required in Paragraph 69.A.5.g below.

g. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

h. Subsequent tune-ups shall be conducted annually until the TDU is reconfigured.

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).

8. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU)

instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

9. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

10. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(ii) and (iv) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table B2 that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii).

11. The Respondents shall conduct a test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one-hour runs during which the TDU is operated on oil-bearing hazardous waste. The emissions from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be

demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1 – June 30 and July 1 - December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the test, the Respondents shall submit a test report to EPA summarizing the test results. The time periods for conducting the test may be changed to once during each twelve (12) month calendar period, January 1 - December 31, if the Respondents submit to EPA, with a copy to TCEQ, a detailed feed stream analysis plan that characterizes the waste received by the facility, and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document “Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste”, OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA, immediately upon receipt of EPA’s approval.

12. The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 30, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within 30 days of the end of the reporting period. The report shall include the following:

a. For each waste stream accepted by the oil reclamation unit, identify the customer, original generator, waste stream description, RCRA waste codes, the SIC or NAICS code of the process generating the waste, a summary of any analyses conducted by the Respondents to verify the waste stream profiles, and the total volume of waste accepted during the reporting period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters and the AWFCO requirements set forth in Appendix 1, Tables A and B, and exceedances of the hourly rolling averages for CO (Paragraph 69.A.9).

c. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements established in accordance with Paragraph 69.C.9.

d. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

e. Documentation showing the installation of the TOU required by Paragraph 69.A.8, and the additional AWFCO requirements required by Appendix 1, Table B (Paragraph 69.A.9).

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the issued RCRA permit modification include the following:

a. The feedstock limitations applicable to the operation of the oil reclamation unit under 40 C.F.R. § 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;

b. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3) (v), (vi) and (vii);

c. Appropriate recordkeeping and reporting requirements; and

d. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which

incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a RCRA Subpart X permit for the Reconfigured TDU as described above by the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix C2 and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of 40 C.F.R. § 63.1219(b) set forth in Paragraph C.5, the destruction and removal efficiency standard of 40 C.F.R. § 63.1219(c)(1) set forth in Paragraph C.4, and establish limits for the operating parameters set forth in Paragraph 69.C.6 (Appendix 1, Table C).

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance "Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units" dated August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC). The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).
6. The operating parameters limits that will be established during the CDT are set forth in Appendix 1, Table C.
7. The Respondents must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99% for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must cease hazardous waste burning immediately. The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents may not resume operation of the Reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan, at which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs.
8. All analyses required by the CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.
9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standard and emission limits set forth in Paragraphs 69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The DRE standard, emission limits, operating parameter limits, and the AWFCO settings shall also be set forth in a separate Appendix entitled “Reconfigured TDU Compliance Standards”. All data collected during the CDT (including, but

not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements set forth in the “Reconfigured TDU Compliance Standards”, unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. The issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. Unless the TDU and the tanks identified in Paragraph 20 are authorized by the RCRA Permit Modification required by Section III.B of this CAFO (or any subsequent permit amendment) to receive wastes that do not meet the requirements set forth in 40 C.F.R. § 261.6(a)(3)(iv)(C), feedstock for the oil reclamation unit shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products

4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from processes meeting the definition of the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices. The Respondents shall request that this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C.

§§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and

40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C.

§ 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shutdown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.8) subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies

of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.11 (if applicable) and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved reports shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the

seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of **ONE HUNDRED SIXTY-FIVE THOUSAND, SIX HUNDRED FIFTY-SEVEN DOLLARS (\$165,657)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of **SIX HUNDRED TWENTY-TWO THOUSAND, FOUR HUNDRED SIXTY-THREE DOLLARS (\$622,463)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in four (4) payments as follows:

Payment No. 1: \$157,978.35 within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$157,978.35 (\$153,268.99 civil penalty plus interest of \$4,709.36) within one year of the effective date of this CAFO.

Payment No. 3: \$157,978.35 (\$154,822.97 civil penalty plus interest of \$3,155.38) within two years of the effective date of this CAFO.

Payment No. 4: \$157,978.34 (\$156,392.69 civil penalty plus interest of \$1,585.65) within three years of the effective date of this CAFO.

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
“D 68010727 Environmental Protection Agency”

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a

penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall submit to EPA a certification that the following equipment in the oil reclamation unit and the TDU is not in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;

6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

This certification shall be submitted in accordance with Paragraphs 76.H and 76.I.

C. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

D. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

E. The Respondents shall use a submerged fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

F. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R.

§ 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within ninety (90) ~~thirty (30)~~ days of completion of the performance tests. The performance test results shall be submitted in accordance with Paragraphs 76.H and 76.I.

G. Within 210 days of the effective date of the CAFO, the Respondent shall submit a written report to EPA showing compliance with Paragraphs 76.C, 76.D, and 76.E.

H. The certification and report identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. The certification and report required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs 69.A.11, 69.A.12, and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), 69A.8, and 69.A.11

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance

Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting

delay to the greatest extent possible. “Force Majeure” does not include the Respondents’ financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ’s permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents’ past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents’ rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent’s responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other

obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous

substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this

CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

TABLE A**TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TOU INSTALLATION**

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TDI-18/19	TDU Dryer, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ¹ , 60-sec time delay
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 6-min Rolling Average (RA) ²
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-100	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁴
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] ⁵ < 1,500 ppm/Bin	Blending Protocols & Documentation

¹ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

² ~~Previous six 1-minute readings are summed and divided by six.~~ Need Definition of 6-Min Rolling Average.

³ 40 C.F.R. §§ 63.1209(b)(5).

⁴ See Paragraph 69.A.3 of the CAFO.

⁵ Total Organic Halides as expressed as a chloride (Cl⁻) equivalent, mass basis.

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TOU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁶ , 6-min RA ⁷
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁸
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppmV @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift

⁶ Continuous Process Monitoring System – See Paragraph 69.I of the CAFO.

⁷ Previous six 1-minute readings are summed and divided by six. ~~Need Definition of 6-Min Rolling Average.~~

⁸ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁴⁹ , Feed Stream Analysis Plan (if applicable) ⁵¹⁰
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] ¹¹ < 1,500 ppm/Bin	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹²	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ¹³	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

TABLE C**TDU OIL RECLAMATION REQUIREMENTS AFTER TOU INSTALLATION**

⁹ See Paragraph 69.A.3 of the CAFO.

¹⁰ See Paragraph 69.A.11 of the CAFO.

¹¹ Total Organic Halides as expressed as a chloride (Cl⁻) equivalent, mass basis.

¹² Semi-volatile metals means a combination of cadmium and lead.

¹³ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU Dryer, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹⁴ , 6-min RA ¹⁵
M-05	TDU Dryer, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁶
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed	AWFCO: CPMS, 60-sec time delay
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 3-run Average From 4,000 ppm Based on CDT	AWFCO: CPMS, HRA

¹⁴ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹⁵ Previous six 1-minute readings are summed and divided by six. ~~Need Definition of 6-Min Rolling Average.~~

¹⁶ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ¹⁷ , Feed Stream Analysis Plan (if applicable) ¹⁸
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides] ¹⁹ OPL Established @ from CDT ≤ 4000 ppm/Bin Based on CDT	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Semi-Volatile Metals Concentration ²⁰	OPL Established as Measured Ratio ²¹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)
	Maximum TDU Feed Low-Volatile Metals Concentration ²²	OPL Established as Measured Ratio ²³	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable)

¹⁷ See Paragraph 69.A.3 of the CAFO.

¹⁸ See Paragraph 69.A.11 of the CAFO.

¹⁹ Total Organic Halides as expressed as a chloride ($\text{Cl}^{(-)}$) equivalent, mass basis.

²⁰ Semi-volatile metals means a combination of cadmium and lead.

²¹ Maximum TDU Feed Concentration established as measured ration from emissions data collected during CDT. See plan example calculations.

²² Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²³ Maximum TDU Feed Concentration established as measured ratio from emissions data collected during CDT. See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

DOCKET NOS. RCRA-06-2012-0936
and RCRA-06-2012-0937

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. "Person" is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as "an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity."

10. The Respondent USET is a "person" as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. "Hazardous waste" is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as "any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*"

25. "Recyclable materials" is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as "hazardous wastes that are recycled".

¹ The Texas Administrative Code uses the term "processing" instead of "treatment". The term "processing" as used by Texas is essentially equivalent to the term "treatment" as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C)] because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C)] because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock ~~for the oil reclamation unit into the EOU~~ shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed ~~hazardous~~ waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from ~~processes which meet the definition of the following facilities whose~~ Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) ~~are~~ as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from ~~processes meeting the definition of~~ the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste, ~~regardless of SIC/NAICS Codes,~~ was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Perform sampling and analysis of both dryer furnace stacks using Method TO-15, "Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters And Analyzed By Gas Chromatography/Mass Spectrometry (GC/MS)". If the total

~~organic matter result is greater than 10 ppmV, the analysis shall include speciation of the gas. This information shall be included in the report required in Paragraph 69.A.5.g below.~~

gf. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

gh. Subsequent tune-ups shall be conducted ~~annually prior to December 31 for each calendar year the TDU operates, until the TDU is reconfigured.~~

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU ~~in accordance with 40 C.F.R. § 63.1206(c)(3)~~ that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A, that are designated as AWFCO parameters are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).

9g. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing

unit (TOU) instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

210. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

~~The Respondents shall conduct a source test measuring the concentration of CO in the exhaust gases from the TDU. This test shall include three one-hour runs during which the TDU is operated on OBIW material. The emission from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be demonstrated to be less than 100 ppmV CO corrected to 7% O2 in each run. The test frequency shall be once during each six-month period, January 1-June 30 and July 1-December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the source test, the Respondents shall submit a source test report to EPA summarizing the test results. The time periods for conducting the source test may be changed to once during each twelve (12) month calendar period, January 1-December 31, if the Respondents submit to EPA with a copy to TCEQ and EPA approves, a detailed feed stream analysis plan that characterizes the waste~~

~~received by the facility and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 261.13 and the EPA Guidance Document "Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste" OSWER 9038-4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA.~~

~~10.14. During the shutdown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with~~

Formatted: Not Highlight

~~40 C.F.R. § 63.1206(c) that immediately and automatically cuts off the hazardous waste feed~~

Formatted: Not Highlight

~~when any component of the AWFCO system fails, or when one or more of the operating~~

~~parameter limits set forth in Appendix 1, Table 2, that are designated as AWFCO parameters, are~~

Formatted: Not Highlight

~~not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).~~

Formatted: Not Highlight

~~11. The Respondents shall conduct a test measuring the concentration of CO in the exhaust gases from the TDU. This test shall include three one-hour runs during which the TDU is operated on oil-bearing hazardous waste. The emissions from the TDU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1 - June 30 and July 1 - December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the source test, the Respondents shall submit a test report to EPA summarizing the test results. The time periods for conducting the test may be changed to once during each twelve (12) month calendar period, January 1 - December 31, if the Respondents submit to EPA, with a~~

Formatted: Font color: Auto, Subscript

~~copy to TCEQ, a detailed feed stream analysis plan that characterizes the waste received by the facility, and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document "Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste", OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA, immediately upon receipt of EPA's approval.~~

12. The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 30, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within 30 days of the end of the reporting period. The report shall include the following:

a. For each waste stream accepted by the oil reclamation unit, identify the customer, original generator, waste stream description, RCRA waste codes, the SIC or NAICS code of the process generating the waste, ~~a summary of any analyses conducted by the Respondents to verify the waste stream s-accepted profiles,~~ and the total volume of waste accepted during the reporting period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters ~~and the AWFCO requirements~~ set forth in Appendix 1, Tables A and B, and exceedances of the hourly rolling averages for CO (Paragraph 69.A.910).

~~c. All instances when the SSM Plan is triggered.~~

~~d.~~ All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements established in accordance with Paragraph 69.C.9.

de. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

ef. Documentation showing the installation of the TOU required by Paragraph 69.A.89, and the additional AWFCO requirements required by Appendix 1, Table B (Paragraph 69.A.9).

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the issued RCRA permit modification include the following:

- a. ~~4~~ The feedstock limitations ~~are~~ applicable to the operation of the ~~Oil~~ reclamation Unit under 40 C.F.R. § 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;
- b. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii);
- c. Appropriate recordkeeping and reporting requirements; and
- d. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

Formatted: Not Highlight

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a RCRA Subpart X permit for the Reconfigured TDU as described above by the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix 2 and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of 40 C.F.R. § 63.1219(b) set forth in Paragraph C.5, the destruction and removal efficiency standards of 40 C.F.R. § 63.1219(c)(1) set forth in Paragraph C.4, and establish limits for the operating parameters set forth in Paragraph 69.C.6 (Appendix 1, Table C).

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance “Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units” dated August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.8 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC). The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).

6. The operating parameters limits that will be established during the CDT are set forth in Appendix 1, Table C.

7. The Respondents must not exceed the emission limits set forth in 40 C.F.R.

§ 63.1219(b), and must achieve a DRE of 99.99% for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must cease hazardous waste burning immediately. The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents may not resume operation of the Reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan, at which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs.

8. All analyses required by the CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.

9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standards and emission limits set forth in Paragraphs 69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The DRE standard, emission limits, operating parameter limits, and the AWFCO settings shall also be set forth in a separate Appendix entitled "Reconfigured TDU Compliance Standards". All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot

be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements set forth in the “Reconfigured TDU Compliance Standards”, ~~and the AWPCO requirements of Appendix I, Table C.~~ unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. The issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

Formatted: Not Highlight

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. Unless the TDU and the tanks identified in Paragraph 20 are authorized by the RCRA Permit Modification required by Section III.B of this CAFO (or any subsequent permit amendment) to receive wastes that do not meet the requirements set forth in 40 C.F.R.

~~§ 261.6(a)(3)(iv)(C), feedstock for the oil reclamation unit if the Respondents desire to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after receipt of the RCRA Permit Modification required by Section III. B of this CAFO, feedstock to the reconfigured TDU that qualifies for the exemption shall consist only of~~

non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed hazardous waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following facilities whose Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and	488999	All Other Support Activities for Transportation

	stockyards for transportation)		
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from ~~processes meeting the definition of~~ the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination, ~~regardless of SIC/NAICS codes,~~ whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices. The Respondents shall request that this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C. §§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3),

40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and 40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondent(s) by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shutdown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.8) subject to AWFCO limits shall be

monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.1.1 (if applicable) and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved reports shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of ONE HUNDRED SIXTY-FIVE THOUSAND, SIX HUNDRED FIFTY-SEVEN DOLLARS (\$165,657), and the Respondent TD*X Associates L.P. be assessed a civil penalty of SIX HUNDRED TWENTY-TWO THOUSAND, FOUR HUNDRED SIXTY-THREE DOLLARS (\$622,463). The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in four (4) payments as follows:

Payment No. 1: \$ 157,978.35 within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$ 157,978.35 (\$ 153,268.99 civil penalty plus interest of \$ 4,709.36) within one year of the effective date of this CAFO.

Payment No. 3: \$ 157,978.35 (\$ \$154,822.97 civil penalty plus interest of \$ 3,155.38) within two years of the effective date of this CAFO.

Payment No. 4: \$ 157,978.34 (\$ 156,392.69 civil penalty plus interest of \$ 1,585.65) within three years of the effective date of this CAFO.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and

[PAGE * MERGEFORMAT]

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective

[PAGE * MERGEFORMAT]

date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall submit to EPA a certification that the following equipment in the oil reclamation unit and the TDU is not in "volatile hazardous air pollutant" (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;
6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

This certification shall be submitted in accordance with Paragraphs 76.H and 76.I.

FC. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

GD. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and

openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

~~HE~~. The Respondents shall use a submerged fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

~~IE~~. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.78 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R.

§ 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within thirty (30) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 76.~~II~~~~K~~ and 76.~~LI~~.

~~IQ~~. Within 210 days of the effective date of the CAFO, the Respondent shall submit a written report to EPA showing compliance with ~~the Report shall include the following:~~

~~3. Documentation showing compliance with Paragraphs 76.~~IC~~, 76.~~GD~~, and 76.~~HE~~.~~

~~HK~~. The ~~certification and reports~~ identified in this Section must be accompanied by the following certification:

"I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

~~II. The certification and report~~ All Reports required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs ~~69.A.8, 69.A.10, 69.A.11, 69.A.12,~~ and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), ~~and 69.A.8 and 69.A.11~~

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)

[PAGE * MERGEFORMAT]

Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A “force majeure event” is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents’ best efforts to fulfill the obligation. “Best efforts” includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting delay to the greatest extent possible. “Force Majeure” does not include the Respondents’ financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ’s permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of

due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents' past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents' rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the

Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment. Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

**THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT
AGREEMENT AND FINAL ORDER:**

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

[PAGE * MERGEFORMAT]

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

[PAGE * MERGEFORMAT]

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

[PAGE * MERGEFORMAT]

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 1 – OPERATING PARAMETERS

[PAGE * MERGEFORMAT]

TABLE A

TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TDU INSTALLATION

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TD-18/19	TDU Dryer , Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ¹ , 60-sec time delay
PT-1	TDU Dryer , Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 6-min Rolling Average (RA) 20-sec time delay
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-10 04	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ⁴ & Documentation ⁴ , Waste Analysis Plan⁵

¹ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

² **Need Definition of 6-Min Rolling Average.**

³ 40 C.F.R. §§ ~~63.1209(a)(6)~~ and 63.1209(b)(5).

~~⁴ See Paragraph 69.A.3 of the CAFO.~~

⁴ See Paragraph 69.A.3 of the CAFO.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides as Chlorine] ⁵ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan
--	---	--	---

⁴ See Paragraph 69.A.8 of the CAFO.

⁵ Total Organic Halides as expressed as a chloride (Cl^\ominus) equivalent, mass basis.

⁶ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1249(b)(6).

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TOU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU Dryer , Maximum/Minimum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁶ , 6-min RA ⁷ 0-sec time delay
M-05	TDU Dryer , Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁸
KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Maximum Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppmV @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed > 0% Open	AWFCO: CPMS, 60-sec delay Instantaneous
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Continuous Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change	Installed and Δ Pressure	Installation Check; Δ Pressure

⁶ Continuous Process Monitoring System – See Paragraph 69.I of the CAFO.:

⁷ Need Definition of 6-Min Rolling Average.

⁸ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

	Monitored to Ensure Integrity of Filter	Monitoring	Monitored Once Per Shift
	Maximum TDU Feed Mercury Concentration ⁹	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ⁹ , Feed Stream Waste Analysis Plan (if applicable) ⁸¹⁰
	Maximum TDU Feed Organic Halide Concentration ¹¹	[Total Organic Halides Chlorine] ^{11 9} < 1,500 ppm/Bin	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable) ¹¹ Waste Analysis Plan
	Maximum TDU Feed Semi-Volatile Metals Concentration ¹² Feed Rate to TDU	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable) ¹² Waste Analysis Plan
	Maximum TDU Feed Low-Volatile Metals Concentration ¹³ Feed Rate to TDU	N/A	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable) ¹³ Waste Analysis Plan

⁹ See Paragraph 69.A.3 of the CAFO.

¹⁰ See Paragraph 69.A. ~~11~~⁸ of the CAFO.

¹¹ Total Organic Halides as ~~expressed as a chloride (Cl⁻) equivalent, mass basis.~~

⁸ ~~Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).~~

¹² Semi-volatile metals means a combination of cadmium and lead.

¹³ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

TABLE C

**TDU OIL RECLAMATION REQUIREMENTS AFTER TOU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU Dryer , Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹⁴ , 6-min RA ¹⁵ 0-sec time delay
M-05	TDU Dryer , Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁶

¹⁴ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹⁵ Need Definition of 6-Min Rolling Average.

¹⁶ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

KY-110	TOU, Minimum Residence Time (Calculated from Purge Vent Maximum Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve Closed > 0% Open	AWFCO: CPMS, 60-sec time delay Instantaneous
M-121	Minimum Percent Excess Air-, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Continuous Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 3-run Average From 4,000 ppm Based on from based on CDT	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury-Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols & Documentation ¹⁷ , Feed Stream Analysis Plan (if applicable) ¹⁸ Waste Analysis Plan ¹⁹
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides-Chlorine] ¹⁹ OPL Established @ < 4000-500 ppm/Bin Based on CDT	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable) Waste Analysis Plan

¹⁷ See Paragraph 69.A.3 of the CAFO.

¹⁸ See Paragraph 69.A.11 of the CAFO.

¹⁹ See Paragraph 69.A.8 of the CAFO.

¹⁹ Total Organic Halides as expressed as a chloride (Cl⁻) equivalent, mass basis.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

	Maximum TDU Feed Semi-Volatile Metals Concentration ²⁰ Feed Rate to TDU	OPL Established as Measured Ratio ²¹	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable) Waste Analysis Plan
	Maximum TDU Feed Low-Volatile Metals Concentration ²² Feed Rate to TDU	OPL Established as Measured Ratio ²³	Blending Protocols & Documentation, Feed Stream Analysis Plan (if applicable) Waste Analysis Plan

²⁰ Semi-volatile metals means a combination of cadmium and lead.

²¹ Maximum ~~TDU Feed Concentration SVM and LVM Feed Rates to TDU~~ established as measured ration from emissions data collected during CDT. See plan example calculations.

²² Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²³ Maximum ~~TDU Feed Concentration SVM and LVM Feed Rates to TDU~~ established as measured ratio from emissions data collected during CDT. See plan example calculations.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

RESPONDENTS

))))))))

DOCKET NOS. RCRA-06-2012-0936
and RCRA-06-2012-0937

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. "Person" is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as "an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity."

10. The Respondent USET is a "person" as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. "Hazardous waste" is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as "any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*"

25. "Recyclable materials" is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as "hazardous wastes that are recycled".

¹ The Texas Administrative Code uses the term "processing" instead of "treatment". The term "processing" as used by Texas is essentially equivalent to the term "treatment" as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C)] because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C)] because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock ~~for the oil reclamation unit into the TDU~~ shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from ~~processes which meet the definition of the following facilities whose~~ Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) ~~are~~ as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste, ~~regardless of SIC/NAICS Codes,~~ was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Perform sampling and analysis of both dryer furnace stacks using Method TO-15, "Determination of Volatile Organic Compounds (VOCs) In Air Collected In Specially-Prepared Canisters And Analyzed By Gas Chromatography/Mass Spectrometry (GC/MS)". If the total

organic matter result is greater than 10 ppmV, the analysis shall include speciation of the gas.
This information shall be included in the report required in subparagraph g below.

gf. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

gh. Subsequent tune-ups shall be conducted annually prior to December 31 for each calendar year the TDU operates, until the TDU is reconfigured.

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A; that are designated as AWFCO parameters, are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).

98. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing

unit (TOU) instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

910. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

~~The Respondents shall conduct a source test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one hour runs during which the TDU is operated on OBIW material. The emission from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be demonstrated to be less than 100 ppmV CO corrected to 7% O2 in each run. The test frequency shall be once during each six month period, January 1-June 30 and July 1-December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the source test, the Respondents shall submit a source test report to EPA summarizing the test results. The time periods for conducting the source test may be changed to once during each twelve (12) month calendar period, January 1-December 31, if the Respondents submit to EPA with a copy to TCEQ, and EPA approves, a detailed feed stream analysis plan that characterizes the waste~~

~~received by the facility and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document "Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste", OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA.~~

~~10.11. During the shutdown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table 2, that are designated as AWFCO parameters, are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).~~

Formatted: Not Highlight

Formatted: Not Highlight

Formatted: Not Highlight

Formatted: Not Highlight

~~11. The Respondents shall conduct a test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one-hour runs during which the TDU is operated on oil-bearing hazardous waste. The emissions from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1 – June 30 and July 1 - December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the source test, the Respondents shall submit a test report to EPA summarizing the test results. The time periods for conducting the test may be changed to once during each twelve (12) month calendar period, January 1 - December 31, if the Respondents submit to EPA with a~~

Formatted: Font color: Auto, Subscript

copy to TCEQ a detailed feed stream analysis plan that characterizes the waste received by the facility, and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document "Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste", OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA, immediately upon receipt of EPA's approval.

12. The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 30, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within 30 days of the end of the reporting period. The report shall include the following:

a. For each waste stream accepted by the oil reclamation unit, identify the customer, original generator, waste stream description, RCRA waste codes, the SIC or NAICS code of the process generating the waste, a summary of any analyses conducted by the Respondents to verify the waste streams accepted, and the total volume of waste accepted during the reporting period.

If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters and the AWFCO requirements set forth in Appendix 1, Tables A and B, and exceedances of the hourly rolling averages for CO (Paragraph 69.A.910).

~~c. All instances when the SSM Plan is triggered.~~

~~d.~~ All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements established in accordance with Paragraph 69.C.9.

de. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

ef. Documentation showing the installation of the TOU required by Paragraph 69.A.9, and the additional AWFCO requirements required by Appendix 1, Table B.

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the issued RCRA permit modification include the following:

a. ~~—d—~~The feedstock limitations as applicable to the operation of the ~~Oil~~ oil reclamation Unit under 40 C.F.R. § 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;

~~eb.~~ The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii);

Formatted: Not Highlight

~~cf.~~ Appropriate recordkeeping and reporting requirements; and

~~dg.~~ Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a RCRA Subpart X permit for the Reconfigured TDU as described above by the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix 2 and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of 40 C.F.R. § 63.1219(b) set forth in Paragraph C.5, the destruction and removal efficiency standards of 40 C.F.R. § 63.1219(c)(1) set forth in Paragraph C.4, and establish limits for the operating parameters set forth in Paragraph C.6 (Appendix 1, Table C).

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance “Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units” August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.7 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC). The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).

6. The operating parameters limits that will be established during the CDT are set forth in Appendix 1, Table C.

7. The Respondents must not exceed the emission limits set forth in 40 C.F.R.

§ 63.1219(b), and must achieve a DRE of 99.99 for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must cease hazardous waste burning immediately. The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents may not resume operation of the reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan, at which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs.

8. All analyses required by the CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.

9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standards and emission limits set forth in Paragraphs 69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The operating parameter limits and the AWFCO settings shall also be set forth in a separate Appendix entitled "Reconfigured TDU Compliance Standards". All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI.

40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements of the “Reconfigured TDU Compliance Standards”, and the AWFCO requirements of Appendix 1, Table 3, for AWFCO parameters, unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. The issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

Formatted: Not Highlight

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. Unless the TDU and the tanks identified in Paragraph 20 are authorized by the RCRA Permit Modification required by Section III.B of this CAFO (or any subsequent permit amendment) to receive wastes that do not meet the requirements set forth in 40 C.F.R. §

~~261.6(a)(3)(iv)(C), feedstock for the oil reclamation unit If the Respondents desire to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after receipt of the RCRA Permit Modification required by Section III. B of this CAFO, feedstock to the reconfigured TDU that qualifies for the exemption shall consist only of~~

non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from processes which meet the definition of the following facilities whose Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and	488999	All Other Support Activities for Transportation

	stockyards for transportation)		
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination, regardless of SIC/NAICS codes, whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices. The Respondents shall request that this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C. §§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3),

40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and 40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shakedown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.8) subject to AWFCO limits shall be

monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.11 (if applicable) and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved reports shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of **ONE HUNDRED SIXTY-FIVE THOUSAND, SIX HUNDRED FIFTY-SEVEN DOLLARS (\$165,657)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of **SIX HUNDRED TWENTY-TWO THOUSAND, FOUR HUNDRED SIXTY-THREE DOLLARS (\$622,463)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in four (4) payments as follows:

Payment No. 1: \$157,978.35 within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$157,978.35 (\$153,268.99 civil penalty plus interest of \$4,709.36) within one year of the effective date of this CAFO.

Payment No. 3: \$157,978.35 (\$154,822.97 civil penalty plus interest of \$3,155.38) within two years of the effective date of this CAFO.

Payment No. 4: \$157,978.34 (\$156,392.69 civil penalty plus interest of \$1,585.65) within three years of the effective date of this CAFO.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and

[PAGE * MERGEFORMAT]

docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's

administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall identify the following equipment in the oil reclamation unit and the TDU that is in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps:

- 2. compressors;
- 3. pressure relief devices;
- 4. sampling connection systems;
- 5. open-ended valves or lines;
- 6. valves;
- 7. connectors;
- 8. surge control vessels;
- 9. bottoms receivers; and
- 10. control devices and systems.

The Respondents shall assume all the equipment is in VHAP service unless otherwise demonstrated in accordance with the requirements of 261.245(d).

C. Within sixty (60) days of the effective date of the CAFO, the Respondents shall submit a Subpart V Report to EPA, which includes the following information:

- 1. Identification of all equipment specified in Paragraph 76.B above;
- 2. Identification of all equipment that is in VHAP service;
- 3. Identification of all equipment that is not in VHAP service, along with documentation that meets the requirements of 40 C.F.R. § 61.245(d) which demonstrates that the equipment is not in VHAP service. The Report shall be submitted in accordance with Paragraphs 76.K and 76.L.

D. Within ninety (90) days of the effective date of the CAFO, the Respondents shall implement a fugitive monitoring program in accordance with the requirements of 40 C.F.R. Part 61, Subpart V.

E. Within ninety (90) days of the effective date of the CAFO, the Respondent shall submit the notice required by 40 C.F.R. § 61.247(a) to TCEQ.

F. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

G. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

H. The Respondents shall use a submerged fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

I. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.78 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R. § 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within thirty (30) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 76.K and 76.L.

J. Within 210 days of the effective date of the CAFO, the Respondent shall submit a written report to EPA. The Report shall include the following:

1. A copy of the fugitive emission program required by Paragraph 76.D;
2. A copy of the notice required by Paragraph 76.E;
3. Documentation showing compliance with Paragraphs 76.F, 76.G, and 76.H.

K. The reports identified in this Section must be accompanied by the following certification:

"I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

L. All Reports required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

- a. Failure to Timely Submit Reports or Plans - Paragraphs ~~69.A.8, 69.A.10~~ 69.A.11, 69.A.12, and 69.C.2

Period of Noncompliance

Penalty Per Violation Per Day

[PAGE * MERGEFORMAT]

1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), and ~~69.A.8~~ 69.A.119

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best

efforts” includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting delay to the greatest extent possible. “Force Majeure” does not include the Respondents’ financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ’s permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents’ past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents’ rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent’s responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations

affected by a force majeure event shall not, by itself, extend the time to perform any other obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200

[PAGE * MERGEFORMAT]

Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment. Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits.

The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have

been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

**THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT
AGREEMENT AND FINAL ORDER:**

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

[PAGE * MERGEFORMAT]

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

[PAGE * MERGEFORMAT]

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

[PAGE * MERGEFORMAT]

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 1 – OPERATING PARAMETERS

[PAGE * MERGEFORMAT]

TABLE A

TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TOU INSTALLATION

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TD-18/19	TDU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ² , 60-sec time delay
PT-1	TDU, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 60-sec time delay
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-101	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ⁴ & Documentation, Waste Analysis Plan ⁵
	Maximum TDU Organic Halide Concentration	[Total Chlorine] ⁶ < 1,500 ppm/Bin	Blending Protocols &

² Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

³ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

⁴ See Paragraph 69.A.3 of the CAFO.

⁵ See Paragraph 69.A.8 of the CAFO.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

			Documentation, Waste Analysis Plan
--	--	--	---------------------------------------

⁶ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TOU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU, Minimum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁷ , 60-sec time delay
M-05	TDU, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁸
KY-110	TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppmV @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve > 0% Open	AWFCO: CPMS, Instantaneous
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Continuous Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA

⁷ Continuous Process Monitoring System – See Paragraph 69.I of the CAFO..

⁸ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ⁹ & Documentation, Waste Analysis Plan ¹⁰
	Maximum TDU Organic Halide Concentration	[Total Chlorine] ¹¹ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Semi-Volatile Metals ¹² Feed Rate to TDU	N/A	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Low-Volatile Metals ¹³ Feed Rate to TDU	N/A	Blending Protocols & Documentation, Waste Analysis Plan

TABLE C

⁹ See Paragraph 69.A.3 of the CAFO.

¹⁰ See Paragraph 69.A.8 of the CAFO.

¹¹ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

¹² Semi-volatile metals means a combination of cadmium and lead.

¹³ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

**TDU OIL RECLAMATION REQUIREMENTS AFTER TOU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU, Minimum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹⁴ , 60-sec time delay
M-05	TDU, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁵
KY-110	TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve > 0% Open	AWFCO: CPMS, Instantaneous
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Continuous Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 4,000 ppm based on CDT	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change	Installed and Δ Pressure	Installation Check; Δ Pressure

¹⁴ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹⁵ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

	Monitored to Ensure Integrity of Filter	Monitoring	Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ¹⁶ & Documentation, Waste Analysis Plan ¹⁷
	Maximum TDU Organic Halide Concentration	[Total Chlorine] ¹⁸ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Semi-Volatile Metals ¹⁹ Feed Rate to TDU	OPL Established as Measured Ratio ²⁰	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Low-Volatile Metals ²¹ Feed Rate to TDU	OPL Established as Measured Ratio ²²	Blending Protocols & Documentation, Waste Analysis Plan

¹⁶ See Paragraph 69.A.3 of the CAFO.

¹⁷ See Paragraph 69.A.8 of the CAFO.

¹⁸ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

¹⁹ Semi-volatile metals means a combination of cadmium and lead.

²⁰ Maximum SVM and LVM Feed Rates to TDU established as measured ration from emissions data collected during CDT. See plan example calculations.

²¹ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²² Maximum SVM and LVM Feed Rates to TDU established as measured ratio from emissions data collected during CDT. See plan example calculations.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

CONFIDENTIAL SETTLEMENT COMMUNICATION
EPA REVISIONS (CLEAN) – 9-18-12

APPENDIX 1 – OPERATING PARAMETERS

TABLE A

TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TDU INSTALLATION

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TD-18/19	TDU Dryer , Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ¹ , 60-sec time delay
PT-1	TDU Dryer , Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 60-sec time delay 6-min R.A.
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ²
M- 101 100	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ³ & Documentation, Waste Analysis Plan ⁴
	Maximum TDU Feed Organic Halide	[Total Organic Halides Chlorine] ⁵	Blending Protocols &

¹ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

² 40 C.F.R. §§ ~~63.1209(a)(6)~~ and 63.1209(b)(5).

³ See Paragraph 69.A.3 of the CAFO.

⁴ See Paragraph 69.A.8 of the CAFO.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

	Concentration	< 1,500 ppm/Bin	Documentation, Waste Analysis Plan
--	---------------	-----------------	------------------------------------

⁵ Total Chlorine means hydrogen chloride and chlorine gas expressed as a chloride (Cl⁻) equivalent, mass basis
~~See 40 C.F.R. § 63.1249(b)(6).~~

Formatted: Superscript

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TOU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU Dryer , Minimum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁶ , 6-min R.A. 60-sec time delay
M-05	TDU Dryer Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁷
KY-110	TOU, Minimum Residence Time (Calculated from Maximum Purge Vent Flow Rate , Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppmV @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve closed > < 0% Open	AWFCO: CPMS, 60-sec time delay Instantaneous
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Continuous Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust	Maintain Temperature < 120°F	AWFCO: CPMS, HRA

⁶ Continuous Process Monitoring System – See Paragraph 69.I of the CAFO..

⁷ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	Temperature		
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ⁸ & Documentation, Waste Analysis Plan ⁹
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides e Chlorine] ¹⁰ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum TDU Feed Semi-Volatile Metals ¹¹ C-Feed Rate to TDU Concentration	N/A	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum TDU Feed Low-Volatile Metals ¹² Feed Rate to TDU Concentration	N/A	Blending Protocols & Documentation, Waste Analysis Plan

⁸ See Paragraph 69.A.3 of the CAFO.

⁹ See Paragraph 69.A.8 of the CAFO.

¹⁰ Total Chlorine means hydrogen chloride and chlorine expressed as a chloride (Cl⁻) equivalent, mass basis. ~~See 40 C.F.R. § 63.1219(b)(6).~~

¹¹ Semi-volatile metals means a combination of cadmium and lead.

¹² Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

TABLE C

**TDU OIL RECLAMATION REQUIREMENTS AFTER TOU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU, Minimum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹³ , 6-min R.A. 60-sec time delay
M-05	TDU, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁴
KY-110	TOU, Minimum Residence Time (Calculated from Maximum Purge Vent Flow Rate , Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve closed, > < 0% Open	AWFCO: CPMS, 60-sec time delay Instantaneous
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Continuous Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust	OPL Established @ < 3-Run	AWFCO: CPMS, HRA

¹³ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹⁴ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	Temperature	Average from CDT OPL Established @ < 4,000 ppm based on CDT	
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Feed Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ¹⁵ & Documentation, Waste Analysis Plan ¹⁶
	Maximum TDU Feed Organic Halide Concentration	[Total Organic Halides Chlorine] ¹⁷ < 1,500 ppm/Bin OPL Established @ < 4,000 ppm/bin based on CDT	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum TDU Feed Semi-Volatile Metals¹⁸ Feed Rate to TDU Concentration	OPL Established as Measured Ratio ¹⁹	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum TDU Feed Low-Volatile Metals²⁰ Feed Rate to TDU Concentration	OPL Established as Measured Ratio ²¹	Blending Protocols & Documentation, Waste Analysis

¹⁵ See Paragraph 69.A.3 of the CAFO.

¹⁶ See Paragraph 69.A.8 of the CAFO.

¹⁷ Total Chlorine means hydrogen chloride and chlorine expressed as a chloride (Cl⁻) equivalent, mass basis ~~gas. See 40
C.F.R. § 63.1219(b)(6).~~

¹⁸ Semi-volatile metals means a combination of cadmium and lead.

¹⁹ Maximum SVM and LVM Feed Rates to TDU established as measured ration from emissions data collected during CDT.
See plan example calculations.

²⁰ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²¹ Maximum SVM and LVM Feed Rates to TDU established as measured ratio from emissions data collected during CDT.
See plan example calculations.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

			Plan
--	--	--	------

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

CONTAINS CONFIDENTIAL BUSINESS INFORMATION

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

RESPONDENTS

$$\begin{pmatrix} \cdot \\ \cdot \\ \cdot \\ \cdot \\ \cdot \\ \cdot \\ \cdot \end{pmatrix}$$

DOCKET NOS. RCRA-06-2012-0936
and RCRA-06-2012-0937

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. "Person" is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as "an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity."

10. The Respondent USET is a "person" as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. "Hazardous waste" is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as "any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*"

25. "Recyclable materials" is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as "hazardous wastes that are recycled".

¹ The Texas Administrative Code uses the term "processing" instead of "treatment". The term "processing" as used by Texas is essentially equivalent to the term "treatment" as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C)] because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C)] because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock into the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities)	213112	Support Activities for Oil and Gas Operations

	performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste, regardless of SIC/NAICS Codes, was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance

Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements: ~~USE T/TD-X to provide additional language for this section~~

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume percent, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

g. ~~This Subsequent tune-ups shall be conducted annually prior to December 31 for each calendar year the TDU operates, until the TDU is reconfigured.~~

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A, that are designated as AWFCO parameters, are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii).

Formatted: Highlight

Formatted: Highlight

Formatted: Highlight

8. ~~Within ninety (90) days of the effective date of this CAFO, the Respondents shall submit a waste analysis plan (WAP) for the TDU to EPA for approval, with a copy to TCEQ. The WAP shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document "Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste", OSWER 9938.4-03 (April 1994). The Respondents will implement the WAP, as approved or modified by EPA, immediately upon receipt of EPA's approval.~~

9. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU) instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

10. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table 2-B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the one minute and hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

Formatted: Highlight

The Respondents shall conduct a source test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one-hour runs during which the TDU is operated on OBHW material. The emission from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1-June 30 and July 1-December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the source test, the Respondents shall submit a source test report to EPA summarizing the test results. The time periods for conducting the source test may be changed to once during each twelve (12) month

calendar period, January 1-December 31, if the Respondents submit to EPA with a copy to TCEQ, and EPA approves, a detailed feed stream analysis plan that characterizes the waste received by the facility and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document "Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste", OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA. ~~USE/TD-X to provide language regarding semi-annual CO monitoring.~~

11. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table 2, that are designated as AWFCO parameters, are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R.

Formatted: Highlight

§ 63.1206(c)(3)(v), (vi) and (vii).

12. The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 1330, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within 30 days of the end of the reporting period. The report shall include the following: Within six (6) months after the effective date of this CAFO, and every six months thereafter until this CAFO is terminated, the Respondents shall send a report to EPA, with a copy to TCEQ. The Report shall include the following:

~~USE/TD*X to provide revised language for this section.~~

a. ~~For each waste stream accepted by the oil reclamation facility unit, identify the customer, original generator, waste stream description, RCRA waste codes, the customer's SIC and or NAICS code of the process generating the waste, and the total volume of waste accepted during the reporting period for all waste streams processed by the oil reclamation unit for the previous six month period.~~ If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters set forth in Appendix 1, Tables A and B, and exceedances of ~~the one-minute and hourly rolling averages~~ for CO (Paragraph 69.A.10).

Formatted: Highlight

c. All instances when the SSM Plan is triggered ~~[WHAT IS NEEDED HERE? WE WOULD LIKE DEFINITION ON THIS REQUIREMENT]~~.

Formatted: Highlight

d. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements ~~(established in accordance with Paragraph 69.C.9).~~

e. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

f. Documentation showing the installation of the TOU required by Paragraph 69.A.9, and the additional AWFCO requirements required by Appendix 1, Table ~~2B~~.

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a

standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with

30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the final-issued RCRA permit include the following:

a. ~~Emission limits, destruction and removal efficiency (DRE), operating parameters limits, and AWFCO cutoff limits established under Compliance Demonstration Test conducted~~

~~pursuant to Paragraph 69.C of this CAFO, and set forth in the Reconfigured TDU Compliance Standards and the Finding of Compliance (Paragraph 69.C);~~

~~_____ b. The SSM Plan (Paragraph 69.A.4);~~

~~_____ c. The Waste Analysis Plan (Paragraph 69.A.8);~~

d. The feedstock limitations as applicable to the operation of the Oil Reclamation Unit under 40 CFR§ 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;

e. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3)(v), (vi) and (vii);

f. Appropriate recordkeeping and reporting requirements; and

g. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a ~~final~~ RCRA Subpart X permit for the Reconfigured TDU as described above by

the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix 2 and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of ~~40 C.F.R. § 63.1219(b)~~ in Paragraph C.5, the destruction and removal efficiency standards of ~~40 C.F.R.~~

~~§ 63.1219(c)(1)~~ in Paragraph C.4, and establish limits for the operating parameters set forth in Appendix 1,

~~Table 3, Paragraph C.6.~~

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance "Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units" August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in ~~accordance with the EPA approved plan~~ Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.7 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC). The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R.

§ 63.1219(b).

6. The operating parameters limits that will be established during the CPT are set forth in Appendix 1, Table C.

7. The Respondents must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99 for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must cease hazardous waste burning immediately. The Respondents must make this determination within forty-five (45) days following completion of the ~~trial burn~~ CDT. ~~The Respondents may not resume operation of the reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan. At which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs. The Respondents' authorization to operate the TDU terminates on that date.~~

8. All analyses required by the ~~trial burn~~ CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.

9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standards and emission limits set forth in Paragraphs 69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The operating parameter limits and the AWFCO settings shall also be set forth in a separate Appendix entitled "Reconfigured TDU Compliance Standards". All data collected during the ~~trial burn~~ CDT (including, but not limited to, field logs,

chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ and EPA as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI.

40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the

Formatted: Highlight

Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements of the “Reconfigured TDU Compliance Standards”, and the AWFCO requirements of 40 C.F.R. § 63.1206(e)(3) Appendix 1, Table 3, for AWFCO parameters, unless otherwise notified by EPA.

Formatted: Highlight

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT Test. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. The issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT test trial shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

Formatted: Highlight

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. If the Respondents desires to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after it receives of the its RCRA Permit Modification required by Section III. B of this CAFO, feedstock to the reconfigured TDU that qualifies for the exemption shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution

4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination, regardless of SIC/NAICS codes, whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste actually came was originally generated from petroleum refining, production, or transportation practices at the generator’s facility. The Respondents shall request that this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C. §§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the

~~event that the Respondents fail to submit a timely and complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure). For the Class 3 Permit Modification submitted to TCEQ for approval under this CAFO, TCEQ will review this application and issue only one Notice of Deficiency (NOD) to the Respondents in accordance with 30 T.A.C. §§ 281.3(c) and 281.19(a). The Respondents must provide an approvable response to TCEQ, with a copy to EPA, within thirty (30) days of receipt of the NOD. In the event that the Respondents fail to submit a timely and good-faith approvable NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline [thirty (30) days from the date of receipt of the NOD] unless that deadline has been extended pursuant to Section IV.F (Force Majeure).~~

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and 40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the ~~final~~ issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

"I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shutdown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.8) subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs ~~69.A.8 and 69.C.2~~, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved reports shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of _____ **DOLLARS (\$_____)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of _____ **DOLLARS (\$_____)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in ____ payments as follows:

Payment No. 1: \$_____ within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$_____ (\$_____ civil penalty plus interest of \$_____) within _____ of the effective date of this CAFO.

Payment No. 3: \$_____ (\$_____ civil penalty plus interest of \$_____) within _____ of the effective date of this CAFO.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

Payment No. 4: \$_____ (\$_____ civil penalty plus interest of \$_____) within _____ of the effective date of this CAFO.

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and

RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not

paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subparts V and FF.

~~----- B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall identify the following equipment in the oil reclamation unit and the TDU that is in "volatile hazardous air pollutant" (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:~~

- ~~----- 1. pumps;~~
- ~~----- 2. compressors;~~
- ~~----- 3. pressure relief devices;~~
- ~~----- 4. sampling connection systems;~~
- ~~----- 5. open-ended valves or lines;~~
- ~~----- 6. valves;~~
- ~~----- 7. connectors;~~
- ~~----- 8. surge control vessels;~~
- ~~----- 9. bottoms receivers; and~~
- ~~----- 10. control devices and systems.~~

~~The Respondents shall assume all the equipment is in VHAP service unless otherwise demonstrated in accordance with the requirements of 261.245(d).~~

~~----- C. Within sixty (60) days of the effective date of the CAFO, the Respondents shall submit a Subpart V Report to EPA, which includes the following information;~~

- ~~----- a. Identification of all equipment specified in Paragraph 76.B above;~~
- ~~----- b. Identification of all equipment that is in VHAP service;~~
- ~~----- c. Identification of all equipment that is not in VHAP service, along with documentation that meets the requirements of 40 C.F.R. § 61.245(d) which demonstrates that the equipment~~

~~does not in VIAP service. The Report shall be submitted in accordance with Paragraphs 76.K and 76.L.~~

~~----- D. Within ninety (90) days of the effective date of the CAFO, the Respondents shall implement a fugitive monitoring program in accordance with the requirements of 40 C.F.R. Part 61, Subpart V.~~

~~----- E. Within ninety (90) days of the effective date of the CAFO, the Respondent shall submit the notice required by 40 C.F.R. § 61.247(a) to TCEQ.~~

F. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

G. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

H. The Respondents shall use a submerged~~d~~ fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

I. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.7 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R. § 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within thirty (30) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 76.K and 76.L.

J. Within 210 days of the effective date of the CAFO, the Respondent shall submit a written report to EPA. The Report shall include the following:

- ~~1. A copy of the fugitive emission program required by Paragraph 76.D;~~
- ~~2. A copy of the notice required by Paragraph 76.E;~~
3. Documentation showing compliance with Paragraphs 76.F, 76.G, and 76.H.

K. The reports identified in this Section must be accompanied by the following certification:

"I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

L. All Reports required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs 69.A.8, 69.A.10 and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), and 69.A.9

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance

Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting

delay to the greatest extent possible. "Force Majeure" does not include the Respondents' financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ's permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents' past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents' rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other

obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous

substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this

CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

**THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT
AGREEMENT AND FINAL ORDER:**

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

[PAGE 1* MERGEFORMAT]2

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

[PAGE 1* MERGEFORMAT]2

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

[PAGE 1* MERGEFORMAT]2

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 1 – OPERATING PARAMETERS

[PAGE 1* MERGEFORMAT]2

TABLE A

TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TDU INSTALLATION

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TD-18/19	TDU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ² , 60-sec time delay
PT-1	TDU, Maximum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS, 60-sec time delay
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-101	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ⁴ & Documentation, Waste Analysis Plan ⁵
	Maximum TDU Organic Halide Concentration	[Total Chlorine] ⁶ < 1,500 ppm/Bin	Blending Protocols &

² Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

³ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

⁴ See Paragraph 69.A.3 of the CAFO.

⁵ See Paragraph 69.A.8 of the CAFO.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

			Documentation, Waste Analysis Plan
--	--	--	---------------------------------------

⁶ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TOU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU, Minimum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁷ , 60-sec time delay
M-05	TDU, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁸
KY-110	TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppmV @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve > 0% Open	AWFCO: CPMS, Instantaneous
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Continuous Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust	Maintain Temperature < 120°F	AWFCO: CPMS, HRA

⁷ Continuous Process Monitoring System – See Paragraph 69.I of the CAFO..

⁸ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

	Temperature		
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ⁹ & Documentation, Waste Analysis Plan ¹⁰
	Maximum TDU Organic Halide Concentration	[Total Chlorine] ¹¹ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Semi-Volatile Metals ¹² Feed Rate to TDU	N/A	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Low-Volatile Metals ¹³ Feed Rate to TDU	N/A	Blending Protocols & Documentation, Waste Analysis Plan

⁹ See Paragraph 69.A.3 of the CAFO.

¹⁰ See Paragraph 69.A.8 of the CAFO.

¹¹ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

¹² Semi-volatile metals means a combination of cadmium and lead.

¹³ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

TABLE C

**TDU OIL RECLAMATION REQUIREMENTS AFTER TOU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU, Minimum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹⁴ , 60-sec time delay
M-05	TDU, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁵
KY-110	TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve > 0% Open	AWFCO: CPMS, Instantaneous
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Continuous Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 4,000 ppm based on CDT	AWFCO: CPMS, HRA

¹⁴ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹⁵ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ¹⁶ & Documentation, Waste Analysis Plan ¹⁷
	Maximum TDU Organic Halide Concentration	[Total Chlorine] ¹⁸ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Semi-Volatile Metals ¹⁹ Feed Rate to TDU	OPL Established as Measured Ratio ²⁰	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Low-Volatile Metals ²¹ Feed Rate to TDU	OPL Established as Measured Ratio ²²	Blending Protocols & Documentation, Waste Analysis Plan

¹⁶ See Paragraph 69.A.3 of the CAFO.

¹⁷ See Paragraph 69.A.8 of the CAFO.

¹⁸ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

¹⁹ Semi-volatile metals means a combination of cadmium and lead.

²⁰ Maximum SVM and LVM Feed Rates to TDU established as measured ration from emissions data collected during CDT. See plan example calculations.

²¹ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²² Maximum SVM and LVM Feed Rates to TDU established as measured ratio from emissions data collected during CDT. See plan example calculations.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

**CONFIDENTIAL SETTLEMENT COMMUNICATION
EPA REVISIONS (CLEAN) – 9-18-12**

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:)	
)	
)	
US ECOLOGY TEXAS, INC., and)	DOCKET NOS. RCRA-06-2012-0936
TD*X ASSOCIATES LP)	and RCRA-06-2012-0937
)	
RESPONDENTS)	
_____)	

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. “Person” is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as “an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity.”

10. The Respondent USET is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C)] because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock into the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities)	213112	Support Activities for Oil and Gas Operations

	performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste, regardless of SIC/NAICS Codes, was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance

Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements: ~~USET/TD*X to provide additional language for this section~~

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

g. ~~This Subsequent tune-ups shall be conducted annually prior to December 31 for each calendar year the TDU operates, until the TDU is reconfigured.~~

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3).

~~8. Within ninety (90) days of the effective date of this CAFO, the Respondents shall submit a waste analysis plan (WAP) for the TDU to EPA for approval, with a copy to TCEQ. The WAP shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document "Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste", OSWER 9938.4-03 (April 1994). The Respondents will implement the WAP, as approved or modified by EPA, immediately upon receipt of EPA's approval.~~

9. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU)

instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

10. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table 2-B when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the one minute and hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

The Respondents shall conduct a source test measuring the concentration of CO in the exhaust gases from the TOU. This test shall include three one-hour runs during which the TDU is operated on OBHW material. The emission from the TOU stack shall be monitored for carbon monoxide and oxygen using EPA Method 10. The emissions shall be demonstrated to be less than 100 ppmV CO corrected to 7% O₂ in each run. The test frequency shall be once during each six-month period, January 1-June 30 and July 1-December 31, said time period to commence after conducting the CDT and continuing until the TCEQ issues a RCRA Subpart X permit for the Reconfigured TDU. Within forty-five (45) days after conducting the source test, the Respondents shall submit a source test report to EPA summarizing the test results. The time periods for conducting the source test may be changed to once during each twelve (12) month calendar period, January 1-December 31, if the Respondents submit to EPA with a copy to TCEQ, and EPA approves, a detailed feed stream analysis plan that characterizes the waste

received by the facility and EPA approves the plan. The detailed feedstream analysis plan shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document "Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste", OSWER 9938.4-03 (April 1994). The Respondents will implement the detailed feedstream analysis plan, as approved or modified by EPA. ~~USET/TD*X to provide language regarding semi-annual CO monitoring.~~

11. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table 2 are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3).

12. ~~The Respondents shall prepare a report for the time period beginning on the effective date of this CAFO and ending June 1330, 2013, and every six (6) months thereafter. The report shall be submitted to EPA, with a copy to TCEQ, within 30 days of the end of the reporting period. The report shall include the following: Within six (6) months after the effective date of this CAFO, and every six months thereafter until this CAFO is terminated, the Respondents shall send a report to EPA, with a copy to TCEQ. The Report shall include the following:~~

~~USET/TD*X to provide revised language for this section.~~

a. ~~For each waste stream accepted by the oOil rReclamation Facilityunit, iIdentify the customer, original generator, waste stream description, RCRA waste codes, the customer's SIC~~

~~and or NAICS code of the process generating the waste, and the total volume of waste accepted during the reporting period for all waste streams processed by the oil reclamation unit for the previous six month period.~~ If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters set forth in Appendix 1, Tables A and B, and exceedances of the one minute and hourly rolling averages for CO (Paragraph 69.A.10).

c. All instances when the SSM Plan is triggered.

d. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements ~~(established in accordance with Paragraph 69.C.9).~~

e. The initial Report shall include documentation showing that the tune-up and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

f. Documentation showing the installation of the TOU required by Paragraph 69.A.9, and the additional AWFCO requirements required by Appendix 1, Table ~~2B~~.

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the Reconfigured TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with

30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the final-issued RCRA permit include the following:

~~a. Emission limits, destruction and removal efficiency (DRE), operating parameters limits, and AWFCO cutoff limits established under Compliance Demonstration Test conducted pursuant to Paragraph 69.C of this CAFO, and set forth in the Reconfigured TDU Compliance Standards and the Finding of Compliance (Paragraph 69.C);~~

~~———— b. The SSM Plan (Paragraph 69.A.4);~~

~~———— c. The Waste Analysis Plan (Paragraph 69.A.8);~~

d. The feedstock limitations as applicable to the operation of the Oil Reclamation Unit under 40 CFR § 261.6(a)(3)(iv)(C) set forth in Paragraph 69.D;

e. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3);

f. Appropriate recordkeeping and reporting requirements; and

g. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a ~~final~~ RCRA Subpart X permit for the Reconfigured TDU as described above by the above deadline, the Respondents' authorization to operate the Reconfigured TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix 2 and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of ~~40 C.F.R. § 63.1219(b)~~ in Paragraph C.5, the destruction and removal efficiency standards of ~~40 C.F.R. § 63.1219(c)(1)~~ in Paragraph C.4, and establish limits for the operating parameters set forth in Appendix 1, Table 3 Paragraph C.6.

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance “Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units” August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with the EPA approved plan Appendix 3 within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.7 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC). The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).

6. The operating parameters limits that will be established during the CPT are set forth in Appendix 1, Table C.

7. The Respondents must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99 for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine, based on the results of analyses of stack samples, that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must cease hazardous waste burning immediately. The Respondents must make this determination within forty-five (45) days following completion of the ~~trial burn~~CDT. The Respondents may not resume operation of the reconfigured TDU until the Respondents have submitted and received EPA approval of a revised CDT plan, at which time operations can resume to demonstrate compliance with the emission limits and DRE requirements during all of the three runs. ~~The Respondents' authorization to operate the TDU terminates on that date.~~

8. All analyses required by the ~~trial burn~~CDT plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.

9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standards and emission limits set forth in Paragraphs 69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The operating parameter limits and the AWFCO settings shall also be set forth in a separate Appendix entitled "Reconfigured TDU Compliance Standards". All data collected during the ~~trial burn~~CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be

submitted to EPA and TCEQ and ~~EPA~~ as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI.

40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements of the “Reconfigured TDU Compliance Standards”, and the AWFCO requirements of 40 C.F.R. § 63.1206(c)(3), unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT ~~Test~~. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. The issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT test trial shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. If the Respondent desires to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after it ~~receives~~ receives of the ~~its~~ RCRA Permit Modification required by Section III. B of this CAFO, feedstock to the reconfigured TDU that qualifies for the exemption shall consist only of

non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum	424720	Petroleum and Petroleum Products

	Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)		Merchant Wholesalers (except Bulk Stations and Terminals)
--	---	--	---

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination, regardless of SIC/NAICS codes, whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste ~~actually came~~ was originally generated from petroleum refining, production, or transportation practices ~~at the generator’s facility~~. The Respondents shall request that this provision be placed in the issued RCRA permit as applicable to the oil reclamation unit operation under 40 C.F.R. § 261.6(a)(3)(iv)(C).

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 RCRA Permit Modification required be submitted to TCEQ for approval under this CAFO, TCEQ will review the application in accordance with 30 T.A.C. §§ 281.3(c), 281.18 and 281.19(a) and (b). The Respondents must respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and complete NOD response, the Respondents’ authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section IV.F (Force Majeure). ~~For the Class 3~~

~~Permit Modification submitted to TCEQ for approval under this CAFO, TCEQ will review this application and issue only one Notice of Deficiency (NOD) to the Respondents in accordance with 30 T.A.C. §§ 281.3(e) and 281.19(a). The Respondents must provide an approvable response to TCEQ, with a copy to EPA, within thirty (30) days of receipt of the NOD. In the event that the Respondents fail to submit a timely and good faith approvable NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline [thirty (30) days from the date of receipt of the NOD] unless that deadline has been extended pursuant to Section IV.F (Force Majeure).~~

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and 40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the ~~final~~ issued permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

"I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shutdown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.8) subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs ~~69.A.8 and 69.C.2~~, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan.

EPA will approve, disapprove, or modify the revised submittal. EPA approved reports shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of _____ **DOLLARS (\$_____)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of _____ **DOLLARS (\$_____)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in ____ payments as follows:

Payment No. 1: \$_____ within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$_____ (\$_____ civil penalty plus interest of \$_____) within _____ of the effective date of this CAFO.

Payment No. 3: \$_____ (\$_____ civil penalty plus interest of \$_____) within _____ of the effective date of this CAFO.

Payment No. 4: \$_____ (\$_____ civil penalty plus interest of \$_____) within _____ of the effective date of this CAFO.

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and

docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's

administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subparts ~~V and FF~~.

~~B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall identify the following equipment in the oil reclamation unit and the TDU that is in "volatile hazardous air pollutant" (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:~~

- ~~1. pumps;~~
- ~~2. compressors;~~
- ~~3. pressure relief devices;~~
- ~~4. sampling connection systems;~~
- ~~5. open ended valves or lines;~~
- ~~6. valves;~~
- ~~7. connectors;~~
- ~~8. surge control vessels;~~
- ~~9. bottoms receivers; and~~
- ~~10. control devices and systems.~~

~~The Respondents shall assume all the equipment is in VHAP service unless otherwise demonstrated in accordance with the requirements of 261.245(d).~~

~~C. Within sixty (60) days of the effective date of the CAFO, the Respondents shall submit a Subpart V Report to EPA, which includes the following information;~~

- ~~a. Identification of all equipment specified in Paragraph 76.B above;~~
- ~~b. Identification of all equipment that is in VHAP service;~~
- ~~c. Identification of all equipment that is not in VHAP service, along with documentation that meets the requirements of 40 C.F.R. § 61.245(d) which demonstrates that the equipment does not in VHAP service. The Report shall be submitted in accordance with Paragraphs 76.K and 76.L.~~

~~D. Within ninety (90) days of the effective date of the CAFO, the Respondents shall implement a fugitive monitoring program in accordance with the requirements of 40 C.F.R. Part 61, Subpart V.~~

~~E. Within ninety (90) days of the effective date of the CAFO, the Respondent shall submit the notice required by 40 C.F.R. § 61.247(a) to TCEQ.~~

F. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

G. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

H. The Respondents shall use a submerged fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

I. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.7 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R. § 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within thirty (30) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 76.K and 76.L.

J. Within 210 days of the effective date of the CAFO, the Respondent shall submit a written report to EPA. The Report shall include the following:

- ~~1. A copy of the fugitive emission program required by Paragraph 76.D;~~
- ~~2. A copy of the notice required by Paragraph 76.E;~~
3. Documentation showing compliance with Paragraphs 76.F, 76.G, and 76.H.

K. The reports identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

L. All Reports required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs 69.A.8, 69.A.10 and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), and 69.A.9

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance

Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting

delay to the greatest extent possible. “Force Majeure” does not include the Respondents’ financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ’s permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents’ past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents’ rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent’s responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other

obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous

substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this

CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

TABLE A**TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TOU INSTALLATION**

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TD-18/19	TDU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ² , 60-sec time delay
PT-1	TDU, Maximum Internal Pressure	Maintain Pressure < 0.00” W.C.	AWFCO: CPMS, 60-sec time delay
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-101	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ⁴ & Documentation, Waste Analysis Plan ⁵

² Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

³ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

⁴ See Paragraph 69.A.3 of the CAFO.

⁵ See Paragraph 69.A.8 of the CAFO.

	Maximum TDU Organic Halide Concentration	[Total Chlorine] ⁶ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan
--	--	---	---

⁶ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TOU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU, Minimum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁷ , 60-sec time delay
M-05	TDU, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁸
KY-110	TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppmV @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve > 0% Open	AWFCO: CPMS, Instantaneous
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Continuous Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA

⁷ Continuous Process Monitoring System – See Paragraph 69.I of the CAFO..

⁸ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ⁹ & Documentation, Waste Analysis Plan ¹⁰
	Maximum TDU Organic Halide Concentration	[Total Chlorine] ¹¹ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Semi-Volatile Metals ¹² Feed Rate to TDU	N/A	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Low-Volatile Metals ¹³ Feed Rate to TDU	N/A	Blending Protocols & Documentation, Waste Analysis Plan

⁹ See Paragraph 69.A.3 of the CAFO.

¹⁰ See Paragraph 69.A.8 of the CAFO.

¹¹ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

¹² Semi-volatile metals means a combination of cadmium and lead.

¹³ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

TABLE C

**TDU OIL RECLAMATION REQUIREMENTS AFTER TOU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU, Minimum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹⁴ , 60-sec time delay
M-05	TDU, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁵
KY-110	TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve > 0% Open	AWFCO: CPMS, Instantaneous
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Continuous Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 4,000 ppm based on CDT	AWFCO: CPMS, HRA

¹⁴ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹⁵ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ¹⁶ & Documentation, Waste Analysis Plan ¹⁷
	Maximum TDU Organic Halide Concentration	[Total Chlorine] ¹⁸ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Semi-Volatile Metals ¹⁹ Feed Rate to TDU	OPL Established as Measured Ratio ²⁰	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Low-Volatile Metals ²¹ Feed Rate to TDU	OPL Established as Measured Ratio ²²	Blending Protocols & Documentation, Waste Analysis Plan

¹⁶ See Paragraph 69.A.3 of the CAFO.

¹⁷ See Paragraph 69.A.8 of the CAFO.

¹⁸ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

¹⁹ Semi-volatile metals means a combination of cadmium and lead.

²⁰ Maximum SVM and LVM Feed Rates to TDU established as measured ration from emissions data collected during CDT. See plan example calculations.

²¹ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²² Maximum SVM and LVM Feed Rates to TDU established as measured ratio from emissions data collected during CDT. See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

**CONFIDENTIAL SETTLEMENT COMMUNICATION
EPA REVISIONS (CLEAN) – 9-18-12**

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:)	
)	
)	
US ECOLOGY TEXAS, INC., and)	DOCKET NOS. RCRA-06-2012-0936
TD*X ASSOCIATES LP)	and RCRA-06-2012-0937
)	
RESPONDENTS)	
_____)	

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. “Person” is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as “an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity.”

10. The Respondent USET is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X processed (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

57. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

58. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

59. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU.

60. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

63. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

64. The roll-off boxes identified in Paragraph 63 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

65. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

66. The roll-off boxes identified in Paragraph 63 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

67. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

68. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

69. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock into the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities)	213112	Support Activities for Oil and Gas Operations

	performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste was originally generated from petroleum refining, production, or transportation practices.

3. As of the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the interim operating parameters set forth in Appendix 1, Table A, which is attached and incorporated by reference into this CAFO. The Blending Protocols referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO, Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance

Demonstration Test (CDT) Plan is attached as Appendix 3 and incorporated by reference into the CAFO.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements: **USET/TD*X to provide additional language for this section**

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

g. This tuneup shall be conducted annually until the TDU is reconfigured.

6. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E). or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the interim operating parameters set forth in Appendix 1, Table A are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3).

8. Within ninety (90) days of the effective date of this CAFO, the Respondents shall submit a waste analysis plan (WAP) for the TDU to EPA for approval, with a copy to TCEQ. The WAP shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document “Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste”, OSWER 9938.4-03 (April 1994). The Respondents will implement the WAP, as approved or modified by EPA, immediately upon receipt of EPA’s approval.

9. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU) instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane.

10. The Respondents shall operate the Reconfigured TDU during the shakedown period in accordance with the operating parameters limits set forth in Appendix 1, Table 2 when the dryer feed is on. The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the one minute and hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).
USET/TD*X to provide language regarding semi-annual CO monitoring.

11. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or when one or more of the operating parameter limits set forth in Appendix 1, Table 2 are not met. The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3).

12. Within six (6) months after the effective date of this CAFO, and every six months thereafter until this CAFO is terminated, the Respondents shall send a report to EPA, with a copy to TCEQ. The Report shall include the following:

USET/TD*X to provide revised language for this section.

a. Identify the customer, the customer's SIC and NAICS code for all waste streams processed by the oil reclamation unit for the previous six month period. If requested by EPA, the

Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

b. All time periods in which there were exceedances of the operating parameters set forth in Appendix 1, Tables A and B, and exceedances of the one minute and hourly rolling averages for CO (Paragraph 69.A.10).

c. All instances when the SSM Plan is triggered.

d. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements (Paragraph 69.C.9).

e. The initial Report shall include documentation showing that the tuneup and fuel specification analysis required by Paragraphs 69.A.5 and 69.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system required by Paragraphs 69.A.7.

f. Documentation showing the installation of the TOU required by Paragraph 69.A.9, and the additional AWFCO requirements required by Appendix 1, Table 2.

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].
2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].
3. The Respondents shall also request that the final RCRA permit include the following:
 - a. Emission limits, destruction and removal efficiency (DRE), operating parameters limits, and AWFCO cutoff limits established under Compliance Demonstration Test conducted pursuant to Paragraph 69.C of this CAFO, and set forth in the Reconfigured TDU Compliance Standards and the Finding of Compliance (Paragraph 69.C);
 - b. The SSM Plan (Paragraph 69.A.4);
 - c. The Waste Analysis Plan (Paragraph 69.A.8);
 - d. The feedstock limitations set forth in Paragraph 69.D;
 - e. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3);
 - f. Appropriate recordkeeping and reporting requirements; and

g. Any applicable risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 69.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a final RCRA Subpart X permit for the TDU as described above by the above deadline, the Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix 2 and incorporated by reference into the CAFO. The CDT requires the Respondents to demonstrate compliance with the emissions limits of 40 C.F.R. § 63.1219(b), the destruction and removal efficiency standards of 40 C.F.R. § 63.1219(c)(1), and establish limits for the operating parameters set forth in Appendix 1, Table 3.

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance “Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units” August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

3. The Respondents shall implement the CDT in accordance with the EPA approved plan within ninety (90) days after reconfiguration of the TDU pursuant to Paragraph 69.A.7 of this CAFO.

4. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent (POHC). The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

5. The emission limits that must be met during the CDT are set forth in 40 C.F.R. § 63.1219(b).

6. The operating parameters limits that will be established during the CPT are set forth in Appendix 1, Table C.

7. The Respondent must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99 for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDT. If the Respondents determine based on the results of analyses of stack samples that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must cease hazardous waste burning immediately. The Respondents must make this determination within forty-five (45) days following completion of the trial burn. The Respondents’ authorization to operate the TDU terminates on that date.

8. All analyses required by the trial burn plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.

9. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with requirements in the CDT Plan, documenting compliance with the DRE standards and emission limits set forth in Paragraphs 69.C.4 and 69.C.5, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table C. The operating parameter limits and the AWFCO settings shall also be set forth in separate Appendix entitled “Reconfigured TDU Compliance Standards”. All data collected during the trial burn (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ and EPA as part of the CDT Report. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted version with all CBI deleted.

10. As of the date of the submission of the CDT Report, the Respondent shall comply with all operating requirements of the “Reconfigured TDU Compliance Standards”, and the AWFCO requirements of 40 C.F.R. § 63.1206(c)(3), unless otherwise notified by EPA.

11. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT Test. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. The issuance of a Finding of Non-

Compliance by EPA shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date.

12. The failure to timely submit a CDT Report to EPA and TCEQ within ninety (90) days from completion of the CDT test trial shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. If the Respondent desires to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after it receives its RCRA Permit Modification, feedstock to the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities)	213112	Support Activities for Oil and Gas Operations

	performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator’s facility. The Respondents shall request that this provision be placed in the issued RCRA permit.

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 Permit Modification submitted to TCEQ for approval under this CAFO, TCEQ will review this application and issue only one Notice of Deficiency (NOD) to the Respondents in accordance with 30 T.A.C. §§ 281.3(c) and 281.19(a). The Respondents must provide an approvable response to TCEQ, with a copy to EPA, within thirty (30) days of receipt of the NOD. In the event that the Respondents fail to submit a timely and good-faith approvable NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline [thirty (30) days from the date of receipt of the NOD] unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and 40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the final permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

I. Monitoring, Recordkeeping, and Record Retention Requirements

1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A), shakedown operating parameters (Appendix 1, Table B), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.8) subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). In addition, the Respondents shall keep copies of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. These monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.8 and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan.

EPA will approve, disapprove, or modify the revised submittal. EPA approved reports shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

70. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of _____ **DOLLARS (\$_____)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of _____ **DOLLARS (\$_____)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in ____ payments as follows:

Payment No. 1: \$_____ within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$_____ (\$_____ civil penalty plus interest of \$_____) within _____ of the effective date of this CAFO.

Payment No. 3: \$_____ (\$_____ civil penalty plus interest of \$_____) within _____ of the effective date of this CAFO.

Payment No. 4: \$_____ (\$_____ civil penalty plus interest of \$_____) within _____ of the effective date of this CAFO.

71. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and

docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

72. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

73. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's

administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

74. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

75. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

76. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subparts V and FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall identify the following equipment in the oil reclamation unit and the TDU that is in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;
6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

The Respondents shall assume all the equipment is in VHAP service unless otherwise demonstrated in accordance with the requirements of 261.245(d).

C. Within sixty (60) days of the effective date of the CAFO, the Respondents shall submit a Subpart V Report to EPA, which includes the following information;

- a. Identification of all equipment specified in Paragraph 76.B above;
- b. Identification of all equipment that is in VHAP service;
- c. Identification of all equipment that is not in VHAP service, along with documentation that meets the requirements of 40 C.F.R. § 61.245(d) which demonstrates that the equipment does not in VHAP service. The Report shall be submitted in accordance with Paragraphs 76.K and 76.L.

D. Within ninety (90) days of the effective date of the CAFO, the Respondents shall implement a fugitive monitoring program in accordance with the requirements of 40 C.F.R. Part 61, Subpart V.

E. Within ninety (90) days of the effective date of the CAFO, the Respondent shall submit the notice required by 40 C.F.R. § 61.247(a) to TCEQ.

F. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

G. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

H. The Respondents shall use a submerge fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

I. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.7 of this CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R. § 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within thirty (30) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 76.K and 76.L.

J. Within 210 days of the effective date of the CAFO, the Respondent shall submit a written report to EPA. The Report shall include the following:

1. A copy of the fugitive emission program required by Paragraph 76.D;
2. A copy of the notice required by Paragraph 76.E;
3. Documentation showing compliance with Paragraphs 76.F, 76.G, and 76.H.

K. The reports identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

L. All Reports required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

77. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports or Plans - Paragraphs 69.A.8, 69.A.10 and 69.C.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), and 69.A.9

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

78. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 71 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 74 herein.

79. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

80. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

81. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

82. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance

Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

84. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

85. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting

delay to the greatest extent possible. “Force Majeure” does not include the Respondents’ financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ’s permitting process and the conduct of the contested case hearing.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents’ past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents’ rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

87. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent’s responsibilities under this CAFO.

88. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other

obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

89. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

90. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

92. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

93. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous

substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

94. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

95. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

96. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this

CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

97. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

100. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

[PAGE * MERGEFORMAT]

TABLE A**TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TOU INSTALLATION**

Tag No.	Equipment Operating Parameter	Operating Parameter Limit	Compliance Basis
TD-18/19	TDU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS ² , 60-sec time delay
PT-1	TDU, Maximum Internal Pressure	Maintain Pressure < 0.00” W.C.	AWFCO: CPMS, 60-sec time delay
OE-1	Purge Vent Gas Stream Maximum O ₂ Concentration	O ₂ < 7%	AWFCO: CPMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Purge Vent Rate < 180 scfm	AWFCO: CPMS, Hourly Rolling Average (HRA) ³
M-101	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Temperature < 120°F	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ⁴ & Documentation, Waste Analysis Plan ⁵

² Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

³ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

⁴ See Paragraph 69.A.3 of the CAFO.

⁵ See Paragraph 69.A.8 of the CAFO.

	Maximum TDU Organic Halide Concentration	[Total Chlorine] ⁶ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan
--	--	---	---

⁶ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

TABLE B

**TDU OIL RECLAMATION SYSTEM REQUIREMENTS AFTER TOU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Shakedown (Pre-Test) OPL	Compliance Basis
PT-1	TDU, Minimum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ⁷ , 60-sec time delay
M-05	TDU, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F	AWFCO: CPMS, HRA ⁸
KY-110	TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	[CO] < 100 ppmV @ 7% O ₂	AWFCO: CEMS for CO, HRA
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve > 0% Open	AWFCO: CPMS, Instantaneous
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Continuous Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	Maintain Temperature < 120°F	AWFCO: CPMS, HRA

⁷ Continuous Process Monitoring System – See Paragraph 69.I of the CAFO..

⁸ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ⁹ & Documentation, Waste Analysis Plan ¹⁰
	Maximum TDU Organic Halide Concentration	[Total Chlorine] ¹¹ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Semi-Volatile Metals ¹² Feed Rate to TDU	N/A	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Low-Volatile Metals ¹³ Feed Rate to TDU	N/A	Blending Protocols & Documentation, Waste Analysis Plan

⁹ See Paragraph 69.A.3 of the CAFO.

¹⁰ See Paragraph 69.A.8 of the CAFO.

¹¹ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

¹² Semi-volatile metals means a combination of cadmium and lead.

¹³ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

TABLE C

**TDU OIL RECLAMATION REQUIREMENTS AFTER TOU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

Tag No.	Equipment Operating Parameter	Interim/Final (Post-Test) OPL	Compliance Basis
PT-1	TDU, Minimum Internal Pressure	Maintain Pressure < 0.00" W.C.	AWFCO: CPMS ¹⁴ , 60-sec time delay
M-05	TDU, Cylinder Rotation On	Motor Operating	AWFCO: CPMS, Instantaneous
M-18	Product Discharge System	Motor Operating	AWFCO: CPMS, Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CPMS, Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3-Run Average from CDT	AWFCO: CPMS, HRA ¹⁵
KY-110	TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O ₂ Concentration	[O ₂] < 7%	AWFCO: CPMS, Instantaneous
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CPMS, HRA
FCV-102	Valve Position to Ensure Purge Vent is not Directed Away from TOU	Valve > 0% Open	AWFCO: CPMS, Instantaneous
M-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, Continuous Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 4,000 ppm based on CDT	AWFCO: CPMS, HRA

¹⁴ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.

¹⁵ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).

	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ¹⁶ & Documentation, Waste Analysis Plan ¹⁷
	Maximum TDU Organic Halide Concentration	[Total Chlorine] ¹⁸ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Semi-Volatile Metals ¹⁹ Feed Rate to TDU	OPL Established as Measured Ratio ²⁰	Blending Protocols & Documentation, Waste Analysis Plan
	Maximum Low-Volatile Metals ²¹ Feed Rate to TDU	OPL Established as Measured Ratio ²²	Blending Protocols & Documentation, Waste Analysis Plan

¹⁶ See Paragraph 69.A.3 of the CAFO.

¹⁷ See Paragraph 69.A.8 of the CAFO.

¹⁸ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

¹⁹ Semi-volatile metals means a combination of cadmium and lead.

²⁰ Maximum SVM and LVM Feed Rates to TDU established as measured ration from emissions data collected during CDT. See plan example calculations.

²¹ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²² Maximum SVM and LVM Feed Rates to TDU established as measured ratio from emissions data collected during CDT. See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

CONFIDENTIAL SETTLEMENT COMMUNICATION
EPA REVISIONS (MARK UP) – 9-18-12

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:)	
)	
)	
US ECOLOGY TEXAS, INC., and)	DOCKET NOS. RCRA-06-2012-0936
TD*X ASSOCIATES LP)	and RCRA-06-2012-0937
)	
RESPONDENTS)	
_____)	

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. “Person” is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as “an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity.”

10. The Respondent USET is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X ~~“processed”~~ (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

~~57. An incinerator is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] as “any enclosed device that: (A) uses controlled flame combustion and neither meets the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; or (B) meets the definition of infrared incinerator or plasma arc incinerator.”~~⁵⁷58. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

~~58.~~⁵⁹ The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

~~60. The combustion chamber of the TDU is an “incinerator” as that term is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] because it thermally processes (thermally treats) hazardous waste by burning hazardous waste using controlled flame combustion.~~⁵⁹61. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA

permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU an incinerator

~~6062~~. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

~~6163~~. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

~~6264~~. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

~~6365~~. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

~~6466~~. The roll-off boxes identified in Paragraph ~~6365~~ contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

~~6567~~. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal

Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

~~6668~~. The roll-off boxes identified in Paragraph ~~6365~~ contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

~~6769~~. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

~~6870~~. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

~~7169~~. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock into the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose are materials generated from processes meeting the definition established for Standard Industrial Classification (SIC) codes and corresponding North American

Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and

transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from ~~the processes meeting the definition of~~ the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous

waste in question is “oil-bearing,” and that the hazardous waste was originally generated actually came from petroleum refining, production, or transportation practices.

3. As of On the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the following interim operating parameters set forth in Appendix 1A, Table A1, which is attached and incorporated by reference into this CAFO. The Blending Protocols s and Documentation referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO,

The Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 432 and incorporated by reference into the CAFO.

45. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements: **USET/TD*X to provide additional language for this section**

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer’s specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer’s specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made. Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

g. This tuneup shall be conducted annually, until the TDU is reconfigured as long as the CAFO is effective.

56. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

476. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or and when one or more of the following interim operating parameters set forth in Appendix 1, Table A are not met conditions are met met exceeded during the operating period prior to reconfiguration installation of the thermal oxidizer unit. - in Table 5-2 of the CDT Plan, as supplemented by Table 6-3 of

~~the CDT Plan, are met; provided, however, that AWFCOs related to the thermal oxidizer unit (TOU) (TT-121 and KY-110) required by Paragraph 71.A.5 will not be installed until the TOU is placed into operation.~~

~~=====~~

~~The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of~~

~~40 C.F.R. § 63.1206(c)(3).~~

~~8. Within ninety (90) days of the effective date of this CAFO, the Respondents shall submit a waste analysis plan (WAP) for the TDU to EPA for approval, with a copy to TCEQ. The WAP shall be prepared in accordance with 40 C.F.R. § 264.13 and the EPA Guidance Document "Waste Analysis At Facilities That Generate, Treat, Store, And Dispose of Hazardous Waste", OSWER 9938.4-03 (April 1994).~~

~~The Respondents will implement the WAP, as approved or modified by EPA, immediately upon receipt of EPA's approval.~~

~~_____9~~

~~75. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizing unit (TOU) instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane. After the reconfiguration has occurred, for the purposes of Section III and IV.C of this CAFO only, references to the Reconfigured TDU shall include the TOU, unless otherwise indicated.~~

~~1086. The Respondents shall operate the Reconfigured TDU during the shakedown period (when the dryer feed is on) in accordance with the following operating parameters limits~~

~~set forth in Appendix 1, Table 2 (when the dryer feed is on) for the shakedown period, as such operating parameters may be more fully described in Table 2-1 of the CDT Plan.~~

~~The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the prior to performance of the Compliance Demonstration Test).~~

~~The Respondents shall keep records of the hours of operation during the shakedown period. The~~

~~Respondents shall operate a carbon monoxide (CO) continuous emissions monitor system~~

~~(CEMS) for carbon monoxide (CO) for the TOU ing for the measurement of carbon monoxide~~

~~(CO) during the shakedown period. The Respondents shall operate the Reconfigured TOU in a~~

~~manner that the one minute and hourly rolling averages for CO are not exceeded. The rolling~~

~~averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).~~

USET/TD*X to provide language regarding semi-annual CO monitoring.

~~911. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, and when one or more of the operating parameter limits set forth in Appendix 1, Table 2 are not met. The following conditions are met exceeded. :~~

~~The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R.~~

~~§ 63.1206(c)(3).~~

~~7. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:~~

~~a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.~~

~~b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.~~

~~c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.~~

~~d. Optimize total emissions of CO. This optimization should be consistent with the manufacturer's specifications, if available.~~

~~e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made. Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.~~

~~f. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.~~

~~8. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the process vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms / cubic meter of mercury in~~

~~accordance with the process specified in the CDT Plan.~~ 1209. Within six (6) months after the effective date of this CAFO, and every six months thereafter until this CAFO is terminated, the Respondents shall send a report to EPA, with a copy to TCEQ. The Report shall include the following:

USET/TD*X to provide revised language for this section.

a. Identify ~~the~~ customer, the customer's SIC and NAICS code for all waste streams processed by the oil reclamation unit for the previous six month period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

~~_____ b.~~

~~_____ b. All time periods in which there were exceedances of the operating parameters set forth in Appendix 1, Tables A and B, and exceedances of the one minute and hourly rolling averages for CO (Paragraph 69.A.10)-7171.6.~~

~~_____ c. All instances when the SSM Plan is triggered.~~

~~_____ de. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements (Paragraph 69.C.9).~~

~~_____ e. The initial Report shall include documentation showing that the tuneup and documentation fuel specification analysis required by Paragraphs 6971.A.5 and 6971.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system dates of the equipment required by Paragraphs 6971.A.47 and A.5.~~

.....
..... fed. Documentation showing the installation of the TOU required by Paragraph
6974 A.9, and the additional AWFCO requirements required by Appendix 1, Table 2.

The Report may be submitted in an electronic format (i.e., compact disk). The
Respondents may claim the report as confidential business information (CBI), in accordance
with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a
standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains
any information that is claimed CBI, the Respondents shall provide a redacted versions with all
CBI deleted.

.....
.....
B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to
TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit
the TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with
30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R.
§§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264,
Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart
EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering
report, waste analysis, monitoring and inspection requirements, and closure requirements set

forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351], ~~except that with regard to continuous monitoring required by 40 C.F.R. § 264(a)(1) and (a)(2), only continuous monitoring of combustion temperature shall be required.~~

3. The Respondents shall also request that the final RCRA permit include the following:

a. ~~Emission limits, destruction and removal efficiency (DRE), oOOperating parameters limits, and AWFCO cutoff limits- and emission limits-established under Compliance Demonstration Test conducted pursuant to Paragraph 6974.C of this CAFO, and set forth in the Reconfigured TDU Compliance Standards -and the Finding of Compliance (Paragraph 69.C).~~

b. ~~The SSM Plan (Paragraph 69.A.4);~~

c. ~~The Waste Analysis Plan (Paragraph 69.A.8);~~

db. ~~The feedstock limitations set forth in Paragraph 6974.D;~~

e. ~~The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3);~~

f. ~~Appropriate recordkeeping and reporting requirements; and~~

ge. ~~Any applicable risk-based terms and conditions necessary to protect human health and the environment. The appropriate requirements of 40 C.F.R. Part 63, Subpart EEE, and~~

b. ~~Operating parameters for the condensers from the Off-Gas Condensing Recovery System, including appropriate monitoring and recordkeeping requirements for the condensers.~~

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph ~~6974~~.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart -EEE. In the event that TCEQ does not issue a final RCRA Subpart X permit for the TDU as described above by the above deadline, the Respondents’ authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix 212, and incorporated by reference into the CAFO. ~~as set forth below.~~ The CDT requires the Respondents to demonstrate compliance with the emissions limitsstandards of 40 C.F.R. § 63.1219(b), the destruction and removal efficiency standards and the destruction and removal efficiency standards of in 40 C.F.R.

§ 63.1219(c)(1), and establish limits for the operating parameters set forth in Appendix 1, Table 3.

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance “Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion

(HWC) Units” August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

~~23. The Respondents have submitted a CDT Plan to EPA for approval. The Respondents shall implement the CDT in accordance with the EPA approved plan within ninety (90) days after reconfiguration of the TDU installation of the TDU pursuant to Paragraph 7469. A.7 of this CAFO.~~

~~34. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent constituent (POHC) —tolueneselected as a part of CDT Plan procedures. This POHC must be approved by EPA. The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).~~

~~54. The emission limits that must be met during as part of the CDT are set forth in 40 C.F.R. § 63.1219(b).~~

~~65. The following operating parameters limits that will be established during the CPT are set forth in Appendix I, Table C:~~

~~76. The Respondent must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99 for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDPT. Test Success/Failure Requirements—three runs, etc.~~

~~7. If the Respondents determine based on the results of analyses of stack samples that they have exceeded any emission standard or failed to meet the DRE requirement during any of~~

~~the three runs, they must cease hazardous waste burning immediately, except as provided in 40 C.F.R. § 63.1207(d)(1). The Respondents must make this determination within forty-five (45) days following completion of the trial burn. The Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV-F (Force Majeure).~~

878. All analyses required by the trial burn plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.

~~989. Pursuant to 40 C.F.R. §§ 63.7(g), 63.9(h), 63.1207(j), and 63.1210(d), Wwithin ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with _____requirements in the CDT Plan, Notification of Compliance (NOC) to TCEQ and EPA documenting compliance with the DRE standards and emission limitsstandards set forth in Paragraphs 69.C.4 and 69.C.5, and 71.C.3 and 71.C.4, the continuous monitoring system requirements set forth in 40 C.F.R. §§ 63.8 and 63.1209, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table CParagraph 69.C.671.C.5. The operating parameter limits and the AWFCO settings shall also be set forth in separate Appendix entitled "Reconfigured TDU Compliance Standards". All data collected during the trial burn and the CMS performance test (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ and EPA as part of along with the CDT Compliance ReportNOC. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI.~~

40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted versions with all CBI deleted.

EPA shall review the CDT Report 10910. As of the date of the submission of the CDT ReportNOC, the Respondent shall comply with all operating requirements of the “Reconfigured TDU Compliance Standards”, and the AWFCO requirements of 40 C.F.R. § 63.1206(c)(3), unless otherwise notified by EPA.

110. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT Test. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. The issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure). NOC, and the requirements of 40 C.F.R. §§ 63.1209 and 63.1219.

12101. The failure to timely submit a CDT Report to EPA and TCEQ n NOC to TCEQ and EPA within ninety (90) days from completion of the CDT test trial burn and the CMS performance test shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the plan for the CDT dated September _____, 2012, approved by EPA (CDT Plan).

~~2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPATCEQ for approval, with a copy to TCEQEPA, a Quality Assurance pProject pPlan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance Document, "Quick Reference Guide Test Burn Program Planning For Hazardous Waste Combustion (HWC) Units" dated August 6, 2012. guidance document, Quick Reference Guide, Test Program Planning for HWC Units, dated August 2012. The Respondents shall implement the QAPP as approved or modified by EPA, according to the schedule set forth therein.~~

~~3. The Respondents shall implement the CDT within ninety (90) days after installation of the TDU pursuant to Paragraph 71.A.5 of this CAFO.~~

~~4. If the Respondents determine (based on CEM recordings, results of analyses of stack samples, or results of CMS performance evaluations) that they have exceeded any emission standard for a mode of operation, they must cease hazardous waste burning immediately under that mode of operation, except as provided in 40 C.F.R. § 63.1207(l)(1). The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).~~

~~5. All analyses required by the trial burn plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT report to TCEQ and EPA documenting compliance with the CDT Plan and identifying operating parameters identified in the CDT. All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or~~

~~calculations supporting the emissions calculations or operating parameter limits) must be submitted in the report.~~

~~6. As of the date of the submission of the CDT report, the Respondent shall comply with all operating requirements of the CDT report.~~

~~7. The failure to timely submit a CDT report to TCEQ and EPA within ninety (90) days from completion of the CDT shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).~~

~~**D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)**~~

1. If the Respondent desires to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after it receives its RCRA Permit Modification, feedstock to the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose ~~are materials generated from processes meeting the definition~~ Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical	213112	Support Activities for Oil & Gas Operations

	mapping & surveying)		
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste actually came from petroleum refining, production, or transportation

practices at the generator's facility. The Respondents shall request that this provision be placed in the issued RCRA permit.

E. TCEQ Submission, Revision, and Approval Process

1. For the Class 3 Permit Modification ~~all applications or plans required be submitted to TCEQ for approval under this CAFO, TCEQ will review these applications or plans and and issue only one Notice of Deficiency (NOD) to the Respondents in accordance with 30 T.A.C. §§ 281.3(c) and 281.19(a). The Respondents must provide an approvable response to TCEQ, with a copy to EPA, within thirty (30) days of receipt of the NOD. respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ. In the event that the Respondents fail to submit a timely and good-faith approvable complete NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline [thirty (30) days from the date of receipt of the NOD] unless that deadline has been extended pursuant to Section IV.F (Force Majeure).~~

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and 40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the final permit, ~~except as provided by the CDT Plan~~. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

-I. Monitoring, Recordkeeping, and Record Retention Requirements

XX1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A~~71~~), shutdown operating parameters (Appendix 1, Table B~~71~~), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.8) ~~71~~—subject to AWFCO limits shall be monitored by the facility’s Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). These electronic records shall be kept for a period of one year after termination of the CAFO. In addition, the Respondents shall keep copies of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. All records, including electronic records, shall be kept for a period of one year after termination of the CAFO. and: Theseis monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request.

~~XX2.~~ In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.8 and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved reports shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

~~7072.~~ Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of _____ **DOLLARS (\$_____)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of _____ **DOLLARS (\$_____)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The

Respondent TD*X Associates L.P. shall pay the assessed civil penalty in _____ payments as follows:

Payment No. 1: \$ _____ within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$ _____ (\$ _____ civil penalty plus interest of \$ _____)
within _____ of the effective date of this CAFO.

Payment No. 3: \$ _____ (\$ _____ civil penalty plus interest of \$ _____)
within _____ of the effective date of this CAFO.

Payment No. 4: \$ _____ (\$ _____ civil penalty plus interest of \$ _____)
within _____ of the effective date of this CAFO.

_____ ~~7173~~. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101

Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
“D 68010727 Environmental Protection Agency”

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

.....
..... Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

7274. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

7375. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

7476. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

7577. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned

representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

7678. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subparts V and FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall identify the following equipment in the oil reclamation unit and the TDU that is in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;
6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

The Respondents shall assume all the equipment is in VHAP service unless otherwise demonstrated in accordance with the requirements of 261.245(d).

C. Within sixty (60) days of the effective date of the CAFO, the Respondents shall submit a Subpart V Report to EPA, which includes the following information;

- a. Identification of all equipment specified in Paragraph ~~7677~~.B above;
- b. Identification of all equipment that is in VHAP service;
- c. Identification of all equipment that is not in VHAP service, along with documentation that meets the requirements of 40 C.F.R. § 61.245(d) which demonstrates that the equipment does not in VHAP service. The Report shall be submitted in accordance with Paragraphs ~~7677~~.K and ~~7677~~.L.

D. ~~W If applicable,~~ within ninety (90) days of the effective date of the CAFO, the Respondents shall implement a fugitive monitoring program in accordance with the requirements of 40 C.F.R. Part 61, Subpart V.

E. ~~If applicable, w~~Within ninety (90) days of the effective date of the CAFO, the Respondent shall submit the notice required by 40 C.F.R. § 61.247(a) to TCEQ.

F. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

G. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no

detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

H. The Respondents shall use a submerge fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

I. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.7 of this CAFO~~_____ days of the effective date of the CAFO~~, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R.

§ 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within thirty (30) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 7677.K and 7677.L.

J. Within 210 days of the effective date of the CAFO, the Respondent shall submit a written report to EPA. The Report shall include the following:

1. A If applicable, a copy of the fugitive emission program required by Paragraph 7677.D;
2. A If applicable, a copy of the notice required by Paragraph 7677.E;
3. Documentation showing compliance with Paragraphs 7677.F, 7677.G, and 7677.H.

K. The reports identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

L. All Reports required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

7779. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports, Notices, or Plans - Paragraphs 69.A.8, 69.A.10 and 69.C.271.A.3, 71.A.6, 71.A.8, 71.A.9, 71.C.1, 71.C.5, 71.D.1, and 71.E.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), and 69.A.971.A.4,

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

7880. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in

accordance with the provisions of Paragraph ~~7173~~ herein. Interest and late charges shall be paid as stated in Paragraphs ~~73 - 7475~~ ~~76~~ herein.

~~7981~~. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

~~8082~~. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

.....
..... Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

~~8183~~. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the

agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

8284. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

8385. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

8486. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

8587. A “force majeure event” is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents’ best efforts to fulfill the obligation. “Best efforts” includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting delay to the greatest extent possible. “Force Majeure” does not include the Respondents’ financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ’s permitting process and the conduct of the contested case hearing.

8688. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents’ past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents’ rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

8789. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent’s responsibilities under this CAFO.

8890. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

8991. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

9092. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

9193. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

9294. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

9395. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment. Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

9496. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

9597. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

9698. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

9799. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98100. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99101. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary

documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

100102. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right or EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b), this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

TABLE A**TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TDU INSTALLATION**

<u>Tag No.</u>	<u>Equipment Operating Parameter</u>	<u>Operating Parameter Limit</u>	<u>Compliance Basis</u>
<u>TD-18/19</u>	<u>TDU, Minimum Combustion Chamber Temperature</u>	<u>Maintain Temperature > 1,400°F</u>	<u>AWFCO: CPMS², 60-sec time delay</u>
<u>PT-1</u>	<u>TDU, Maximum Internal Pressure</u>	<u>Maintain Pressure < 0.00” W.C.w.e.</u>	<u>AWFCO: CPMS, 60-sec time delay</u>
<u>OE-1</u>	<u>Purge Vent Gas Stream Maximum O₂ Concentration</u>	<u>O₂ ≤ 7%</u>	<u>AWFCO: CPMS, 60-sec time delay</u>
<u>FE-101</u>	<u>Maximum Purge Vent Rate</u>	<u>Purge Vent Rate < 180 scfm</u>	<u>AWFCO: CPMS, Hourly Rolling Average (HRA)³</u>
<u>M-101</u>	<u>Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply</u>	<u>Purge Vent Air Supply > 20% Excess Air</u>	<u>AWFCO: CPMS, Tuning of Combustion Airflow</u>
<u>TE-28</u>	<u>Maximum Condenser System Exhaust Temperature</u>	<u>Temperature < 120°F</u>	<u>AWFCO: CPMS, HRA</u>
	<u>HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter</u>	<u>Installed and Δ Pressure Monitoring</u>	<u>Installation Check; Δ Pressure Monitored Once Per Shift</u>
	<u>Maximum TDU Mercury Feed Concentration</u>	<u>[Hg]Mercury < 50 ppm/Bin</u>	<u>Waste Analysis Plan, Blending Protocols⁴ & Documentation, Waste Analysis Plan⁵</u>

² Continuous Process Monitoring System – See Paragraph 69.I of CAFO40 C.F.R. ~~§ 63.1209(b)~~.³ 40 C.F.R. §§ 63.1209(a)(66) and 63.1209(b)(5).⁴ See Paragraph 69.A.3 of the CAFO.⁵ See Paragraph 69.A.8 of the CAFO.

	Maximum TDU Organic Halide Concentration	HCl + Cl₂ [Total Chlorine] ⁶ < 1,500 ppm/Bin	Waste Analysis Plan, Blending Protocols & Documentation, Waste Analysis Plan
--	--	--	---

⁶ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

TABLE B2

TDU OIL RECLAMATION SYSTEM TEM INTERIM REQUIREMENTS AFTER TOU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS

<u>Tag No.</u>	<u>Equipment Operating Parameter</u>	<u>Shakedown (Pre-Test) OPL</u>	<u>Compliance Basis</u>
<u>PT-1TD-18/19</u>	<u>TDU, Minimum Internal PressureCombustion Chamber Temperature</u>	<u>Temperature > 1,400°F Maintain Pressure < 0.00" W.C.w.e.</u>	<u>AWFCO: CPMS⁷, 60-sec time delay</u>
<u>PT-1M-05</u>	<u>TDU, Cylinder Rotation OnMaximum Internal Pressure</u>	<u>Motor OperatingPressure < 0.00" w.e.</u>	<u>AWFCO: CPMS, Instantaneous60-sec time delay</u>
<u>OE-1M-18</u>	<u>Product Discharge SystemPurge-Vent-Gas Stream Maximum O₂ Concentration</u>	<u>O₂ ≤ 7%Motor Operating</u>	<u>AWFCO: CPMS, Instantaneous60-sec time delay</u>
<u>FE-101M-21</u>	<u>Maximum Purge-Vent RateRecirculation Blower Operating</u>	<u>Purge-Vent Rate < 180-sefmMotor Operating</u>	<u>AWFCO: CPMS, InstantaneousHourly Rolling Average (HRA)</u>
<u>M-101TT-121</u>	<u>Minimum Percent Excess Air, Operation of Purge-Vent Injector Air SupplyTOU, Minimum Combustion Chamber Temperature</u>	<u>Maintain Temperature > 1,400°F Purge-Vent Air Supply > 20% Excess Air</u>	<u>AWFCO: CPMS, HRA⁸Tuning of Combustion Airflow</u>
<u>KY-110TE-28</u>	<u>TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)Maximum Condenser System Exhaust Temperature</u>	<u>Temperature < 120°FResidence Time > 0.5 seconds</u>	<u>AWFCO: CPMS, HRA</u>
<u>AE-5/OE-5</u>	<u>TOU Exhaust Gas, Maximum CO ConcentrationHEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter</u>	<u>[CO] < 100 ppmV @ 7% O₂Installed & Δ Pressure Monitoring</u>	<u>Installation Check, Δ Pressure Monitored Once Per ShiftAWFCO: CEMS for CO, HRA</u>

⁷ Continuous Process Monitoring System – See Paragraph 69.I of the CAFO40 C.F.R. § 63.1209(b).

⁸ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5). 40 C.F.R. § 63.1209(a)(6).

OE-1	<u>Maximum TDU Mercury Feed Concentration</u> <u>Purge Vent Gas Stream,</u> <u>Maximum O₂ Concentration</u>	<u>[O₂] < 7%</u> <u>Mercury < 50 ppm/Bin</u>	<u>AWFCO: CPMS, Instantaneous</u> <u>Blending Protocols &</u> <u>Documentation</u>
FE-101	<u>Maximum TDU Organic Halide Concentration</u> <u>Maximum Purge Vent Rate</u>	<u>HCl + Cl₂ < 1,500 ppm/Bin</u> <u>Vent</u> <u>Flow < 250 scfm</u>	<u>AWFCO: CPMS, HRA</u> <u>Blending</u> <u>Protocols & Documentation</u>
FCV-102	<u>Valve Position to Ensure</u> No <u>Purge Vent is not</u> <u>Directed Away from TOU</u>	<u>Valve > 0% Open</u>	<u>AWFCO: CPMS, Instantaneous</u>
M-121	<u>Minimum Percent Excess Air , Operation of</u> <u>Purge Vent Injector Air Supply</u>	<u>Purge Vent Air Supply > 20%</u> <u>Excess Air</u>	<u>AWFCO: CPMS, Continuous</u> <u>Tuning of Combustion Airflow</u>
TE-28	<u>Maximum Condenser System Exhaust</u> <u>Temperature</u>	<u>Maintain Temperature < 120°F</u>	<u>AWFCO: CPMS, HRA</u>
	<u>HEPA Filter Installed and Pressure Change</u> <u>Monitored to Ensure Integrity of Filter</u>	<u>Installed and Δ Pressure</u> <u>Monitoring</u>	<u>Installation Check; Δ Pressure</u> <u>Monitored Once Per Shift</u>
	<u>Maximum TDU Mercury Feed Concentration</u>	<u>[Hg] < 50 ppm/Bin</u>	<u>Blending Protocols⁹ &</u> <u>Documentation, Waste Analysis</u> <u>Plan¹⁰</u> Waste Analysis Plan; <u>Blending Protocols &</u> <u>Documentation</u>
	<u>Maximum TDU Organic Halide Concentration</u>	<u>[HCl + Cl₂ Total Chlorine]¹¹ <</u> <u>1,500 ppm/Bin</u>	Waste Analysis Plan; <u>Blending</u> <u>Protocols & Documentation,</u> <u>Waste Analysis Plan</u>
	<u>Maximum Semi-Volatile Metals¹² Feed Rate to</u> <u>TDU</u>	<u>N/A</u>	<u>Blending Protocols &</u> <u>Documentation, Waste Analysis</u> <u>Plan</u> Waste Analysis Plan;

⁹ See Paragraph 69.A.3 of the CAFO.¹⁰ See Paragraph 69.A.8 of the CAFO.¹¹ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).¹² Semi-volatile metals means a combination of cadmium and lead.

			<u>Blending Protocols & Documentation</u>
	<u>Maximum Low-Volatile Metals¹³ Feed Rate to TDU</u>	<u>N/A</u>	<u>Blending Protocols & Documentation, Waste Analysis Plan Waste Analysis Plan,</u> <u>Blending Protocols & Documentation</u>

¹³ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

TABLE C

TDU OIL RECLAMATION REQUIREMENTS AFTER TOU INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS

<u>Tag No.</u>	<u>Equipment Operating Parameter</u>	<u>Interim/Final (Post-Test) OPL</u>	<u>Compliance Basis</u>
<u>PT-1</u>	<u>TDU, Minimum Internal Pressure</u>	<u>Maintain Pressure < 0.00" W.C.</u>	<u>AWFCO: CPMS¹⁴, 60-sec time delay</u>
<u>M-05</u>	<u>TDU, Cylinder Rotation On</u>	<u>Motor Operating</u>	<u>AWFCO: CPMS, Instantaneous</u>
<u>M-18</u>	<u>Product Discharge System</u>	<u>Motor Operating</u>	<u>AWFCO: CPMS, Instantaneous</u>
<u>M-21</u>	<u>Recirculation Blower Operating</u>	<u>Motor Operating</u>	<u>AWFCO: CPMS, Instantaneous</u>
<u>TT-121</u>	<u>TOU, Minimum Combustion Chamber Temperature</u>	<u>OPL Established @ > 3-Run Average from CDT</u>	<u>AWFCO: CPMS, HRA¹⁵</u>
<u>KY-110</u>	<u>TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)</u>	<u>Residence Time > 0.5 seconds</u>	<u>AWFCO: CPMS, HRA</u>
<u>AE-5/ OE-5</u>	<u>TOU Exhaust Gas, Maximum CO Concentration</u>	<u>Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing</u>	<u>Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs</u>
<u>OE-1</u>	<u>Purge Vent Gas Stream, Maximum O₂ Concentration</u>	<u>[O₂] < 7%</u>	<u>AWFCO: CPMS, Instantaneous60-sec time delay</u>
<u>FE-101</u>	<u>Maximum Purge Vent Rate</u>	<u>Vent Flow < 250 scfm</u>	<u>AWFCO: CPMS, HRA</u>
<u>FCV-102</u>	<u>Valve Position to Ensure No-Purge Vent is not Directed Away from TOU</u>	<u>Valve > 0% Open</u>	<u>AWFCO: CPMS, Instantaneous</u>
<u>M-121</u>	<u>Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply</u>	<u>Purge Vent Air Supply > 20% Excess Air</u>	<u>AWFCO: CPMS, Continuous Tuning of Combustion Airflow</u>

¹⁴ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.40 C.F.R. § 63.1209(b).

¹⁵ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).40 C.F.R. § 63.1209(a)(6).

TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 4,000 ppm based on CDT	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ¹⁶ & Documentation, Waste Analysis Plan ¹⁷ Waste Analysis Plan; Blending Protocols & Documentation
	Maximum TDU Organic Halide Concentration	[HCl + Cl ₂ Total Chlorine] ¹⁸ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan Waste Analysis Plan; Blending Protocols & Documentation
	Maximum Semi-Volatile Metals ¹⁹ Feed Rate to TDU	OPL Established as Measured Ratio ²⁰	Blending Protocols & Documentation, Waste Analysis Plan Waste Analysis Plan; Blending Protocols & Documentation
	Maximum Low-Volatile Metals ²¹ Feed Rate to TDU	OPL Established as Measured Ratio ²²	Blending Protocols & Documentation, Waste Analysis

¹⁶ See Paragraph 69.A.3 of the CAFO.

¹⁷ See Paragraph 69.A.8 of the CAFO.

¹⁸ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

¹⁹ Semi-volatile metals means a combination of cadmium and lead.

²⁰ Maximum SVM and LVM Feed Rates to TDU established as measured ration from emissions data collected during CDT. See plan example calculations.

			<u>Plan Waste Analysis Plan, Blending Protocols & Documentation</u>
--	--	--	---

²¹ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²² Maximum SVM and LVM Feed Rates to TDU established as measured ration from emissions data collected during CDT.
See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

CONTAINS CONFIDENTIAL BUSINESS
INFORMATION

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan

McGinnis, Lochridge & Kilgore, L.L.P.

600 Congress Avenue

Suite 2100

Austin, Texas 78701

J.D. Head

Fritz, Bryne, Head & Harrison, PLLC

98 San Jacinto Boulevard

Suite 2000

Austin, TX 78701

CONFIDENTIAL SETTLEMENT COMMUNICATION
EPA REVISIONS – 9-18-12

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:)	
)	
)	
US ECOLOGY TEXAS, INC., and)	DOCKET NOS. RCRA-06-2012-0936
TD*X ASSOCIATES LP)	and RCRA-06-2012-0937
)	
RESPONDENTS)	
_____)	

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. “Person” is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as “an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity.”

10. The Respondent USET is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X “processed” (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

~~57. An incinerator is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] as “any enclosed device that: (A) uses controlled flame combustion and neither meets the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; or (B) meets the definition of infrared incinerator or plasma arc incinerator.”~~⁵⁷58. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

~~58.~~⁵⁹ The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

~~60. The combustion chamber of the TDU is an “incinerator” as that term is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] because it thermally processes (thermally treats) hazardous waste by burning hazardous waste using controlled flame combustion.~~⁵⁹61. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA

permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU~~an incinerator~~

6062. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

6163. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

6264. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

6365. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

6466. The roll-off boxes identified in Paragraph 6365 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

6567. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal

Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

~~6668~~. The roll-off boxes identified in Paragraph ~~6365~~ contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

~~6769~~. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

~~6870~~. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

~~7169~~. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock into the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose are materials generated from processes meeting the definition established for Standard Industrial Classification (SIC) codes and corresponding North American

Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from ~~the processes meeting the definition of~~ the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous

waste in question is “oil-bearing,” and that the hazardous waste was originally generated actually came from petroleum refining, production, or transportation practices.

3. As of On the effective date of this CAFO, when the dryer feed is on, the Respondents shall operate the TDU in accordance with the following interim operating parameters set forth in Appendix 1A, Table A1, which is attached and incorporated by reference into this CAFO. The Blending Protocols and Documentation referenced in Appendix 1 is attached as Appendix 2, and incorporated by reference into this CAFO.

4. As of the effective date of this CAFO,

The Respondents shall comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The Compliance Demonstration Test (CDT) Plan is attached as Appendix 132 and incorporated by reference into the CAFO.

45. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements: **USET/TD*X to provide additional language for this section**

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer’s specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer’s specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.
Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

g. This tuneup shall be conducted annually, until the TDU is reconfigured as long as the CAFO is effective.

56. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA. If the concentration of mercury exceeds 40 micrograms/cubic meter, the Respondents shall immediately notify EPA.

476. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or and when one of the following interim operating parameters set forth in Appendix 1, Table A are not met conditions are metmetexceeded during the operating period prior to reconfiguration installation of the thermal oxidizer unit. - in Table 5-2 of the CDT Plan, as supplemented by Table 6-3 of the CDT

~~Plan, are met; provided, however, that AWFCOs related to the thermal oxidizer unit (TOU) (TT-121 and KY-110) required by Paragraph 71.A.5 will not be installed until the TOU is placed into operation.~~

The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of

40 C.F.R. § 63.1206(c)(3).

8. Within ninety (90) days of the effective date of this CAFO, the Respondents shall submit a waste analysis plan (WAP) for the TDU to EPA for approval, with a copy to TCEQ.

The WAP will include, but is not limited to the following information:

a.

b.

The Respondents will implement the WAP, as approved or modified by EPA, immediately upon receipt of EPA's approval. **May need to be revised after we receive CO monitoring**

language from USET/TD*X

9

~~75. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a TOU instead of the combustion chamber of the TDU (Reconfigured TDU). After reconfiguration, fuel for the TDU is limited to natural gas and propane. After the reconfiguration has occurred, for the purposes of Section III and IV.C of this CAFO only, references to the Reconfigured TDU shall include the TOU, unless otherwise indicated.~~

1086. The Respondents shall operate the Reconfigured TDU during the shakedown period (when the dryer feed is on) in accordance with the following operating parameters limits set forth in Appendix 1, Table 2 (when the dryer feed is on). for the shakedown period, as such operating parameters may be more fully described in Table 2-1 of the CDT Plan:

The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the prior to performance of the Compliance Demonstration Test).
The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a carbon monoxide (CO) continuous emissions monitor system (CEMS) for carbon monoxide (CO) for the TOU ing for the measurement of carbon monoxide (CO) during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the one minute and hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).
USET/TD*X to provide language regarding semi-annual additional CO monitoring.

911. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or and when one of of the operating parameter limits set forth in Appendix 1, Table 2 are not met or following conditions are met exceeded. :

The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3).

~~7. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:~~

~~a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.~~

~~b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.~~

~~c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.~~

~~d. Optimize total emissions of CO. This optimization should be consistent with the manufacturer's specifications, if available.~~

~~e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made. Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.~~

~~f. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.~~

~~8. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the process vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms / cubic meter of mercury in~~

~~accordance with the process specified in the CDT Plan.~~ 1209. Within six (6) months after the effective date of this CAFO, and every six months thereafter until this CAFO is terminated, the Respondents shall send a report to EPA, with a copy to TCEQ. The Report shall include the following:

~~USET/TD*X to provide revised language for this section.~~
~~USET/TD*X to provide revised language for this section.~~

a. Identify the customer, the customer's SIC and NAICS code for all waste streams processed by the oil reclamation unit for the previous six month period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

~~b.~~

~~b.~~ All time periods in which there were exceedances of the operating parameters set forth in Appendix 1, Tables A and B-7171.6.

~~c. All instances when the SSM Plan is triggered.~~

~~d.~~ All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements (Paragraph 69.C.9).

~~e.~~ The initial Report shall include documentation showing that the tuneup and documentation-fuel specification analysis required by Paragraphs 6971.A.5 and 6971.A.6 have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system dates of the equipment required by Paragraphs 6971.A.47 and A.5.

fed. Documentation showing the installation of the TOU required by Paragraph 6971.A.9.

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted versions with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351], ~~except that~~

~~with regard to continuous monitoring required by 40 C.F.R. § 264(a)(1) and (a)(2); only continuous monitoring of combustion temperature shall be required.~~

3. The Respondents shall also request that the final RCRA permit include the following:

a. ~~Emission limits, destruction and removal efficiency (DRE), oOOperating parameters limits, and AWFCO cutoff limits- and emission limits-established under Compliance Demonstration Test conducted pursuant to Paragraph 6974.C of this CAFO, and set forth in the Reconfigured TDU Compliance Standards -and the Finding of Compliance (Paragraph 69.C);~~

~~b. The SSM Plan (Paragraph 69.A.4);~~

c. The Waste Analysis Plan (Paragraph 69.A.8);

~~db. The feedstock limitations set forth in Paragraph 6974.D;~~

e. The investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3);

f. Appropriate recordkeeping and reporting requirements; and

~~ge. Any applicable risk-based terms and conditions necessary to protect human health and the environment. The appropriate requirements of 40 C.F.R. Part 63, Subpart EEE; and~~

~~b. Operating parameters for the condensers from the Off-Gas Condensing Recovery System, including appropriate monitoring and recordkeeping requirements for the condensers.~~

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph ~~6974.B.1~~ shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart -EEE. In the event that TCEQ does not issue a final RCRA Subpart X permit for the TDU as described above by the above deadline, the Respondents’ authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix 212, and incorporated by reference into the CAFO. ~~as set forth below.~~—The CDT requires the Respondents to demonstrate compliance with the emissions limitsstandards of 40 C.F.R. § 63.1219(b), the destruction and removal efficiency standards and the destruction and removal efficiency standards of in 40 C.F.R.

§ 63.1219(c)(1), and establish limits for the operating parameters set forth in Appendix 1, Table 3.

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance “Quick Reference Guide, Test Burn Program Planning for Hazardous Waste Combustion

(HWC) Units” August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

~~23. The Respondents have submitted a CDT Plan to EPA for approval. The Respondents shall implement the CDT in accordance with the EPA approved plan within ninety (90) days after reconfiguration of the TDU installation of the TOU pursuant to Paragraph 7469. A.7 of this CAFO.~~

~~34. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent constituent (POHC) – toluene selected as a part of CDT Plan procedures. This POHC must be approved by EPA. The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).~~

~~54. The emission limits that must be met during as part of the CDT are set forth in 40 C.F.R. § 63.1219(b).~~

~~65. The following operating parameters limits that will be established during the CPT are set forth in Appendix 1, Table C:~~

<u>Tag No.ID</u>	<u>Operating Parameters</u>
	<u>OPLs for Combustion Unit</u>
<u>TT-121</u>	<u>Minimum TOU Combustion Chamber Temperature</u>
<u>KY-110</u>	<u>Maximum TOU Flow Rate (Minimum Residence Time)</u>
<u>FE-101</u>	<u>Maximum/minimum Hazardous Waste Feedrate (Purge process Vent Rate)</u>
<u>M-121</u>	<u>Operation of Waste Firing System</u>

<u>AE-5/OE-5</u>	<u>CEM CO ppmv @ 7% O₂</u>
	<u>OPLs Associated with Feed Streams</u>
	<u>Mercury Feed Concentration Limit to TDU</u>
	<u>Organic Halide Concentration Limit to TDU</u>
	<u>OPL for Air Pollution Control Equipment</u> <u>Semi-Volatile</u>
	<u>Metals Feed Rate Limit to TDU</u>
	<u>Low Volatile Metals HEPA Filter Feed Rate Limit to TDU</u>
	<u>OPLs for Gas Treatment System</u> <u>HEPA Filter</u>
<u>TD-28</u>	<u>Condenser System Exhaust Temperature</u>
	<u>Other OPLs</u>
<u>TE-14A</u>	<u>Desorber Solids Temperature</u>
<u>OE-1</u>	<u>VentPurge gGas sStream O₂ Cconcentration hHigh-hHigh</u>
<u>PT-1</u>	<u>Dryer Internal Ggas Ppressure Hhigh-Hhigh</u>
<u>FCV-102</u>	<u>Valve Pposition of Ppurgeroocess vVent dDirected aAway</u> <u>from TOU</u>
<u>M-21</u>	<u>Recirculation Blower Operating</u>
<u>M-05</u>	<u>Dryer Cylinder Rotation</u>
<u>M-18</u>	<u>Product Discharge operational</u>

-----76. The Respondent must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99 for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDPT. Test Success/Failure Requirements—three runs, etc.

~~7. If the Respondents determine based on the results of analyses of stack samples that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must cease hazardous waste burning immediately. **except as provided in 40 C.F.R. § 63.1207(i)(1).** The Respondents must make this determination within forty-five (45) days following completion of the trial burn. The Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).~~

~~878. All analyses required by the trial burn plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.~~

~~989. Pursuant to 40 C.F.R. §§ 63.7(g), 63.9(h), 63.1207(j), and 63.1210(d), Wwithin ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with _____requirements in the CDT Plan, Notification of Compliance (NOC) to TCEQ and EPA documenting compliance with the DRE standards and emission limitsstandards set forth in Paragraphs 69.C.4 and 69.C.5, 71.C.3 and 71.C.4, the continuous monitoring system requirements set forth in 40 C.F.R. §§ 63.8 and 63.1209, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Appendix 1, Table CParagraph 69.C.671.C.5. The operating parameter limits and the AWFCO settings shall also be set forth in separate Appendix entitled "Reconfigured TDU Compliance Standards". All data collected during the trial burn and the CMS performance test (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ and EPA as~~

part of along with the CDT Compliance Report NOC. However, information in the CDT Report that is emissions data or a standard or limitation cannot be claimed as CBI.

40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted versions with all CBI deleted.

EPA shall review the CDT Report 10910. As of the date of the submission of the CDT Report NOC, the Respondent shall comply with all operating requirements of the "Reconfigured TDU Compliance Standards", and the AWFCO requirements of 40 C.F.R. § 63.1206(c)(3), unless otherwise notified by EPA.

110. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT Test. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents did not meet all of the requirements, it shall issue a Finding of Non-Compliance. The issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure). NOC, and the requirements of 40 C.F.R. §§ 63.1209 and 63.1219.

12104. The failure to timely submit a CDT Report to EPA and TCEQ ~~h~~ NOC to TCEQ and EPA within ninety (90) days from completion of the CDT test trial burn and the CMS performance test shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

Continue AWFCO

~~———— C. Compliance Demonstration Test~~

~~———— 1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the plan for the CDT dated September _____, 2012, approved by EPA (CDT Plan).~~

~~———— 2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPATCEQ for approval, with a copy to TCEQEPA, a Quality Assurance pProject pPlan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance Document, “Quick Reference Guide — Test Burn Program Planning For Hazardous Waste Combustion (HWC) Units” dated August 6, 2012. guidance document, Quick Reference Guide, Test Program Planning for HWC Units, dated August 2012. The Respondents shall implement the QAPP as approved or modified by EPA, according to the schedule set forth therein.~~

~~———— 3. The Respondents shall implement the CDT within ninety (90) days after installation of the TOU pursuant to Paragraph 71.A.5 of this CAFO.~~

~~———— 4. If the Respondents determine (based on CEM recordings, results of analyses of stack samples, or results of CMS performance evaluations) that they have exceeded any emission standard for a mode of operation, they must cease hazardous waste burning immediately under that mode of operation, except as provided in 40 C.F.R. § 63.1207(f)(1). The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents’ authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).~~

~~———— 5. All analyses required by the trial burn plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT report to TCEQ and EPA~~

~~documenting compliance with the CDT Plan and identifying operating parameters identified in the CDT. All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted in the report.~~

~~6. As of the date of the submission of the CDT report, the Respondent shall comply with all operating requirements of the CDT report.~~

~~7. The failure to timely submit a CDT report to TCEQ and EPA within ninety (90) days from completion of the CDT shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).~~

~~**D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)**~~

1. If the Respondent desires to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after it receives its RCRA Permit Modification, feedstock to the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose are materials generated from processes meeting the definition Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
----------	-----------------	------------	-------------

1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator’s facility. The Respondents shall request that this provision be placed in the issued RCRA permit.

E. TCEQ Submission, Revision, and Approval Process

1. For all applications or plans required be submitted to TCEQ for approval under this CAFO, TCEQ will review these applications or plans and issue only one Notice of Deficiency (NOD) to the Respondents in accordance with 30 T.A.C. §§ 281.3(c) and 281.19(a). The Respondents must provide an approvable response to TCEQ, with a copy to EPA, within thirty (30) days of receipt of the NOD. ~~respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ.~~ In the event that the Respondents fail to submit a timely and good-faith approvable complete NOD response, the Respondents’ authorization to operate the TDU shall terminate on the NOD response deadline [thirty (30) days from the date of receipt of the NOD] unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63,

Subpart EEE. Add Part 270?

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and 40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the final permit, ~~except as provided by the CDT Plan~~. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

-I. Monitoring, Recordkeeping, and Record Retention Requirements

XX1. Upon the effective date of this CAFO, all interim operating parameters (Appendix 1, Table A~~71~~), shakedown operating parameters (Appendix 1, Table B~~71~~), and final operating parameters limits (Appendix 1, Table C and Paragraph 69.C.8) ~~71~~ subject to AWFCO limits shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). These electronic records shall be kept for a period of one year after termination of the CAFO. In addition, the Respondents shall keep copies of all documents relating to compliance with the operating parameters limits not monitored by the CPMS, and all other documents relating to compliance with Section III of this CAFO. and These is monitoring and recordkeeping requirements are in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request. Add something for non-electronic—mercury feed concentration limit

XX2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO

regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

J. EPA Approval of Submissions

EPA will review the plans set forth in Paragraphs 69.A.8 and 69.C.2, and notify the Respondents in writing of EPA's approval or disapproval of the plan or any part thereof. Within the time specified, the Respondents shall address the deficiencies and submit a revised plan. EPA will approve, disapprove, or modify the revised submittal. EPA approved reports shall be incorporated by reference into this CAFO.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

7072. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of _____ **DOLLARS (\$_____)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of _____ **DOLLARS (\$_____)**. The Respondent USET shall pay the assessed civil penalty within thirty (30) days of the effective date of this CAFO. The Respondent TD*X Associates L.P. shall pay the assessed civil penalty in _____ payments as follows:

Payment No. 1: \$_____ within thirty (30) days of the effective date of this CAFO.

Payment No. 2: \$ _____ (\$ _____ civil penalty plus interest of \$ _____)
within _____ of the effective date of this CAFO.

Payment No. 3: \$ _____ (\$ _____ civil penalty plus interest of \$ _____)
within _____ of the effective date of this CAFO.

Payment No. 4: \$ _____ (\$ _____ civil penalty plus interest of \$ _____)
within _____ of the effective date of this CAFO.

_____7173. The Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004

Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
“D 68010727 Environmental Protection Agency”

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent’s name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent’s name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents’ adherence to this request will ensure proper credit is given when penalties are received in the Region.

7274. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

7375. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

7476. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

7577. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

7678. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subparts V and FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall identify the following equipment in the oil reclamation unit and the TDU that is in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;
6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

The Respondents shall assume all the equipment is in VHAP service unless otherwise demonstrated in accordance with the requirements of 261.245(d).

C. Within sixty (60) days of the effective date of the CAFO, the Respondents shall submit a Subpart V Report to EPA, which includes the following information;

- a. Identification of all equipment specified in Paragraph 7677.B above;
- b. Identification of all equipment that is in VHAP service;

c. Identification of all equipment that is not in VHAP service, along with documentation that meets the requirements of 40 C.F.R. § 61.245(d) which demonstrates that the equipment does not in VHAP service. The Report shall be submitted in accordance with Paragraphs ~~7677~~.K and ~~7677~~.L.

D. ~~W~~ If applicable, within ninety (90) days of the effective date of the CAFO, the Respondents shall implement a fugitive monitoring program in accordance with the requirements of 40 C.F.R. Part 61, Subpart V.

E. ~~If applicable, w~~ Within ninety (90) days of the effective date of the CAFO, the Respondent shall submit the notice required by 40 C.F.R. § 61.247(a) to TCEQ.

F. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

G. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

H. The Respondents shall use a submerge fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

I. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.7 of this CAFO _____ days of the effective date of the CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R. § 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within thirty (30) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 7677.K and 7677.L.

J. Within 210 days of the effective date of the CAFO, the Respondent shall submit a written report to EPA. The Report shall include the following:

1. A If applicable, a copy of the fugitive emission program required by Paragraph 7677.D;
2. A If applicable, a copy of the notice required by Paragraph 7677.E;
3. Documentation showing compliance with Paragraphs 7677.F, 7677.G, and 7677.H.

K. The reports identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

L. All Reports required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)

Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

~~7779~~. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports, ~~Notices, or Plans~~ - Paragraphs 69.A.8, 69.A.10 and 69.C.2~~71.A.3, 71.A.6, 71.A.8, 71.A.9, 71.C.1, 71.C.5, 71.D.1, and 71.E.2~~

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 69.A.5, 69.A.6, 69.A.7 (installation of AWFCO only), and 69.A.9~~71.A.4,~~

<u>71.A.5, and 71.Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
--------------------------------	--------------------------------------

1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

~~7880.~~ The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph ~~7173~~ herein. Interest and late charges shall be paid as stated in Paragraphs ~~73 - 7475~~ ~~76~~ herein.

~~7981.~~ Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

~~8082.~~ If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

8183. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

8284. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

8385. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

8486. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

8587. A “force majeure event” is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents’ best efforts to fulfill the obligation. “Best efforts” includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting delay to the greatest extent possible. “Force Majeure” does not include the Respondents’ financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ’s permitting process and the conduct of the contested case hearing.

8688. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents’ past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents’ rationale for

attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

8789. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

8890. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

8991. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

9092. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality

P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

9193. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

9294. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

9395. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment. Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

9496. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

9597. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief

relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

9698. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

9799. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98100. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99101. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

100102. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT AGREEMENT AND FINAL ORDER:

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b) this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

APPENDIX 1 – OPERATING PARAMETERS

TABLE A**TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS PRIOR TO TDU INSTALLATION**

<u>Tag No.</u>	<u>Equipment Operating Parameter</u>	<u>Operating Parameter Limit</u>	<u>Compliance Basis</u>
<u>TD-18/19</u>	<u>TDU, Minimum Combustion Chamber Temperature</u>	<u>Maintain Temperature > 1,400°F</u>	<u>AWFCO: CPMS², 60-sec time delay</u>
<u>PT-1</u>	<u>TDU, Maximum Internal Pressure</u>	<u>Maintain Pressure < 0.00” W.C.w.e.</u>	<u>AWFCO: CPMS, 60-sec time delay</u>
<u>OE-1</u>	<u>Purge Vent Gas Stream Maximum O₂ Concentration</u>	<u>O₂ < 7%</u>	<u>AWFCO: CPMS, 60-sec time delay</u>
<u>FE-101</u>	<u>Maximum Purge Vent Rate</u>	<u>Purge Vent Rate < 180 scfm</u>	<u>AWFCO: CPMS, Hourly Rolling Average (HRA)³</u>
<u>M-101</u>	<u>Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply</u>	<u>Purge Vent Air Supply > 20% Excess Air</u>	<u>AWFCO: CMS, Tuning of Combustion Airflow</u>
<u>TE-28</u>	<u>Maximum Condenser System Exhaust Temperature</u>	<u>Temperature < 120°F</u>	<u>AWFCO: CMS, HRA</u>
	<u>HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter</u>	<u>Installed and Δ Pressure Monitoring</u>	<u>Installation Check; Δ Pressure Monitored Once Per Shift</u>
	<u>Maximum TDU Mercury Feed Concentration</u>	<u>[Hg]Mercury < 50 ppm/Bin</u>	<u>Waste Analysis Plan, Blending Protocols⁴ & Documentation, Waste Analysis Plan⁵</u>

² Continuous Process Monitoring System – See Paragraph 69.I of CAFO40 C.F.R. ~~§ 63.1209(b)~~.

³ 40 C.F.R. §§ 63.1209(a)(66) and 63.1209(b)(5).

⁴ See Paragraph 69.A.3 of the CAFO.

⁵ See Paragraph 69.A.8 of the CAFO.

	Maximum TDU Organic Halide Concentration	HCl + Cl₂ [Total Chlorine] ⁶ < 1,500 ppm/Bin	Waste Analysis Plan , Blending Protocols & Documentation, Waste Analysis Plan
--	--	--	--

⁶ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

TABLE B2

TDU OIL RECLAMATION SYSTEM TEM INTERIM REQUIREMENTS AFTER TOU INSTALLATION
PRE-COMPLIANCE DEMONSTRATION TEST OPERATIONS

<u>Tag No.</u>	<u>Equipment Operating Parameter</u>	<u>Shakedown (Pre-Test) OPL</u>	<u>Compliance Basis</u>
PT-1TD-18/19	TDU, Minimum Internal PressureCombustion Chamber Temperature	Temperature > 1,400°F Maintain Pressure < 0.00" W.C.w.e.	AWFCO: CPMS⁷, 60-sec time delay
PT-1M-05	TDU, Cylinder Rotation OnMaximum Internal Pressure	Motor OperatingPressure < 0.00" w.e.	AWFCO: CPMS, Instantaneous60-sec time delay
OE-1M-18	Product Discharge SystemPurge Vent Gas Stream Maximum O₂ Concentration	O₂ < 7%Motor Operating	AWFCO: CPMS, Instantaneous60-sec time delay
FE-101M-21	Maximum Purge Vent RateRecirculation Blower Operating	Purge Vent Rate < 180-sefmMotor Operating	AWFCO: CPMS, InstantaneousHourly Rolling Average (HRA)
M-101TT-121	Minimum Percent Excess Air, Operation of Purge Vent Injector Air SupplyTOU, Minimum Combustion Chamber Temperature	Maintain Temperature > 1,400°F Purge Vent Air Supply > 20% Excess Air	AWFCO: CPMS, HRA⁸Tuning of Combustion Airflow
KY-110TE-28	TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)Maximum Condenser System Exhaust Temperature	Temperature < 120°FResidence Time > 0.5 seconds	AWFCO: CPMS, HRA
AE-5/OE-5	TOU Exhaust Gas, Maximum CO ConcentrationHEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	[CO] < 100 ppmV @ 7% O₂Installed & Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per ShiftAWFCO: CEMS for CO, HRA

⁷ Continuous Process Monitoring System – See Paragraph 69.I of the CAFO40 C.F.R. § 63.1209(b).

⁸ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).40 C.F.R. § 63.1209(a)(6).

OE-1	<u>Maximum TDU Mercury Feed Concentration</u> <u>Purge Vent Gas Stream,</u> <u>Maximum O₂ Concentration</u>	<u>[O₂] < 7%</u> <u>Mercury < 50 ppm/Bin</u>	<u>AWFCO: CPMS, Instantaneous</u> <u>Blending Protocols &</u> <u>Documentation</u>
FE-101	<u>Maximum TDU Organic Halide Concentration</u> <u>Maximum Purge Vent Rate</u>	<u>HCl + Cl₂ < 1,500 ppm/Bin</u> <u>Vent Flow < 250 scfm</u>	<u>AWFCO: CPMS, HRA</u> <u>Blending Protocols & Documentation</u>
FCV-102	<u>Valve Position to Ensure No Purge Vent is not</u> <u>Directed Away from TOU</u>	<u>Valve > 0% Open</u>	<u>AWFCO: CPMS, Instantaneous</u>
M-121	<u>Minimum Percent Excess Air, Operation of</u> <u>Purge Vent Injector Air Supply</u>	<u>Purge Vent Air Supply > 20%</u> <u>Excess Air</u>	<u>AWFCO: CPMS, Continuous</u> <u>Tuning of Combustion Airflow</u>
TE-28	<u>Maximum Condenser System Exhaust</u> <u>Temperature</u>	<u>Maintain Temperature < 120°F</u>	<u>AWFCO: CPMS, HRA</u>
	<u>HEPA Filter Installed and Pressure Change</u> <u>Monitored to Ensure Integrity of Filter</u>	<u>Installed and Δ Pressure</u> <u>Monitoring</u>	<u>Installation Check; Δ Pressure</u> <u>Monitored Once Per Shift</u>
	<u>Maximum TDU Mercury Feed Concentration</u>	<u>[Hg] < 50 ppm/Bin</u>	<u>Blending Protocols⁹ &</u> <u>Documentation, Waste Analysis</u> <u>Plan¹⁰</u> <u>Waste Analysis Plan,</u> <u>Blending Protocols &</u> <u>Documentation</u>
	<u>Maximum TDU Organic Halide Concentration</u>	<u>[HCl + Cl₂ Total Chlorine]¹¹ <</u> <u>1,500 ppm/Bin</u>	<u>Waste Analysis Plan,</u> <u>Blending</u> <u>Protocols & Documentation,</u> <u>Waste Analysis Plan</u>
	<u>Maximum Semi-Volatile Metals¹² Feed Rate to</u> <u>TDU</u>	<u>N/A</u>	<u>Blending Protocols &</u> <u>Documentation, Waste Analysis</u> <u>Plan</u> <u>Waste Analysis Plan,</u>

⁹ See Paragraph 69.A.3 of the CAFO.¹⁰ See Paragraph 69.A.8 of the CAFO.¹¹ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).¹² Semi-volatile metals~~st~~ means a combination of cadmium and lead.

			<u>Blending Protocols & Documentation</u>
	<u>Maximum Low-Volatile Metals¹³ Feed Rate to TDU</u>	<u>N/A</u>	<u>Blending Protocols & Documentation, Waste Analysis Plan Waste Analysis Plan, Blending Protocols & Documentation</u>

¹³ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

TABLE C**TDU OIL RECLAMATION REQUIREMENTS AFTER TOU INSTALLATION**
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS

<u>Tag No.</u>	<u>Equipment Operating Parameter</u>	<u>Interim/Final (Post-Test) OPL</u>	<u>Compliance Basis</u>
<u>PT-1</u>	<u>TDU, Minimum Internal Pressure</u>	<u>Maintain Pressure < 0.00" W.C.</u>	<u>AWFCO: CPMS¹⁴, 60-sec time delay</u>
<u>M-05</u>	<u>TDU, Cylinder Rotation On</u>	<u>Motor Operating</u>	<u>AWFCO: CPMS, Instantaneous</u>
<u>M-18</u>	<u>Product Discharge System</u>	<u>Motor Operating</u>	<u>AWFCO: CPMS, Instantaneous</u>
<u>M-21</u>	<u>Recirculation Blower Operating</u>	<u>Motor Operating</u>	<u>AWFCO: CPMS, Instantaneous</u>
<u>TT-121</u>	<u>TOU, Minimum Combustion Chamber Temperature</u>	<u>OPL Established @ > 3-Run Average from CDT</u>	<u>AWFCO: CPMS, HRA¹⁵</u>
<u>KY-110</u>	<u>TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)</u>	<u>Residence Time > 0.5 seconds</u>	<u>AWFCO: CPMS, HRA</u>
<u>AE-5/ OE-5</u>	<u>TOU Exhaust Gas, Maximum CO Concentration</u>	<u>Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing</u>	<u>Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs</u>
<u>OE-1</u>	<u>Purge Vent Gas Stream, Maximum O₂ Concentration</u>	<u>[O₂] < 7%</u>	<u>AWFCO: CPMS, Instantaneous60-sec time delay</u>
<u>FE-101</u>	<u>Maximum Purge Vent Rate</u>	<u>Vent Flow < 250 scfm</u>	<u>AWFCO: CPMS, HRA</u>
<u>FCV-102</u>	<u>Valve Position to Ensure No Purge Vent is not Directed Away from TOU</u>	<u>Valve > 0% Open</u>	<u>AWFCO: CPMS, Instantaneous</u>
<u>M-121</u>	<u>Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply</u>	<u>Purge Vent Air Supply > 20% Excess Air</u>	<u>AWFCO: CPMS, Continuous Tuning of Combustion Airflow</u>

¹⁴ Continuous Process Monitoring System – See Paragraph 69.I of CAFO.40 C.F.R. § 63.1209(b).¹⁵ 40 C.F.R. §§ 63.1209(a)(6) and 63.1209(b)(5).40 C.F.R. § 63.1209(a)(6).

TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ < 4,000 ppm based on CDT	AWFCO: CPMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Blending Protocols ¹⁶ & Documentation, Waste Analysis Plan ¹⁷ Waste Analysis Plan; Blending Protocols & Documentation
	Maximum TDU Organic Halide Concentration	[HCl + Cl ₂ Total Chlorine] ¹⁸ < 1,500 ppm/Bin	Blending Protocols & Documentation, Waste Analysis Plan Waste Analysis Plan; Blending Protocols & Documentation
	Maximum Semi-Volatile Metals ¹⁹ Feed Rate to TDU	OPL Established as Measured Ratio ²⁰	Blending Protocols & Documentation, Waste Analysis Plan Waste Analysis Plan; Blending Protocols & Documentation
	Maximum Low-Volatile Metals ²¹ Feed Rate to TDU	OPL Established as Measured Ratio ²²	Blending Protocols & Documentation, Waste Analysis

¹⁶ See Paragraph 69.A.3 of the CAFO.

¹⁷ See Paragraph 69.A.8 of the CAFO.

¹⁸ Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).

¹⁹ Semi-volatile metals means a combination of cadmium and lead.

²⁰ Maximum SVM and LVM Feed Rates to TDU established as measured ration from emissions data collected during CDT. See plan example calculations.

			<u>Plan Waste Analysis Plan,</u> <u>Blending Protocols &</u> <u>Documentation</u>
--	--	--	--

²¹ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²² Maximum SVM and LVM Feed Rates to TDU established as measured ratios from emissions data collected during CDT.
See plan example calculations.

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

APPENDIX 2 – BLENDING PROTOCOLS

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

APPENDIX 3

COMPLIANCE DEMONSTRATION TEST PLAN

**CONTAINS CONFIDENTIAL BUSINESS
INFORMATION**

DOCUMENT STORED IN FILE ROOM

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan

McGinnis, Lochridge & Kilgore, L.L.P.

600 Congress Avenue

Suite 2100

Austin, Texas 78701

J.D. Head

Fritz, Bryne, Head & Harrison, PLLC

98 San Jacinto Boulevard

Suite 2000

Austin, TX 78701

<u>Tag No.</u>	<u>Equipment Operating Parameter</u>	<u>Interim/Final (Post-Test) OPL</u>	<u>Compliance Basis</u>
<u>PT-1</u>	<u>TDU, Minimum Internal Pressure</u>	<u>Maintain Pressure < 0.00" W.C.</u>	<u>AWFCO: CMS²³, 60-sec time delay</u>
<u>M-05</u>	<u>TDU, Cylinder Rotation On</u>	<u>Motor Operating</u>	<u>AWFCO: CMS,</u>

²³ Continuous Monitoring System — 40 C.F.R. § 63.1209(b).

M-18	Product Discharge System	Motor Operating	Instantaneous AWFCO: CMS; Instantaneous
M-21	Recirculation Blower Operating	Motor Operating	AWFCO: CMS; Instantaneous
TT-121	TOU, Minimum Combustion Chamber Temperature	OPL Established @ > 3- Run Average from CDT	AWFCO: CMS, HRA²⁴
KY- 110	TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)	Residence Time > 0.5 seconds	AWFCO: CMS, HRA
AE-5/ OE-5	TOU Exhaust Gas, Maximum CO Concentration	Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing	Performance Testing in lieu of CEMS; Waste Analysis Plan based with other OPLs
OE-1	Purge Vent Gas Stream, Maximum O₂ Concentration	[O₂] $< 7\%$	AWFCO: CMS, 60-sec time delay
FE-101	Maximum Purge Vent Rate	Vent Flow < 250 scfm	AWFCO: CMS, HRA
FCV- 102	Valve Position to Ensure No Purge Vent Directed Away from TOU	Valve $> 0\%$ Open	AWFCO: CMS; Instantaneous
M-121	Minimum Percent Excess Air; Operation of Purge Vent Injector Air Supply	Purge Vent Air Supply $>$ 20% Excess Air	AWFCO: CMS; Continuous Tuning of Combustion Airflow
TE-28	Maximum Condenser System Exhaust Temperature	OPL Established @ $<$ 4,000 ppm based on CDT	AWFCO: CMS, HRA
	HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter	Installed and Δ Pressure Monitoring	Installation Check; Δ Pressure Monitored Once Per Shift
	Maximum TDU Mercury Feed Concentration	[Hg] < 50 ppm/Bin	Waste Analysis Plan; Blending Protocols & Documentation
	Maximum TDU Organic Halide Concentration	[HCl + Cl₂]²⁵ $< 1,500$ ppm/Bin	Waste Analysis Plan; Blending Protocols & Documentation
	Maximum Semi-Volatile Metals²⁶ Feed Rate to TDU	OPL Established as Measured Ratio²⁷	Waste Analysis Plan; Blending Protocols &

²⁴ 40 C.F.R. § 63.1209(a)(6).²⁵ ~~Total Chlorine means hydrogen chloride and chlorine gas. See 40 C.F.R. § 63.1219(b)(6).~~²⁶ ~~Semi-volatile metals means a combination of cadmium and lead.~~

	<u>Maximum Low-Volatile Metals²⁸ Feed Rate to TDU</u>	<u>OPL Established as Measured Ratio²⁹</u>	<u>Documentation</u> <u>Waste Analysis Plan,</u> <u>Blending Protocols &</u> <u>Documentation</u>
--	--	---	--

TABLE C3

<u>Tag No.</u>	<u>Equipment Operating Parameter</u>	<u>Interim/Final (Post-Test) OPL</u>	<u>Com</u>
<u>PT-1</u>	<u>TDU, Minimum Internal Pressure</u>	<u>Maintain Pressure < 0.00" W.C.</u>	<u>AWFCO: C</u>
<u>M-05</u>	<u>TDU, Cylinder Rotation On</u>	<u>Motor Operating</u>	<u>AWFCO: C</u>
<u>M-18</u>	<u>Product Discharge System</u>	<u>Motor Operating</u>	<u>AWFCO: C</u>
<u>M-21</u>	<u>Recirculation Blower Operating</u>	<u>Motor Operating</u>	<u>AWFCO: C</u>
<u>TT-121</u>	<u>TOU, Minimum Combustion Chamber Temperature</u>	<u>OPL Established @ > 3 Run Average from CDT</u>	<u>AWFCO: C</u>
<u>KY-110</u>	<u>TOU, Minimum Residence Time (Calculated from Maximum Flow Rate, Exhaust T, and Air Ratio)</u>	<u>Residence Time > 0.5 seconds</u>	<u>AWFCO: C</u>
<u>AE-5/</u> <u>OE-5</u>	<u>TOU Exhaust Gas, Maximum CO Concentration</u>	<u>Semi-Annual Testing until Waste Analysis Plan Approved, then Annual Testing</u>	<u>Performance</u> <u>CEMS; W</u> <u>based v</u>
<u>OE-1</u>	<u>Purge Vent Gas Stream, Maximum O₂ Concentration</u>	<u>[O₂] < 7%</u>	<u>AWFCO: C</u>
<u>FE-101</u>	<u>Maximum Purge Vent Rate</u>	<u>Vent Flow < 250 scfm</u>	<u>AWFCO: C</u>
<u>FCV-102</u>	<u>Valve Position to Ensure No Purge Vent Directed Away from TOU</u>	<u>Valve > 0% Open</u>	<u>AWFCO: C</u>
<u>M-121</u>	<u>Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply</u>	<u>Purge Vent Air Supply > 20% Excess Air</u>	<u>AWFCO: C</u> <u>Tuning of C</u>
<u>TE-28</u>	<u>Maximum Condenser System Exhaust Temperature</u>	<u>OPL Established @ < 4,000 ppm based on CDT</u>	<u>AWFCO: C</u>
	<u>HEPA Filter Installed and Pressure Change</u>	<u>Installed and Δ Pressure</u>	<u>Installation</u>

²⁷ Maximum SVM and LVM Feed Rates to TDU established as measured ration from emissions data collected during CDT. See plan example calculations.

²⁸ Low-volatile metals means a combination of Arsenic, Beryllium, and Chromium.

²⁹ Maximum SVM and LVM Feed Rates to TDU established as measured ration from emissions data collected during CDT. See plan example calculations.

³⁰ Continuous Monitoring System 40 C.F.R. § 63.1209(b).

³¹ 40 C.F.R. § 63.1209(a)(6).

	<u>Monitored to Ensure Integrity of Filter</u>	<u>Monitoring</u>	<u>Monitored</u>
	<u>Maximum TDU Mercury Feed Concentration</u>	<u>[Hg] < 50 ppm/Bin</u>	<u>Waste Ana</u> <u>Protocols</u>
	<u>Maximum TDU Organic Halide Concentration</u>	<u>[HCl + Cl₂] < 1,500 ppm/Bin</u>	<u>Waste Ana</u> <u>Protocols</u>
	<u>Maximum Semi-Volatile Metals Feed Rate to TDU</u>	<u>OPL Established as Measured Ratio</u>	<u>Waste Ana</u> <u>Protocols</u>
	<u>Maximum Low-Volatile Metals Feed Rate to TDU</u>	<u>OPL Established as Measured Ratio</u>	<u>Waste Ana</u> <u>Protocols</u>

**TDU OIL RECLAMATION SYSTEM INTERIM REQUIREMENTS AFTER TDU
INSTALLATION
POST-COMPLIANCE DEMONSTRATION TEST OPERATIONS**

<u>Tag No.</u>	<u>Equipment Operating Parameter</u>	<u>Interim/Final (Post-Test) OPL</u>	<u>Compliance Basis</u>
<u>TD-18/19</u>	<u>TDU, Minimum Combustion Chamber Temperature</u>	<u>Temperature > 1,400°F</u>	<u>AWFCO: CMS, 60-sec time delay</u>
<u>PT-1</u>	<u>TDU, Maximum Internal Pressure</u>	<u>Pressure < 0.00" w.c.</u>	<u>AWFCO: CMS, 60-sec time delay</u>
<u>OE-1</u>	<u>Purge Vent Gas Stream Maximum O₂ Concentration</u>	<u>O₂ < 7%</u>	<u>AWFCO: CMS, 60-sec time delay</u>
<u>FE-101</u>	<u>Maximum Purge Vent Rate</u>	<u>Purge Vent Rate < 180 scfm</u>	<u>AWFCO: CMS, Hourly Rolling Average (HRA)</u>
<u>M-101</u>	<u>Minimum Percent Excess Air, Operation of Purge Vent Injector Air Supply</u>	<u>Purge Vent Air Supply > 20% Excess Air</u>	<u>AWFCO: CMS, Tuning of Combustion Airflow</u>
<u>TE-28</u>	<u>Maximum Condenser System Exhaust Temperature</u>	<u>Temperature < 120°F</u>	<u>AWFCO: CMS, HRA</u>
	<u>HEPA Filter Installed and Pressure Change Monitored to Ensure Integrity of Filter</u>	<u>Installed & Δ Pressure Monitoring</u>	<u>Installation Check, Δ Pressure Monitored Once Per Shift</u>
	<u>Maximum TDU Mercury Feed Concentration</u>	<u>Mercury < 50 ppm/Bin</u>	<u>Blending Protocols & Documentation</u>
	<u>Maximum TDU Organic Halide Concentration</u>	<u>HCl + Cl₂ < 1,500 ppm/Bin</u>	<u>Blending Protocols & Documentation</u>

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

_____ Mary Reagan
_____ McGinnis, Lochridge & Kilgore, L.L.P.
_____ 600 Congress Avenue
_____ Suite 2100
_____ Austin, Texas 78701

_____ J.D. Head
_____ Fritz, Bryne, Head & Harrison, PLLC
_____ 98 San Jacinto Boulevard
_____ Suite 2000
_____ Austin, TX 78701

CONFIDENTIAL SETTLEMENT COMMUNICATION
EPA REVISIONS – 9-18-12

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:)	
)	
)	
US ECOLOGY TEXAS, INC., and)	DOCKET NOS. RCRA-06-2012-0936
TD*X ASSOCIATES LP)	and RCRA-06-2012-0937
)	
RESPONDENTS)	
_____)	

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. “Person” is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as “an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity.”

10. The Respondent USET is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30), three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X “processed” (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R.

§ 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

~~57. An incinerator is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] as “any enclosed device that: (A) uses controlled flame combustion and neither meets the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; or (B) meets the definition of infrared incinerator or plasma arc incinerator.”~~⁵⁷~~58. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.~~

~~58.~~⁵⁹ The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

~~60. The combustion chamber of the TDU is an “incinerator” as that term is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] because it thermally processes (thermally treats) hazardous waste by burning hazardous waste using controlled flame combustion.~~⁵⁹~~61. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA~~

permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the combustion chamber of the TDU an incinerator

6062. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

6163. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

6264. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

6365. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

6466. The roll-off boxes identified in Paragraph 6365 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

6567. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal

Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

~~666~~8. The roll-off boxes identified in Paragraph ~~636~~5 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

~~676~~9. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

~~687~~0. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

~~716~~9. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock into the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose are materials generated from processes meeting the definition established for Standard Industrial Classification (SIC) codes and corresponding North American

Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from ~~the processes meeting the definition of~~ the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous

waste in question is “oil-bearing,” and that the hazardous waste was originally generated actually
~~came from~~ petroleum refining, production, or transportation practices.

3. On the effective date of this CAFO, the Respondents shall operate the TDU in
 accordance with the following interim operating parameters when the dryer feed is on; ~~as such~~
~~operating parameters may be more fully described in the compliance demonstration test (CDT)~~
~~plan dated September _____, 2012, approved by EPA (CDT Plan):~~

<u>Tag No./ID</u>	Interim Operating Parameter	Limit
TD-18/19	TDU Dryer Process Heater Combustion Chamber Temperature	> 1,400°F – 60 second time delay
FE-101	Purge process Vent Rate – 1 hour 1 hr R.A. rolling average	< 180 scfm – 1 hour rolling average
M-101	Operation of Process Vent Injector Air Supply	Continuously > 20% excess air
	Mercury Feed Concentration Limit to TDU	< 50 ppm -SOP ²
	Organic Halide Concentration Limit to TDU	< 1,500 ppm - SOP ³
	HEPA Filter	Installed ⁴
TE-28	Condenser System Exhaust Temperature	< 120°F – 1 hour rolling average
OE-1	Purge Vent Gas Stream O ₂ Concentration	< 7% O ₂ with a 60 second time delay
PT-1	Dryer Internal Gas Pressure	< 0.00” w.c. with a 60 second time delay

² ~~Feed Concentration Standard Operating Procedure (SOP) – Appendix 21. Appendix 21~~
 is attached to the CAFO, and incorporated by reference into the CAFO. **USET/TD*X to**
provide Appendix 21 for EPA review

³ ~~Feed Concentration SOP – Appendix 21.~~

⁴ ~~The Respondents shall use HEPA filters with a greater than 99.97% removal efficiency~~
~~at 0.3 micron particle size. The filters will be exchanged during each outage.~~

The Respondents shall also immediately comply with the Start-Up, Shutdown, and Malfunction Plan (SSM Plan) (CDT Plan, Appendix E). The CDT Plan is attached as Appendix 1 and incorporated by reference into the CAFO.

4. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements: **USET/TD*X to provide additional language for this section**

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of carbon monoxide (CO). This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

g. This tuneup shall be conducted annually, until the TDU is reconfigured as long as the CAFO is effective.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the purge vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E), or an alternate test method approved by EPA.

46. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or and when one of the following conditions are met exceeded during the operating period prior to reconfiguration of the TDU installation of the thermal oxidizer unit: in Table 5-2 of the CDT Plan, as supplemented by Table 6-3 of the CDT Plan, are met; provided, however, that AWFCOs related to the thermal oxidizer unit (TOU) (TT-121 and KY-110) required by Paragraph 71.A.5 will not be installed until the TOU is placed into operation.

<u>Tag No.</u>	<u>Interim Operating Parameter</u>	<u>Cutoff</u>
<u>TE-18/19</u>	<u>TDU Dryer Process Heater Combustion Chamber Temperature</u>	<u>< 1,400°F — 60 second time delay</u>
<u>FE-101</u>	<u>Purge Process Vent Rate 1-hour rolling average</u>	<u>> 180 scfm - 1 hour rolling average</u>
<u>M-101</u>	<u>Operation of Process Vent Injector Air Supply</u>	<u>< 20% excess air at any time-</u>
<u>TE-28</u>	<u>Condenser System Exhaust Temperature</u>	<u>> 120°F - 1 hour rolling average</u>
<u>OE-1</u>	<u>Purge Vent Gas Stream O₂ Concentration</u>	<u>> 7% O₂ for 60 seconds</u>
<u>PT-1</u>	<u>Dryer Internal Gas Pressure</u>	<u>> 0.00" w.c. for 60 seconds</u>
<u>TE-14A</u>	<u>Desorber Solids Temperature</u>	<u>< 650°F for</u>

The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3).

~~75.~~ Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a TOU instead of the combustion chamber of the TDU (Reconfigured TDU). ~~After the reconfiguration has occurred, for the purposes of Section III and IV.C of this CAFO only, references to the Reconfigured TDU shall include the TOU, unless otherwise indicated.~~

86. The Respondents shall operate the Reconfigured TDU in accordance with the following operating parameters limits for the shakedown period, ~~as such operating parameters may be more fully described in Table 2-1 of the CDT Plan:~~

<u>Tag No.ID</u>	<u>Shakedown Operating Parameters</u>	<u>Limit</u>
TT-121	Minimum TOU Combustion Chamber Temperature, 1-hr R.A.	> 1,400°F – 1 hour rolling average
KY-110	Maximum TOU Flow Rate (Minimum Residence Time), 1-hr R.A.	> 0.5 sec – 1 hour rolling average
FE-101	Maximum Hazardous Waste Feedrate (Purge Vent Rate), 1-hr R.A.	< 250 scfm – 1 hour rolling average
M-121	Operation of Waste Firing System	> 20% excess air continuously
AE-5 OE-5	CEM CO ppmV @ 7% O ₂ , 1-hr R.A.	< 100 ppmv – 1 hour rolling average
	Mercury Feed Concentration Limit to TDU	< 50 ppm – SOP ⁵
	Organic Halide Concentration Limit to TDU	< 1,500 ppm – SOP ⁶
	HEPA Filter	Installed ⁷
TE-28	Condenser System Exhaust Temperature, 1-hr R.A.	< 120°F – 1 hour rolling average

⁵ Feed Concentration SOP – Appendix 42.

⁶ Feed Concentration SOP – Appendix 42.

⁷ The Respondents shall use HEPA filters with a greater than 99.97% removal efficiency at 0.3 micron particle size. The filters will be exchanged during each outage.

TE-14A	Desorber Solids Temperature	<u>> 650°F</u>
OE-1	Purge Vent Gas Stream O ₂ Concentration High-High	<u>< 7% O₂ at all times-</u>
PT-1	Dryer Internal Gas Pressure High High	<u>< 0.00" w.c. - 60 second delay-</u>
FCV-102	Valve Pposition of Purge Pprocess Vvent Ddirected Aaway from TOU	<u>Valve -> 0% open - 60 second delay</u>
M-21	Recirculation Blower Operating	<u>MMotor operation - instantaneous</u>
M-05	Dryer Cylinder Rotation	<u>MMotor operation - instantaneous</u>
M-18	Product Discharge operational	<u>MMotor operation - instantaneous</u>

The Respondent shall not operate the Reconfigured TDU more than 720 hours (including the shakedown period and the -prior to performance of the Compliance Demonstration Test). The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a carbon monoxide (CO) continuous emissions monitor (CMS) for the TOU ing for the measurement of carbon monoxide (CO) during the shakedown period. The Respondents shall operate the Reconfigured TOU in a manner that the one minute and hourly rolling averages for CO are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. § 63.1209(a). USET/TD*X to provide language regarding additional CO monitoring.

9. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, or and when one of of the following conditions are exceeded during the shakedown period:

ID	Shakedown Operating Parameters	Cutoff
TT-121	Minimum TOU Combustion Chamber Temperature	<u>< 1,400°F - 1 hour rolling average</u>
KY-110	Maximum TOU Flow Rate (Minimum Residence Time)	<u>< 0.5 sec - 1 hour rolling average</u>

<u>FE-101</u>	<u>Maximum Hazardous Waste Feedrate (Purge Vent Rate)</u>	<u>> 250 scfm – 1 hour rolling average</u>
<u>M-121</u>	<u>Operation of Waste Firing System</u>	<u>< 20% excess air at any time</u>
<u>AE-5/OE-5</u> <u>OE-5</u>	<u>CEM CO ppmv @ 7% O₂</u>	<u>> 100 ppmv – 1 hour rolling average</u>
<u>TE-28</u>	<u>Condenser System Exhaust Temperature —</u>	<u>< 120°F – 1 hour rolling average</u>
<u>OE-1</u>	<u>Purge Vent Gas Stream O₂ Concentration High-High</u>	<u>< 7% O₂ at any time</u>
<u>PT-1</u>	<u>Dryer Internal Gas Pressure</u>	<u>< 0.00" w.c. – 60 second time delay</u>
<u>FCV-102</u>	<u>Valve Position of Process Purge Vent Directed Away from TOU</u>	<u>Valve > 0% open – 60 second time delay</u>
<u>M-21</u>	<u>Recirculation Blower Operating</u>	<u>Loss of motor operation — instantaneous</u>
<u>M-05</u>	<u>Dryer Cylinder Rotation</u>	<u>Loss of motor operation — instantaneous</u>
<u>M-18</u>	<u>Product Discharge operational</u>	<u>Loss of motor operation — instantaneous</u>

The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3).

7. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

- a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.
- b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.
- c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. ~~Optimize total emissions of CO. This optimization should be consistent with the manufacturer's specifications, if available.~~

e. ~~Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made. Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.~~

f. ~~Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.~~

~~8. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the process vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms / cubic meter of mercury in accordance with the process specified in the CDT Plan.~~ 109. Within six (6) months after the effective date of this CAFO, and every six months thereafter until this CAFO is terminated, the Respondents shall send a report to EPA, with a copy to TCEQ. The Report shall include the following: **USET/TD*X to provide revised language for this section.**

a. Identify the customer, the customer's SIC and NAICS code for all waste streams processed by the oil reclamation unit for the previous six month period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

~~b.~~

b. All time periods in which there were exceedances of the operating parameters limits specified in Paragraphs ~~6974.A.3~~ and ~~6974.A.86~~ of this CAFO when the dryer feed is on.

c. All instances when the SSM Plan is triggered.

de. All exceedances of the Reconfigured TDU Compliance Standards and the AWFCO requirements (Paragraph 69.C.9).

ede. The initial Report shall include documentation showing that the tuneup and documentation fuel specification analysis required by Paragraphs ~~6974.A.4~~ and ~~6974.A.5~~ have been conducted, and provide documentation showing the date of installation and subsequent operation of the AWFCO system dates of the equipment required by Paragraphs ~~6974.A.46~~ and ~~A.5~~.

fed. Documentation showing the installation of the TOU required by Paragraph ~~6974.A.7~~.

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information (CBI), in accordance with the requirements of 40 C.F.R. Part 2. However, information that is emissions data or a standard or limitation cannot be claimed as CBI. 40 C.F.R. § 2.301(e). If the Report contains any information that is claimed CBI, the Respondents shall provide a redacted versions with all CBI deleted.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with

30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351], ~~except that with regard to continuous monitoring required by 40 C.F.R. § 264(a)(i) and (a)(2), only continuous monitoring of combustion temperature shall be required.~~

3. The Respondents shall also request that the final RCRA permit include the following:

a. Emission limits, destruction and removal efficiency (DRE), ~~o~~Operating parameters limits, and AWFCO cutoff limits- and emission limits established under Compliance Demonstration Test conducted pursuant to Paragraph 6974.C of this CAFO, and set forth in the Reconfigured TDU Compliance Standards, and the Finding of Compliance (Paragraph 69.C);

b. The SSM Plan (Paragraph 69.A.3)

cb. The feedstock limitations set forth in Paragraph 6974.D; and

de. Any applicable risk-based terms and conditions necessary to protect human health and the environment. The appropriate requirements of 40 C.F.R. Part 63, Subpart EEE; and

b. Operating parameters for the condensers from the Off-Gas Condensing Recovery System, including appropriate monitoring and recordkeeping requirements for the condensers.

———4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 6974.B.1 shall result in the termination of the Respondents'

authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. In the event that TCEQ does not issue a final RCRA Subpart X permit for the TDU as described above by the above deadline, the Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the approved CDT Plan, which is attached as Appendix 2, and incorporated by reference into the CAFO. ~~as set forth below.~~—The CDT requires the Respondents to demonstrate compliance with the emissions limitsstandards of 40 C.F.R. § 63.1219(b), the destruction and removal efficiency standards and the destruction and removal efficiency standards of in 40 C.F.R.

§ 63.1219(c), and establish limits for the operating parameters set forth below.

2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, a Quality Assurance Project Plaain (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance

“Quick Reference guide, Test Burn Program Planning for Hazardous Waste Combustion (HWC) Units” August 6, 2012. The Respondents shall implement the QAPP as approved or modified by EPA.

23. The Respondents have submitted a CDT Plan to EPA for approval. The Respondents shall implement the CDT in accordance with the EPA approved plan within ninety (90) days after reconfiguration of the TDU installation of the TOU pursuant to Paragraph 7469 .A.7 of this CAFO.

34. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for toluene, the designated principle organic hazardous constituent constituent (POHC). —tolueneselected as a part of CDT Plan procedures. This POHC must be approved by EPA —The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

54. The emission limits that must be met during as part of the CDT are set forth in 40 C.F.R. § 63.1219(b).

65. The following operating parameters will be established during the CPT:

<u>Tag No.ID</u>	<u>Operating Parameters</u>
	<u>OPLs for Combustion Unit</u>
<u>TT-121</u>	<u>Minimum TOU Combustion Chamber Temperature</u>
<u>KY-110</u>	<u>Maximum TOU Flow Rate (Minimum Residence Time)</u>
<u>FE-101</u>	<u>Maximumimum Hazardous Waste Feedrate (Purgeroess Vent Rate)</u>
<u>M-121</u>	<u>Operation of Waste Firing System</u>
<u>AE-5/OE-5</u>	<u>CEM CO ppmv @ 7% O₂</u>
	<u>OPLs Associated with Feed Streams</u>
	<u>Mercury Feed Concentration Limit to TDU</u>
	<u>Organic Halide Concentration Limit to TDU</u>
	<u>OPL for Air Pollution Control EquipmentSemi-Volatile</u>

	Metals Feed Rate Limit to TDU
	Low Volatile Metals HEPA Filter Feed Rate Limit to TDU
	OPLs for Gas Treatment System HEPA Filter
TD-28	Condenser System Exhaust Temperature
	Other OPLs
TE-14A	Desorber Solids Temperature
OE-1	Vent Purge Gas Stream O ₂ Concentration High-High
PT-1	Dryer Internal Gas Pressure High-High
FCV-102	Valve Position of Purger Process Vent Directed Away from TOU
M-21	Recirculation Blower Operating
M-05	Dryer Cylinder Rotation
M-18	Product Discharge operational

76. The Respondent must not exceed the emission limits set forth in 40 C.F.R. § 63.1219(b), and must achieve a DRE of 99.99 for toluene [as set forth in 40 C.F.R. § 63.1219(c)] for all three runs in order to have a successful CDPT. ~~Test Success/Failure Requirements—three runs, etc.~~

~~7. If the Respondents determine based on the results of analyses of stack samples that they have exceeded any emission standard or failed to meet the DRE requirement during any of the three runs, they must cease hazardous waste burning immediately. except as provided in 40 C.F.R. § 63.1207(i)(1).~~ The Respondents must make this determination within forty-five (45) days following completion of the trial burn. The Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

78. All analyses required by the trial burn plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.

89. Pursuant to 40 C.F.R. §§ 63.7(g), 63.9(h), 63.1207(j), and 63.1210(d), ~~W~~ within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT Report to EPA and TCEQ prepared in accordance with _____ requirements in the CDT

Plan, Notification of Compliance (NOC) to TCEQ and EPA documenting compliance with the DRE standards and emission limitsstandards set forth in Paragraphs 69.C.4 and 69.C.5, 71.C.3 and 71.C.4, the continuous monitoring system requirements set forth in 40 C.F.R. §§ 63.8 and 63.1209, and identifying operating parameter limits and AWFCO settings for the parameters set forth in Paragraph 69.C.671.C.5. The emission limits, operating parameter limits, and the AWFCO settings shall also be set forth in separate Appendix entitled “Reconfigured TDU Compliance Standards”. All data collected during the trial burn and the CMS performance test (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to EPA and TCEQ and EPA along with the CDT Compliance ReportNOC. EPA shall review the CDT Report

910. As of the date of the submission of the CDT ReportNOC, the Respondent shall comply with all operating requirements of the “Reconfigured TDU Compliance Standards”, and the AWFCO requirements of 40 C.F.R. § 63.1206(c)(3), unless otherwise notified by EPA.

10. EPA will review the CDT Report. EPA will make a finding concerning compliance with the emissions standards, DRE requirements, and other requirements of the CDT Test. If EPA determines that the Respondents have met all the requirements, it shall issue a Finding of Compliance to the Respondents. If EPA determines that the Respondents not met all of the requirements, it shall issue a Finding of Non-Compliance. The issuance of a Finding of Non-Compliance by EPA shall result in the termination of the Respondents’ authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure). NOC, and the requirements of 40 C.F.R. §§ 63.1209 and 63.1219.

~~1104. The failure to timely submit a CDT Report to EPA and TCEQ n-NOC to TCEQ and EPA within ninety (90) days from completion of the CDT test trial burn and the CMS performance test shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).~~

~~**Continue AWFCO**~~

~~**C. Compliance Demonstration Test**~~

~~1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the plan for the CDT dated September _____, 2012, approved by EPA (CDT Plan).~~

~~2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA TCEQ for approval, with a copy to TCEQ EPA, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance Document, "Quick Reference Guide—Test Burn Program Planning For Hazardous Waste Combustion (HWC) Units" dated August 6, 2012, guidance document, Quick Reference Guide, Test Program Planning for HWC Units, dated August 2012. The Respondents shall implement the QAPP as approved or modified by EPA, according to the schedule set forth therein.~~

~~3. The Respondents shall implement the CDT within ninety (90) days after installation of the TOU pursuant to Paragraph 71.A.5 of this CAFO.~~

~~4. If the Respondents determine (based on CEM recordings, results of analyses of stack samples, or results of CMS performance evaluations) that they have exceeded any emission standard for a mode of operation, they must cease hazardous waste burning immediately under~~

~~that mode of operation, except as provided in 40 C.F.R. § 63.1207(l)(1). The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).~~

~~5. All analyses required by the trial burn plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT report to TCEQ and EPA documenting compliance with the CDT Plan and identifying operating parameters identified in the CDT. All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted in the report.~~

~~6. As of the date of the submission of the CDT report, the Respondent shall comply with all operating requirements of the CDT report.~~

~~7. The failure to timely submit a CDT report to TCEQ and EPA within ninety (90) days from completion of the CDT shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).~~

~~**D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)**~~

1. If the Respondent desires to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after it receives its RCRA Permit Modification, feedstock to the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or

transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose are materials generated from processes meeting the definition Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk

	Bulk Stations and Terminals (merchant wholesalers)		Stations and Terminals)
--	---	--	-------------------------

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices set forth in this Paragraph shall remain the same.

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator’s facility. The Respondents shall request that this provision be placed in the issued RCRA permit.

E. TCEQ Submission, Revision, and Approval Process

1. For all applications or plans required be submitted to TCEQ for approval under this CAFO, TCEQ will review these applications or plans and issue only one Notice of Deficiency (NOD) to the Respondents in accordance with 30 T.A.C. §§ 281.3(c) and 281.19(a). The Respondents must provide an approvable response to TCEQ, with a copy to EPA, within thirty (30) days of receipt of the NOD. ~~respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ.~~ In the event that the Respondents fail to submit a timely and good-faith approvable complete NOD response, the Respondents’ authorization to operate the TDU shall terminate on the NOD response deadline [thirty (30) days from the date of receipt of the NOD] unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE. Add Part 270?

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and 40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the final permit, ~~except as provided~~

by the CDT Plan. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

-I. Monitoring, Recordkeeping, and Record Retention Requirements

XX1. Upon the effective date of this CAFO, all interim operating limit parameters (Paragraph 6974.A.3—), shakedown operating limit parameters (Paragraph 6974.A.8—), and final operating limit parameters (Paragraph 6974.C.5—) subject to AWFCO limits shall be monitored by the facility’s Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). These electronic records shall be kept for a period of one year after termination of the CAFO. In addition, the Respondents shall keep copies of all documents relating to compliance with the operating limit parameters not monitored by the CPMS, and the tuneup and fuel specification analysis required by Paragraphs 69.A.4 and 69.A.5. Theseis monitoring and recordkeeping requirement is in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits.

This information shall be made available to EPA and TCEQ upon request. ~~Add something for non-electronic—mercury feed concentration limit~~

XX2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

7072. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of _____ **DOLLARS (\$_____)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of _____ **DOLLARS (\$_____)**.

7173. Within thirty (30) days of the effective date of this CAFO, the Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be
remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
“D 68010727 Environmental Protection Agency”

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)

Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

7274. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

7375. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

7476. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion

of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c).

Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

7577. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

7678. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subparts V and FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall identify the following equipment in the oil reclamation unit and the TDU that is in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;
4. sampling connection systems;
5. open-ended valves or lines;
6. valves;

7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

The Respondents shall assume all the equipment is in VHAP service unless otherwise demonstrated in accordance with the requirements of 261.245(d).

C. Within sixty (60) days of the effective date of the CAFO, the Respondents shall submit a Subpart V Report to EPA, which includes the following information;

- a. Identification of all equipment specified in Paragraph ~~7677~~.B above;
- b. Identification of all equipment that is in VHAP service;
- c. Identification of all equipment that is not in VHAP service, along with documentation that meets the requirements of 40 C.F.R. § 61.245(d) which demonstrates that the equipment does not in VHAP service. The Report shall be submitted in accordance with Paragraphs ~~7677~~.K and ~~7677~~.L.

D. If applicable, within ninety (90) days of the effective date of the CAFO, the Respondents shall implement a fugitive monitoring program in accordance with the requirements of 40 C.F.R. Part 61, Subpart V.

E. If applicable, within ninety (90) days of the effective date of the CAFO, the Respondent shall submit the notice required by 40 C.F.R. § 61.247(a) to TCEQ.

F. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

G. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

H. The Respondents shall use a submerge fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

I. Within ninety (90) days after the reconfiguration of the TDU pursuant to Paragraph 69.A.7 of this CAFO ~~_____ days of the effective date of the CAFO~~, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R. § 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within thirty (30) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 7677.K and 7677.L.

J. Within 210 days of the effective date of the CAFO, the Respondent shall submit a written report to EPA. The Report shall include the following:

1. If applicable, a copy of the fugitive emission program required by Paragraph 7677.D;
2. If applicable, a copy of the notice required by Paragraph 7677.E;
3. Documentation showing compliance with Paragraphs 7677.F, 7677.G, and 7677.H.

K. The reports identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

L. All Reports required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

~~7779~~. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports, ~~Notices, or Plans - Paragraphs 69.A.10 and 69.C.271.A.3, 71.A.6, 71.A.8, 71.A.9, 71.C.1, 71.C.5, 71.D.1, and 71.E.2~~

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs ~~69.A.4, 69.A.5, 69.A.6, and 69.A.771.A.4, 71.A.5, and 71.A.7~~

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500

16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

7880. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 7173 herein. Interest and late charges shall be paid as stated in Paragraphs 73 - 7475—76 herein.

7984. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

8082. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its

objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

8183. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

8284. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written

statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

8385. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

8486. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

8587. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting delay to the greatest extent possible. "Force Majeure" does not include the Respondents' financial inability to perform any obligation under this CAFO, but does include any delays attributable to the TCEQ's permitting process and the conduct of the contested case hearing.

8688. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force

majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents' past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents' rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

8789. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

8890. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

8991. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the

Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

9092. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000

Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

9193. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

9294. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

9395. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment. Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

9496. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or

United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

9597. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

9698. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

9799. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States

Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

98100. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

99101. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

100102. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

**THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT
AGREEMENT AND FINAL ORDER:**

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b) this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

CONFIDENTIAL SETTLEMENT COMMUNICATION
EPA REVISIONS – 9-14-12

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:)	
)	
)	
US ECOLOGY TEXAS, INC., and)	DOCKET NOS. RCRA-06-2012-0936
TD*X ASSOCIATES LP)	and RCRA-06-2012-0937
)	
RESPONDENTS)	
_____)	

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. “Person” is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as “an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity.”

10. The Respondent USET is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person responsible for the overall operation of a facility”.

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Road 69, Robstown, TX 78380, EPA I.D. No. TXD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30) three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X “processed” (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USED nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c)(4)(C) [40 C.F.R. § 261.6(a)(3)(iv)(C)] because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

43. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air

oxidation, and microwave discharge. (See also “incinerator” and “open burning.”).

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic constituents from the hazardous waste in the TDU’s indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic constituents from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. A portion of the TDU’s recirculating nitrogen carrier gas, along with non-condensable gases, is vented, filtered, and then injected into the combustion chamber of the TDU, where it is burned.

54. Processing (treatment) is defined in 30 T.A.C. § 335.1(122) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in

accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

55. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also “incinerator” and “open burning.”)

56. The burning of gases in the TDU’s combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149)

[40 C.F.R. § 260.10].

57. An incinerator is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] as “any enclosed device that: (A) uses controlled flame combustion and neither meets the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; or (B) meets the definition of infrared incinerator or plasma arc incinerator.”

58. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

59. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

60. The combustion chamber of the TDU is an “incinerator” as that term is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] because it thermally processes (thermally treats) hazardous waste by burning hazardous waste using controlled flame combustion.

61. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in an incinerator.

62. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

63. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

64. “Storage” is defined in 30 T.A.C. § 335.1(143) [40 C.F.R. § 260.10] as “the holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled, or stored elsewhere.”

65. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

66. The roll-off boxes identified in Paragraph 65 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

67. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

68. The roll-off boxes identified in Paragraph 65 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

69. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

70. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

71. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock into the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose are materials generated from processes meeting the definition established for Standard Industrial Classification (SIC) codes and corresponding North American

Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from ~~the processes meeting the definition of~~ the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous

waste in question is “oil-bearing,” and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator’s facility.

3. On the effective date of this CAFO, the Respondents shall operate the TDU in accordance with the following interim operating parameters when the dryer feed is on; ~~as such operating parameters may be more fully described in the compliance demonstration test (CDT) plan dated September _____, 2012, approved by EPA (CDT Plan):~~

ID	Interim Operating Parameter	Limit
TE-18-/19	TDU Dryer Process Heater Combustion Chamber Temperature —	> 1,400°F —
FE-101	Process Vent Rate —1 hour 1-hr R.A. rolling average	< 180 scfm — 1 hour rolling average
M-101	Operation of Process Vent Injector Air Supply	> 20% xs air excess air
	Mercury Feed Concentration Limit to TDU	< 50 ppm
	Organic Halide Concentration Limit to TDU	< 1,500 ppm
	HEPA Filter	installed
TE-28	Condenser System Exhaust Temperature, 1 1-hr R.A. <u>hour rolling average</u>	< 120°F — 1 hour rolling average
OE-1	Vent gas stream O ₂ concentration <u>(60 seconds)</u>	< 7% O ₂ <u>for 60 seconds</u>
PT-1	Dryer internal gas pressure	< 0.00” w.c. <u>for 60 seconds</u>
TE-14A	Desorber Solids Temperature	> 650°F

4. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.

b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer’s specification.

c. Inspect the system controlling the air-to-fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

d. Optimize total emissions of CO. This optimization should be consistent with the manufacturer's specifications, if available.

e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made.

Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.

f. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.

g. This tuneup shall be conducted annually, as long as the CAFO is effective.

5. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the process vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms/cubic meter of mercury using test methods ASTM D5954, ASTM D6350, ISO 6978-1:2003(E), or ISO 6978-2:2003(E).

46. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff (AWFCO) at the TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, and when of the following conditions are met: exceeded during the operating period prior to installation of the thermal oxidizer unit; in Table 5-2 of the CDT Plan, as supplemented by Table 6-3 of the CDT

Plan, are met; provided, however, that AWFCOs related to the thermal oxidizer unit (TOU) (TT-121 and KY-110) required by Paragraph 71.A.5 will not be installed until the TOU is placed into operation.

ID	Interim Operating Parameter	Cutoff
TE-18/19	TDU Dryer Process Heater Combustion Chamber Temperature	< 1,400°F -
FE-101	Process Vent Rate - 1 hour rolling average	> 180 scfm - 1 hour rolling average
M-101	Operation of Process Vent Injector Air Supply	< 20% excess air -
TE-28	Condenser System Exhaust Temperature	> 120°F - 1 hour rolling average
OE-1	Vent gas stream O ₂ concentration	> 7% O ₂ for 60 seconds
PT-1	Dryer internal gas pressure	> 0.00" w.c. for 60 seconds
TE-14A	Desorber Solids Temperature	< 650°F for

The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3).

75. Within one year of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a TOU instead of the combustion chamber of the TDU (Reconfigured TDU). After the reconfiguration has occurred, for the purposes of Section III and IV.C of this CAFO only, references to the Reconfigured TDU shall include the TOU, unless otherwise indicated.

86. The Respondents shall operate the Reconfigured TDU in accordance with the following operating parameters limits for the shakedown period, as such operating parameters may be more fully described in Table 2-1 of the CDT Plan:

ID	Shakedown Operating Parameters	Limit
TT-121	Minimum TOU Combustion Chamber Temperature, 1-hr R.A.	> 1,400°F – 1 hour rolling average
KY-110	Maximum TOU Flow Rate (Minimum Residence Time), 1-hr R.A.	> 0.5 sec – 1 hour rolling average
FE-101	Minimum Hazardous Waste Feedrate (Process Vent	< 250 scfm – 1 hour

	Rate) <u>1-hr R.A.</u>	<u>rolling average</u>
M-121	Operation of Waste Firing System	> 20% xs air -
AE-5 OE-5	CEM CO ppmV @ 7% O ₂ , <u>1-hr R.A.</u>	< 100 ppmv - 1 hour <u>rolling average</u>
	Mercury Feed Concentration Limit to TDU	< 50 ppm
	Organic Halide Concentration Limit to TDU	< 1,500 ppm
	HEPA Filter	installed
TE-28	Condenser System Exhaust Temperature, <u>1-hr R.A.</u>	< 120°F - 1 hour <u>rolling average</u>
TE-14A	Desorber Solids Temperature	> 650°F -
OE-1	Vent gas stream O ₂ concentration	< 7% O ₂ -
PT-1	Dryer internal gas pressure	< 0.00" w.c. -
FCV-102	Valve position of process vent directed away from TOU	Valve -> 0% open
M-21	Recirculation Blower Operating	<u>Motor operation</u>
M-05	Dryer Cylinder Rotation	<u>Motor operation</u>
M-18	Product Discharge operational	<u>Motor operation</u>

The Respondent shall not operate the Reconfigured TDU more than 720 hours prior to performance of the Compliance Demonstration Test. The Respondents shall keep records of the hours of operation during the shakedown period. The Respondents shall operate a carbon monoxide (CO) continuous emissions monitor (CMS) for the TOU ing for the measurement of carbon monoxide (CO) during the shakedown period. [Is this permanent? If so, need following language]. The CEMS shall be located in compliance with 40 C.F.R. Part 60, Appendix B requirements. The Respondents shall operate the Reconfigured TOU in a manner that the one minute and hourly rolling averages are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. § 63.1209(a).

9. During the shakedown period, the Respondents shall monitor and operate an automatic hazardous waste feed cutoff (AWFCO) at the Reconfigured TDU in accordance with 40 C.F.R. § 63.1206(c)(3) that immediately and automatically cuts off the hazardous waste feed when any component of the AWFCO system fails, and when of the following conditions are exceeded during the shakedown period:

<u>ID</u>	<u>Shakedown Operating Parameters</u>	<u>Cutoff</u>
<u>TT-121</u>	<u>Minimum TOU Combustion Chamber Temperature</u>	<u>< 1,400°F – 1 hour rolling average</u>
<u>KY-110</u>	<u>Maximum TOU Flow Rate (Minimum Residence Time)</u>	<u>< 0.5 sec – 1 hour rolling average</u>
<u>FE-101</u>	<u>Minimum Hazardous Waste Feedrate (Process Vent Rate)</u>	<u>> 250 scfm – 1 hour rolling average</u>
<u>M-121</u>	<u>Operation of Waste Firing System</u>	<u>< 20% xs air -</u>
<u>AE-5/OE-5</u> <u>OE-5</u>	<u>CEM CO ppmV @ 7% O₂</u>	<u>> 100 ppmv – 1 hour rolling average</u>
<u>TE-28</u>	<u>Condenser System Exhaust Temperature -</u>	<u>< 120°F – 1 hour rolling average</u>
<u>TE-14A</u>	<u>Desorber Solids Temperature</u>	<u>> 650°F -</u>
<u>OE-1</u>	<u>Vent gas stream O₂ concentration</u>	<u>< 7% O₂ -</u>
<u>PT-1</u>	<u>Dryer internal gas pressure</u>	<u>< 0.00" w.c. -</u>
<u>FCV-102</u>	<u>Valve position of process vent directed away from TOU</u>	<u>Valve > 0% open</u>
<u>M-21</u>	<u>Recirculation Blower Operating</u>	<u>Loss of motor operation</u>
<u>M-05</u>	<u>Dryer Cylinder Rotation</u>	<u>Loss of motor operation</u>
<u>M-18</u>	<u>Product Discharge operational</u>	<u>Loss of motor operation</u>

The Respondents shall also comply with the investigation, recordkeeping, testing, and reporting requirements of 40 C.F.R. § 63.1206(c)(3).

7. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a tune-up of the external combustion chamber of the TDU in accordance with the following requirements:

- a. As applicable, inspect the burner and clean or replace any components of the burner as necessary. The burner inspection may be delayed until the next scheduled or unscheduled unit shutdown.
- b. Inspect the flame pattern, as applicable, and adjust the burner as necessary to optimize the flame pattern. The adjustment should be consistent with the manufacturer's specification.
- c. Inspect the system controlling the air to fuel ratio, as applicable, and ensure that it is correctly calibrated and functioning properly.

- ~~d. Optimize total emissions of CO. This optimization should be consistent with the manufacturer's specifications, if available.~~
- ~~e. Measure the concentrations in the effluent stream of CO in parts per million, by volume, and oxygen in volume percent, before and after the adjustments are made. Measurements may be either on a dry or wet basis, as long as it is the same basis before and after the adjustments are made.~~
- ~~f. Maintain on-site a report documenting the concentrations of CO in the effluent stream in parts per million by volume, and oxygen in volume present, measured before and after the adjustments of the external combustion chamber of the TDU, and a description of any corrective actions taken as part of the combustion adjustment.~~

~~8. Within sixty (60) days of the effective date of this CAFO, the Respondents shall conduct a fuel specification analysis of the process vent gas for mercury and document that it does not exceed the maximum concentration of 40 micrograms / cubic meter of mercury in accordance with the process specified in the CDT Plan.~~

9. Within six (6) months after the effective date of this CAFO, and every six months thereafter until this CAFO is terminated, the Respondents shall send a report to EPA, with a copy to TCEQ. The Report shall include the following:

- a. Identify the customer, the customer's SIC and NAICS code for all waste streams processed by the oil reclamation unit for the previous six month period. If requested by EPA, the Respondents shall provide copies of relevant waste approval documents and manifests for the specific waste streams.

- b. All time periods in which there were exceedances of the operating parameters limits specified in Paragraphs 71.A.3 and 71.A.86 of this CAFO when the dryer feed is on.

c. The initial Report shall include documentation showing that the tuneup and documentation fuel specification analysis required by Paragraphs 71.A.4 and 71.A.5 have been conducted, and documentation showing the installation of the AWFCO system dates of the equipment required by Paragraphs 71.A.4 and A.5.

d. Documentation showing the installation of the TOU required by Paragraph 71.A.7.

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information, in accordance with the requirements of 40 C.F.R. Part 2.

B. RCRA Permit Modification

1. Within one year of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33].

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, 40 C.F.R. Part 270, and 40 C.F.R. Part 63, Subpart EEE that are appropriate for the operation of the Reconfigured TDU, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351], ~~except that with regard to continuous monitoring required by 40 C.F.R. § 264(a)(1) and (a)(2), only continuous monitoring of combustion temperature shall be required.~~

3. The Respondents shall also request that the final RCRA permit include the following:

a. Operating parameters limits and emission limits established under Compliance Demonstration Test conducted pursuant to Paragraph 71.C of this CAFO;
b. The feedstock limitations set forth in Paragraph 71.D; and
c. Any applicable risk-based terms and conditions necessary to protect human health and the environment. The appropriate requirements of 40 C.F.R. Part 63, Subpart EEE; and

~~b. Operating parameters for the condensers from the Off-Gas Condensing Recovery System, including appropriate monitoring and recordkeeping requirements for the condensers.~~

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 71.B.1 shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than three and one-half years (42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and obtain issuance from the TCEQ of a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC and Part 63, Subpart EEE. In the event that TCEQ does not issue a final RCRA Subpart X permit for the TDU as described above by the above deadline, the Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Compliance Demonstration Test

1. The Respondents shall perform a compliance demonstration test (CDT) as set forth below. The CDT requires the Respondents to demonstrate compliance with the emissions standards of 40 C.F.R. § 63.1219(b) and the destruction and removal efficiency standards in 40 C.F.R. § 63.1219(c), establish limits for the operating parameters set forth below, and demonstrate compliance with the performance specifications for the carbon monoxide CEMS, as set forth in 40 C.F.R. §§ 63.8 and 63.1209.

2. The Respondents have submitted a CDT Plan to EPA for approval. The Respondents shall implement the CDT in accordance with the EPA approved plan within ninety (90) days after installation of the TOU pursuant to Paragraph 71.A7 of this CAFO.

3. During the CDT, the Respondents must achieve a destruction and removal efficiency (DRE) of 99.99% for the designated principle organic hazardous constituent (POHC) selected as a part of CDT Plan procedures. This POHC must be approved by EPA. The DRE shall be calculated in accordance with 40 C.F.R. § 63.1219(c)(1).

4. The emission limits that must be met as part of the CDT are set forth in 40 C.F.R. § 63.1219(b).

5. The following operating parameters will be established during the CPT:

<u>ID</u>	<u>Operating Parameters</u>
	<u>OPLs for Combustion Unit</u>
<u>TT-121</u>	<u>Minimum TOU Combustion Chamber Temperature</u>
<u>KY-110</u>	<u>Maximum TOU Flow Rate (Minimum Residence Time)</u>
<u>FE-101</u>	<u>Minimum Hazardous Waste Feedrate (Process Vent Rate)</u>
<u>M-121</u>	<u>Operation of Waste Firing System</u>
<u>AE-5/OE-5</u>	<u>CEM CO ppmv @ 7% O₂</u>
	<u>OPLs Associated with Feed Streams</u>
	<u>Mercury Feed Concentration Limit to TDU</u>
	<u>Organic Halide Concentration Limit to TDU</u>
	<u>OPL for Air Pollution Control Equipment</u>
	<u>HEPA Filter</u>
	<u>OPLs for Gas Treatment System</u>
<u>TD-28</u>	<u>Condenser System Exhaust Temperature</u>

	<u>Other OPLs</u>
<u>TE-14A</u>	<u>Desorber Solids Temperature</u>
<u>OE-1</u>	<u>Vent gas stream O₂ concentration</u>
<u>PT-1</u>	<u>Dryer internal gas pressure</u>
<u>FCV-102</u>	<u>Valve position of process vent directed away from TOU</u>
<u>M-21</u>	<u>Recirculation Blower Operating</u>
<u>M-05</u>	<u>Dryer Cylinder Rotation</u>
<u>M-18</u>	<u>Product Discharge operational</u>

6. Test Success/Failure Requirements – three runs, etc.

7. If the Respondents determine (based on CEM recordings, results of analyses of stack samples, or results of CMS performance evaluations) that they have exceeded any emission standard for a mode of operation, they must cease hazardous waste burning immediately under that mode of operation, except as provided in 40 C.F.R. § 63.1207(f)(1). The Respondents must make this determination within forty-five (45) days following completion of the trial burn. The Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

8. All analyses required by the trial burn plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.

9. Pursuant to 40 C.F.R. §§ 63.7(g), 63.9(h), 63.1207(j), and 63.1210(d), within ninety (90) days from completion of the CDT, the Respondents shall submit a Notification of Compliance (NOC) to TCEQ and EPA documenting compliance with the DRE standards and emission standards set forth in Paragraphs 71.C.3 and 71.C.4, the continuous monitoring system requirements set forth in 40 C.F.R. §§ 63.8 and 63.1209, and identifying operating parameter limits for the parameters set forth in Paragraph 71.C.5. All data collected during the trial burn and the CMS performance test (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or

calculations supporting the emissions calculations or operating parameter limits) must be submitted to TCEQ and EPA along with the NOC.

10. As of the date of the submission of the NOC, the Respondent shall comply with all operating requirements of the NOC, and the requirements of 40 C.F.R. §§ 63.1209 and 63.1219.

11. The failure to timely submit an NOC to TCEQ and EPA within ninety (90) days from completion of the trial burn and the CMS performance test shall result in the termination of the Respondents' authorization to operate the TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

Continue AWFCO

~~C. Compliance Demonstration Test~~

~~1. The Respondents shall perform a compliance demonstration test (CDT) in accordance with the plan for the CDT dated September _____, 2012, approved by EPA (CDT Plan).~~

~~2. Within sixty (60) days of the effective date of this CAFO, the Respondents shall submit to EPA TCEQ for approval, with a copy to TCEQ EPA, a Quality Assurance Project Plan (QAPP) for the CDT. The QAPP shall be prepared in accordance with the EPA Region 6 Guidance Document, "Quick Reference Guide—Test Burn Program Planning For Hazardous Waste Combustion (HWC) Units" dated August 6, 2012. guidance document, Quick Reference Guide, Test Program Planning for HWC Units, dated August 2012. The Respondents shall implement the QAPP as approved or modified by EPA, according to the schedule set forth therein.~~

~~3. The Respondents shall implement the CDT within ninety (90) days after installation of the TOU pursuant to Paragraph 71.A.5 of this CAFO.~~

~~4. If the Respondents determine (based on CEM recordings, results of analyses of stack samples, or results of CMS performance evaluations) that they have exceeded any emission standard for a mode of operation, they must cease hazardous waste burning immediately under that mode of operation, except as provided in 40 C.F.R. § 63.1207(f)(1). The Respondents must make this determination within forty-five (45) days following completion of the CDT. The Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).~~

~~5. All analyses required by the trial burn plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ. Within ninety (90) days from completion of the CDT, the Respondents shall submit a CDT report to TCEQ and EPA documenting compliance with the CDT Plan and identifying operating parameters identified in the CDT. All data collected during the CDT (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted in the report.~~

~~6. As of the date of the submission of the CDT report, the Respondent shall comply with all operating requirements of the CDT report.~~

~~7. The failure to timely submit a CDT report to TCEQ and EPA within ninety (90) days from completion of the CDT shall result in the termination of the Respondents' authorization to operate the Reconfigured TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).~~

D. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. If the Respondent desires to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after it receives its RCRA Permit Modification, feedstock to the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose are materials generated from processes meeting the definition Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution

4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.D shall be construed to preclude Respondents from seeking authorization from the TCEQ to process oil-bearing materials outside the scope of 40 C.F.R. § 261.6(a)(3)(iv)(C). However, the definition of oil-bearing hazardous waste from petroleum refining, production, or transportation practices shall remain the same.

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator’s facility. The Respondents shall request that this provision be placed in the issued RCRA permit.

E. TCEQ Submission, Revision, and Approval Process

1. For all applications or plans required be submitted to TCEQ for approval under this CAFO, TCEQ will review these applications or plans and issue only one Notice of Deficiency (NOD) to the Respondents in accordance with 30 T.A.C. §§ 281.3(c) and 281.19(a). The Respondents must provide an approvable response to TCEQ, with a copy to EPA, within thirty (30) days of receipt of the NOD. ~~respond to any Notice of Deficiency (NOD), with a copy to EPA, within the time period specified by the TCEQ.~~ In the event that the Respondents fail to submit a timely and good-faith approvable complete NOD response, the Respondents’

authorization to operate the TDU shall terminate on the NOD response deadline [thirty (30) days from the date of receipt of the NOD] unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC, and Part 63, Subpart EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

G. EPA Review and Comment on RCRA Permit

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate appropriate requirements of 40 C.F.R. Parts 264, Subparts I through O and Subparts AA through CC, and 40 C.F.R. Part 63, Subpart EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the Reconfigured TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on

the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the final permit, **except as provided by the CDT Plan**. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

H. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

-I. Monitoring, Recordkeeping, and Record Retention Requirements

XX1. Upon the effective date of this CAFO, all interim operating limit parameters (Paragraph 71.A.), shakedown operating limit parameters (Paragraph 71.), and final operating limit parameters (Paragraph 71.) shall be monitored by the facility's Continuous Process Monitoring System (CPMS), which records data once per minute in an electronic data log (DLG). These electronic records shall be kept for a period of one year after termination of the CAFO. This monitoring and recordkeeping requirement is in addition to any other monitoring and/or recordkeeping requirements required by federal, state, or local laws, regulations, or permits. This information shall be made available to EPA and TCEQ upon request. Add something for non-electronic – mercury feed concentration limit

XX2. In addition, the Respondents shall preserve, for a period of one year after termination of the CAFO, all records and documents in its possession or in the possession of its divisions, employees, agents, contractors, or successors which in any way relate to this CAFO regardless of any document retention policy to the contrary. This information shall be made available to EPA and TCEQ upon request.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

72. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of _____ **DOLLARS (\$_____)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of _____ **DOLLARS (\$_____)**.

73. Within thirty (30) days of the effective date of this CAFO, the Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077

St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
“D 68010727 Environmental Protection Agency”

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)

Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

74. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

75. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

76. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt

which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

77. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

78. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subparts V and FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall identify the following equipment in the oil reclamation unit and the TDU that is in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;

4. sampling connection systems;
5. open-ended valves or lines;
6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

The Respondents shall assume all the equipment is in VHAP service unless otherwise demonstrated in accordance with the requirements of 261.245(d).

C. Within sixty (60) days of the effective date of the CAFO, the Respondents shall submit a Subpart V Report to EPA, which includes the following information;

- a. Identification of all equipment specified in Paragraph 77.B above;
- b. Identification of all equipment that is in VHAP service;
- c. Identification of all equipment that is not in VHAP service, along with documentation that meets the requirements of 40 C.F.R. § 61.245(d) which demonstrates that the equipment does not in VHAP service. The Report shall be submitted in accordance with Paragraphs 77.K and 77.L.

D. If applicable, within ninety (90) days of the effective date of the CAFO, the Respondents shall implement a fugitive monitoring program in accordance with the requirements of 40 C.F.R. Part 61, Subpart V.

E. If applicable, within ninety (90) days of the effective date of the CAFO, the Respondent shall submit the notice required by 40 C.F.R. § 61.247(a) to TCEQ.

F. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

G. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

H. The Respondents shall use a submerge fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

I. Within _____ days of the effective date of the CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R. § 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within thirty (30) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 77.K and 77.L.

J. Within 210 days of the effective date of the CAFO, the Respondent shall submit a written report to EPA. The Report shall include the following:

1. If applicable, a copy of the fugitive emission program required by Paragraph 77.D;
2. If applicable, a copy of the notice required by Paragraph 77.E;
3. Documentation showing compliance with Paragraphs 77.F, 77.G, and 77.H.

K. The reports identified in this Section must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief, that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

L. All Reports required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

79. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

- a. Failure to Timely Submit Reports, Notices, or Plans - Paragraphs 71.A.3, 71.A.6, 71.A.8, 71.A.9, 71.C.1, 71.C.5, 71.D.1, and 71.E.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 71.A.4, 71.A.5, and 71.A.7

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

80. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 73 herein. Interest and late charges shall be paid as stated in Paragraphs 75 - 76 herein.

81. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the

Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

82. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

83. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

84. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance Assurance and Enforcement Division or his/her designee (Division Director). The Division

Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

85. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

86. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

87. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting

delay to the greatest extent possible. “Force Majeure” does not include the Respondents’ financial inability to perform any obligation under this CAFO.

88. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents’ past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents’ rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

89. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent’s responsibilities under this CAFO.

90. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

91. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

92. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan

McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

93. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

94. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

95. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare,

or the environment, or prevent, abate or minimize an actual or threatened release of hazardous substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

96. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

97. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

98. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant

does not warrant or aver in any manner that the Respondents' compliance with any aspect of this CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

99. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

100. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

101. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

102. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

**THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT
AGREEMENT AND FINAL ORDER:**

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b) this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

CONFIDENTIAL SETTLEMENT COMMUNICATION – EPA REVISIONS – 8-16-12

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:)	
)	
US ECOLOGY TEXAS, INC., and)	DOCKET NOS. RCRA-06-2012-0936
TD*X ASSOCIATES LP)	and RCRA-06-2012-0937
)	
RESPONDENTS)	
_____)	

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. “Person” is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as “an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity.”

10. The Respondent USET is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “whoever has legal authority and responsibility for a facility that generates, transports, processes, stores or disposes of any hazardous waste.”

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for treating, storing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations thereof).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Route 69, Robstown, TX 78380, EPA I.D. No. TSD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30) three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X “processed” (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USET or Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c) [40 C.F.R. § 261.6(a)(3)(iv)(C)] because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning.").

43. Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the

Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic contaminants from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. The vent stream is filtered, then nitrogen, along with non-condensable gases, is injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic contaminants from the hazardous waste in the TDU's indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. "Hazardous waste" is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as "any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic contaminants from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. The vent stream is filtered, then nitrogen, along with non-condensable gases, is injected into the combustion chamber of the TDU, where it is burned.

54. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning.")

55. Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste

or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

56. The burning of gases in the TDU's combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

57. An incinerator is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] as “any enclosed device that: (A) uses controlled flame combustion and neither meets the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; or (B) meets the definition of infrared incinerator or plasma arc incinerator.”

58. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

59. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

60. The combustion chamber of the TDU is an “incinerator” as that term is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] because it thermally processes (thermally treats) hazardous waste by burning hazardous waste using controlled flame combustion.

61. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in an incinerator.

62. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

63. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

64. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

65. The roll-off boxes identified in Paragraph 64 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

66. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

67. The roll-off boxes identified in Paragraph 64 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

68. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

69. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

70. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock into the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose primary Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells

1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing”, and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator’s facility.

3. Within seven (7) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, interim limits on operating parameters, including, but not limited, to the following:

- a. maximum hazardous waste feed rate to the rotary dryer;
- b. limits on ash, semivolatile metals, low volatile metals, mercury, and total chlorine (organic and inorganic) (Cl_2 and HCl);
- c. minimum rotary dryer temperature;
- d. maximum gas/vapor flow rate to the Off-Gas Condensing Recovery System;
- e. maximum Off-Gas Condensing Recovery System outlet temperature;
- f. minimum combustion chamber temperature;
- g. maximum gas/vapor flow rate to the combustion chamber;
- h. other Off-Gas Condensing Recovery Systems operating parameter limits; and
- i. any other operating parameter limits for air pollution control devices used.

The submittal shall include monitoring and recordkeeping requirements. The Respondents shall implement the operating parameter limits as approved or modified by TCEQ.

4. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff at the TDU in accordance with the requirements of 40 C.F.R. § 63.1206(c)(3).

5. Within ninety (90) days of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizer unit (TOU) instead of the combustion chamber of the TDU. After the reconfiguration has occurred, for the purposes of Section III and IV.C of this CAFO only, references to the TDU shall include the TOU, unless otherwise indicated.

6. Within ninety (90) days of the effective date of this CAFO, the Respondent shall also submit to EPA for approval, with a copy to TCEQ, interim operating parameters for the TOU including, but not limited to:

- a. minimum temperature of the TOU combustion chamber; and
- b. maximum flue gas flow rate.

The Respondents shall implement the operating parameter limits as approved or modified by TCEQ.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, calibrate, and operate continuous emissions monitors in accordance with the requirements of 40 C.F.R. § 63.1209. The Respondents shall use carbon monoxide and hydrocarbon CEMS to demonstrate and monitor compliance with the carbon monoxide and hydrocarbon standards of 40 C.F.R. Part 63, Subpart EEE. The Respondents shall also use oxygen CEMS to continuously correct the carbon monoxide or hydrocarbon level to 7 percent oxygen. These CEMS shall be located in compliance with 40 C.F.R. Part 60, Appendix B requirements for rotary dryer emission point (EP-1), the combustion chamber emission point (EP-2), and the TOU. The Respondents shall operate the TDU and the TOU in a manner that the one minute and hourly rolling averages are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. § 63.1209(a).

8. Within one hundred twenty (120) days of the effective date of this CAFO, the Respondents shall submit to TCEQ for approval, with a copy to EPA, a feedstream analysis plan prepared in accordance with 40 C.F.R. § 63.1209(c)(2). The Respondents shall implement the plan as approved or modified by TCEQ.

9. Within six (6) months after the effective date of this CAFO, and every six months thereafter until this CAFO is terminated, the Respondents shall send a report to EPA, with a copy to TCEQ. The Report shall include the following:

- a. Identify the customer, the customer's SIC and NAICS code, copies of the relevant waste approval documents, and manifests for the previous six month period.
- b. All time periods in where there were exceedances of the one minute and hourly rolling averages required under Paragraph 72.A.7.
- c. The initial Report shall include documentation showing the installation dates of the equipment required by Paragraphs 72.A.4, A5, and A.7.

The Report may be submitted in an electronic format (i.e., compact disk). The Respondent may claim the report as confidential business information, in accordance with the requirements of 40 C.F.R. Part 2.

B. RCRA Permit Modification

1. Within ninety (90) days of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33]. This permit application will serve as the Documentation of Compliance required by 40 C.F.R. § 63.1211(c).

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264 that are appropriate for the operation of the TDU, the TOU, and the oil reclamation unit, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the final RCRA permit also include the following:

a. The applicable requirements of 40 C.F.R. Part 63, Subparts A and EEE;
b. The feedstock limitations set forth in Paragraph 68.F;
c. Operating parameters for the condensers from the Off-Gas Condensing Recovery System, including appropriate monitoring and recordkeeping requirements for the condensers;
and

d. Any risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 72.B.1 shall result in the termination of the Respondents' authorization to operate the TDU on that date.

5. By no later than two and one-half years (30 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and have a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the applicable requirements of 40 C.F.R. Part 63, Subparts A and EEE. In the event that TCEQ does not issue a final RCRA Subpart X permit for the TDU as described above by the above deadline, the Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Notice of Intent to Comply (NIC)/Public Participation

1. Within seven (7) days of the effective date of this CAFO, the Respondents shall submit to TCEQ and EPA a draft Notice of Intent to Comply (NIC) pursuant to 40 C.F.R. § 63.1210(b), and an initial notification pursuant to 40 C.F.R. § 63.9(b).

2. The Respondents shall make the draft NIC available to the public either (a) at least thirty (30) days prior to the public meeting pursuant to 40 C.F.R. § 63.1210(b)(2), or (b) at a time approved by EPA and TCEQ.

3. The Respondents shall provide the following notices to the public:

a. Notice of Receipt of Application and Intent to Obtain Permit pursuant to 30 T.A.C. §§ 39.418 and 39.509. Notice of the public meeting required by 30 T.A.C. § 305.69(d)(4) shall be included with the Notice of Receipt of Application and Intent to Obtain Permit, as required by 30 T.A.C. § 39.418;

b. Notice to the public of the Notice of Application and Preliminary Decision pursuant to 30 T.A.C. §§ 39.419 and 39.509; and

c. NIC public meeting required by 40 C.F.R. § 63.1210(c)(3).

4. The Respondents shall hold a public meeting pursuant to 30 T.A.C. § 305.69(d)(4) [40 C.F.R. § 270.42(c)] no earlier than fifteen (15) days following publication of the notice and no later than fifteen (15) days before the close of the sixty (60) day comment period. This public meeting shall also be coordinated with the NIC public meeting required by 40 C.F.R. § 63.1210(c).

5. The Respondents shall submit to TCEQ and EPA the final NIC pursuant to 40 C.F.R. § 63.1210(b)(3) no later than 60 days following the public meeting.

6. The failure to timely submit the final NIC to TCEQ and EPA no later than 60 days following the public meeting shall result in the termination of the Respondents' authorization to operate the TDU on that date.

D. Startup, Shutdown, and Malfunction Plan

1. Within one hundred twenty (120) days of the effective date of this CAFO, the Respondents shall submit a Startup, Shutdown, and Malfunction Plan to TCEQ for approval, with a copy to EPA. This plan shall be prepared in accordance with 40 C.F.R. §§ 63.6(e)(3) and 63.1206(c)(2). The Respondents shall comply with any instructions or directives from TCEQ regarding approval, disapproval, or submission of any additional information.

E. Trial Burn

1. The Respondents shall perform a trial burn as set forth below. The trial burn is required to demonstrate compliance with the emissions standards of 40 C.F.R. Part 63, Subpart EEE, establish limits for the operating parameters provided by 40 C.F.R. § 61.1209, and demonstrate compliance with the performance specifications for continuous monitoring systems.

2. Within one hundred twenty (120) days of the effective date of this CAFO, the Respondents shall submit to TCEQ for approval, with a copy to EPA, a complete and approvable trial burn plan and a continuous monitoring system (CMS) performance test plan pursuant to the requirements of 40 C.F.R. §§ 63.7, 63.1207, and 63.1209. The trial burn plan shall also provide for a performance test to determine the efficiency and operating parameters of the condensers from the Off-Gas Condensing Recovery System, the capture efficiency, destruction and removal efficiency, and the actual nature, pattern, and quantity of emissions from EPN EP-1, EP-2, the TOU, and any other fugitive or point source emissions of the TDU system capable of routing off-gas from the TDU to the atmosphere, including its air contaminant control systems, product recovery systems, and treated material handling system.

3. The Respondents shall make the trial burn plan and CMS performance test plan available for public review upon issuance of the notice of NIC public meeting.

4. The Respondents shall implement the trial burn plan and the CMS performance test plan as approved by TCEQ, within ninety (90) days after approval of the trial burn plan and the CMS performance test plan. During the testing, the Respondents shall comply with 40 C.F.R. §§ 63.7(e) and 63.1207(g).

5. If the Respondents determine (based on CEM recordings, results of analyses of stack samples, or results of CMS performance evaluations) that they have exceeded any emission standard for a mode of operation, they must cease hazardous waste burning immediately under that mode of operation, except as provided in 40 C.F.R. § 63.1207(l)(1). The Respondents must make this determination within forty-five (45) days following completion of the trial burn. The Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

6. All analyses required by the trial burn plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.

7. Pursuant to 40 C.F.R. §§ 63.7(g), 63.9(h), 63.1207(j), and 63.1210(d), within ninety (90) days from completion of the trial burn and the CMS performance test, the Respondents shall submit a Notification of Compliance (NOC) to TCEQ and EPA documenting compliance with the emission standards and continuous monitoring system requirements, and identifying operating parameter limits under 40 C.F.R. § 63.1209. All data collected during the trial burn and the CMS performance test (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to TCEQ and EPA along with the NOC.

8. As of the date of the submission of the NOC, the Respondent shall comply with all operating requirements of the NOC, and the requirements of 40 C.F.R. §§ 63.1209 and 63.1219.

9. The failure to timely submit an NOC to TCEQ and EPA within ninety (90) days from completion of the trial burn and the CMS performance test shall result in the termination of the Respondents' authorization to operate the TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. If the Respondent desires to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after it receives its RCRA Permit Modification, feedstock to the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170. Also acceptable is oil-bearing hazardous waste from facilities whose primary Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities)	213112	Support Activities for Oil and Gas Operations

	performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing”, and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator’s facility. The Respondents shall request that this provision be placed in the issued RCRA permit.

G. Submission, Revision, and Approval Process

1. For all applications or plans required be submitted to TCEQ for approval under this CAFO, TCEQ will review these applications or plans and issue only one Notice of Deficiency (NOD) to the Respondents in accordance with 30 T.A.C. §§ 281.3(c) and 281.19(a). The Respondents must provide an approvable response to TCEQ, with a copy to EPA, within thirty (30) days of receipt of the NOD. In the event that the Respondents fail to submit a timely and

good-faith approvable NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline [thirty (30) days from the date of receipt of the NOD].

H. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the applicable requirements of 40 C.F.R. Part 63, Subparts A and EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of the CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

I. EPA Review and Comment

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate applicable requirements of 40 C.F.R. Parts 264 and 40 C.F.R. Part 63, Subparts A and EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was

necessary to implement approved State program requirements, whether or not that condition was included in the final permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

J. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

71. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents’ good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of _____ **DOLLARS (\$_____)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of _____ **DOLLARS (\$_____)**.

72. Within thirty (30) days of the effective date of this CAFO, the Respondents shall pay the assessed civil penalty by certified check, cashier’s check, or wire transfer, made payable to

“Treasurer, United States of America, EPA - Region 6”. Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
“D 68010727 Environmental Protection Agency”

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent’s name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions

shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

73. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

74. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

75. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

76. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

77. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall identify the following equipment in the oil reclamation unit and the TDU that is in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;

4. sampling connection systems;
5. open-ended valves or lines;
6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

The Respondents shall assume all the equipment is in VHAP service unless otherwise demonstrated in accordance with the requirements of 261.245(d).

C. Within sixty (60) days of the effective date of the CAFO, the Respondents shall submit a Subpart V Report to EPA, which includes the following information;

- a. Identification of all equipment specified in Paragraph 77.B above;
- b. Identification of all equipment that is in VHAP service;
- c. Identification of all equipment that is not in VHAP service, along with documentation that meets the requirements of 40 C.F.R. § 61.245(d) which demonstrates that the equipment does not in VHAP service. The Report shall be submitted in accordance with Paragraphs 77.K and 77.L.

D. If applicable, within ninety (90) days of the effective date of the CAFO, the Respondents shall implement a fugitive monitoring program in accordance with the requirements of 40 C.F.R. Part 61, Subpart V.

E. If applicable, within ninety (90) days of the effective date of the CAFO, the Respondent shall submit the notice required by 40 C.F.R. § 61.247(a) to TCEQ.

F. Pursuant to 40 C.F.R. § 61.354(c), as of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

G. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position (e.g., covered by a lid that is gasketed and latched) at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

H. The Respondents shall use a submerge fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

I. Within _____ days of the effective date of the CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R. § 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within thirty (30) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 77.K and 77.L.

J. Within 210 days of the effective date of the CAFO, the Respondent shall submit a written report to EPA. The Report shall include the following:

1. If applicable, a copy of the fugitive emission program required by Paragraph 77.D;
2. If applicable, a copy of the notice required by Paragraph 77.E;
3. Documentation showing compliance with Paragraphs 77.F, 77.G, and 77.H.

K. The reports identified in this Section must be accompanied by the following certification:

“I certify under penalty of law that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

L. All Reports required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

78. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

- a. Failure to Timely Submit Reports, Notices, or Plans - Paragraphs 70.A.3, 70.A.6, 70.A.8, 70.A.9, 70.C.1, 70.C.5, 70.D.1, and 70.E.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 70.A.4, 70.A.5, and 70.A.7

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

79. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 72 herein. Interest and late charges shall be paid as stated in Paragraphs 74 - 75 herein.

80. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

81. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

82. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

83. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated

by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

84. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

85. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

86. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting delay to the greatest extent possible. "Force Majeure" does not include the Respondents' financial inability to perform any obligation under this CAFO.

87. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first

knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents' past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents' rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

88. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

89. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

90. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of

the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

91. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

92. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

93. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

94. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and

criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

95. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

96. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

97. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

98. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

99. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

100. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

101. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

**THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT
AGREEMENT AND FINAL ORDER:**

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates, L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b) this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

CONFIDENTIAL SETTLEMENT COMMUNICATION
EPA REVISIONS (MARKED UP) – 8-16-12

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:)	
)	
US ECOLOGY TEXAS, INC., and)	
TD*X ASSOCIATES LP)	DOCKET NOS. RCRA-06-2012-0936
)	and RCRA-06-2012-0937
RESPONDENTS)	
_____)	

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. "Person" is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as "an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity."

10. The Respondent USET is a "person" as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “whoever has legal authority and responsibility for a facility that generates, transports, processes, stores or disposes of any hazardous waste.”

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for treating, storing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations thereof).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Route 69, Robstown, TX 78380, EPA I.D. No. TSD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30) three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X “processed” (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USET or Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives "recyclable materials" from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c) [40 C.F.R. § 261.6(a)(3)(iv)(C)] because the hazardous wastes were not "oil-bearing hazardous wastes from petroleum refining, production, and transportation practices."

42. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning.").

43. Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the

Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic contaminants from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. The vent stream is filtered, then nitrogen, along with non-condensable gases, is injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic contaminants from the hazardous waste in the TDU's indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. "Hazardous waste" is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as "any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic contaminants from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. The vent stream is filtered, then nitrogen, along with non-condensable gases, is injected into the combustion chamber of the TDU, where it is burned.

54. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning.")

55. Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste

or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

56. The burning of gases in the TDU's combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

57. An incinerator is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] as “any enclosed device that: (A) uses controlled flame combustion and neither meets the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; or (B) meets the definition of infrared incinerator or plasma arc incinerator.”

58. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

59. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

60. The combustion chamber of the TDU is an “incinerator” as that term is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] because it thermally processes (thermally treats) hazardous waste by burning hazardous waste using controlled flame combustion.

61. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in an incinerator.

62. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

63. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

64. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

65. The roll-off boxes identified in Paragraph 64 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

66. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

67. The roll-off boxes identified in Paragraph 64 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

68. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

69. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

70. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock into the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose primary Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells

1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing”, and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator’s facility.

3. Within seven (7) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, interim limits on operating parameters, including, but not limited, to the following:

- a. maximum hazardous waste feed rate to the rotary dryer;
- b. limits on ash, semivolatile metals, low volatile metals, mercury, and total chlorine (organic and inorganic) (Cl_2 and HCl);
- c. minimum rotary dryer temperature;
- d. maximum gas/vapor flow rate to the Off-Gas Condensing Recovery System;
- e. maximum Off-Gas Condensing Recovery System outlet temperature;
- f. minimum combustion chamber temperature;
- g. maximum gas/vapor flow rate to the combustion chamber;
- h. other Off-Gas Condensing Recovery Systems operating parameter limits; and
- i. any other operating parameter limits for air pollution control devices used.

The submittal shall include monitoring and recordkeeping requirements. The Respondents shall implement the operating parameter limits as approved or modified by TCEQ.

4. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff at the TDU in accordance with the requirements of 40 C.F.R. § 63.1206(c)(3).

5. Within ninety (90) days of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizer unit (TOU) instead of the combustion chamber of the TDU. After the reconfiguration has occurred, for the purposes of Section III and IV.C of this CAFO only, references to the TDU shall include the TOU, unless otherwise indicated.

6. Within ninety (90) days of the effective date of this CAFO, the Respondent shall also submit to EPA for approval, with a copy to TCEQ, interim operating parameters for the TOU including, but not limited to:

- a. minimum temperature of the TOU combustion chamber; and
- b. maximum flue gas flow rate.

The Respondents shall implement the operating parameter limits as approved or modified by TCEQ.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, calibrate, and operate continuous emissions monitors in accordance with the requirements of 40 C.F.R. § 63.1209. The Respondents shall use carbon monoxide and hydrocarbon CEMS to demonstrate and monitor compliance with the carbon monoxide and hydrocarbon standards of 40 C.F.R. Part 63, Subpart EEE. The Respondents shall also use oxygen CEMS to continuously correct the carbon monoxide or hydrocarbon level to 7 percent oxygen. These CEMS shall be located in compliance with 40 C.F.R. Part 60, Appendix B requirements for rotary dryer emission point (EP-1), the combustion chamber emission point (EP-2), and the TOU. The Respondents shall operate the TDU and the TOU in a manner that the one minute and hourly rolling averages are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. § 63.1209(a).

8. Within one hundred twenty (120) days of the effective date of this CAFO, the Respondents shall submit to TCEQ for approval, with a copy to EPA, a feedstream analysis plan prepared in accordance with 40 C.F.R. § 63.1209(c)(2). The Respondents shall implement the plan as approved or modified by TCEQ.

9. Within six (6) months after the effective date of this CAFO, and every six months thereafter until this CAFO is terminated, the Respondents shall send a report to EPA, with a copy to TCEQ. The Report shall include the following:

- a. Identify the customer, the customer's SIC and NAICS code, copies of the relevant waste approval documents, and manifests for the previous six month period.
- b. All time periods in where there were exceedances of the one minute and hourly rolling averages required under Paragraph 72.A.7.
- c. The initial Report shall include documentation showing the installation dates of the equipment required by Paragraphs 72.A.4, A5, and A.7.

The Report may be submitted in an electronic format (i.e., compact disk). The Respondent may claim the report as confidential business information, in accordance with the requirements of 40 C.F.R. Part 2.

B. RCRA Permit Modification

1. Within ninety (90) days of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33]. This permit application will serve as the Documentation of Compliance required by 40 C.F.R. § 63.1211(c).
2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264 that are appropriate for the operation of the TDU, the TOU, and the oil reclamation unit, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].
3. The Respondents shall also request that the final RCRA permit also include the following:

- a. The applicable requirements of 40 C.F.R. Part 63, Subparts A and EEE;
 - b. The feedstock limitations set forth in Paragraph 68.F;
 - c. Operating parameters for the condensers from the Off-Gas Condensing Recovery System, including appropriate monitoring and recordkeeping requirements for the condensers; and
 - d. Any risk-based terms and conditions necessary to protect human health and the environment.
4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 72.B.1 shall result in the termination of the Respondents' authorization to operate the TDU on that date.

5. By no later than two and one-half years (30 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and have a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the applicable requirements of 40 C.F.R. Part 63, Subparts A and EEE. In the event that TCEQ does not issue a final RCRA Subpart X permit for the TDU as described above by the above deadline, the Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Notice of Intent to Comply (NIC)/Public Participation

1. Within seven (7) days of the effective date of this CAFO, the Respondents shall submit to TCEQ and EPA a draft Notice of Intent to Comply (NIC) pursuant to 40 C.F.R. § 63.1210(b), and an initial notification pursuant to 40 C.F.R. § 63.9(b).

2. The Respondents shall make the draft NIC available to the public either (a) at least thirty (30) days prior to the public meeting pursuant to 40 C.F.R. § 63.1210(b)(2), or (b) at a time approved by EPA and TCEQ.

3. The Respondents shall provide the following notices to the public:

a. Notice of Receipt of Application and Intent to Obtain Permit pursuant to 30 T.A.C. §§ 39.418 and 39.509. Notice of the public meeting required by 30 T.A.C. § 305.69(d)(4) shall be included with the Notice of Receipt of Application and Intent to Obtain Permit, as required by 30 T.A.C. § 39.418;

b. Notice to the public of the Notice of Application and Preliminary Decision pursuant to 30 T.A.C. §§ 39.419 and 39.509; and

c. NIC public meeting required by 40 C.F.R. § 63.1210(c)(3).

4. The Respondents shall hold a public meeting pursuant to 30 T.A.C. § 305.69(d)(4) [40 C.F.R. § 270.42(c)] no earlier than fifteen (15) days following publication of the notice and no later than fifteen (15) days before the close of the sixty (60) day comment period. This public meeting shall also be coordinated with the NIC public meeting required by 40 C.F.R. § 63.1210(c).

5. The Respondents shall submit to TCEQ and EPA the final NIC pursuant to 40 C.F.R. § 63.1210(b)(3) no later than 60 days following the public meeting.

6. The failure to timely submit the final NIC to TCEQ and EPA no later than 60 days following the public meeting shall result in the termination of the Respondents' authorization to operate the TDU on that date.

D. Startup, Shutdown, and Malfunction Plan

1. Within one hundred twenty (120) days of the effective date of this CAFO, the Respondents shall submit a Startup, Shutdown, and Malfunction Plan to TCEQ for approval, with a copy to EPA. This plan shall be prepared in accordance with 40 C.F.R. §§ 63.6(e)(3) and 63.1206(c)(2). The Respondents shall comply with any instructions or directives from TCEQ regarding approval, disapproval, or submission of any additional information.

E. Trial Burn

1. The Respondents shall perform a trial burn as set forth below. The trial burn is required to demonstrate compliance with the emissions standards of 40 C.F.R. Part 63, Subpart EEE, establish limits for the operating parameters provided by 40 C.F.R. § 61.1209, and demonstrate compliance with the performance specifications for continuous monitoring systems.

2. Within one hundred twenty (120) days of the effective date of this CAFO, the Respondents shall submit to TCEQ for approval, with a copy to EPA, a complete and approvable trial burn plan and a continuous monitoring system (CMS) performance test plan pursuant to the requirements of 40 C.F.R. §§ 63.7, 63.1207, and 63.1209. The trial burn plan shall also provide for a performance test to determine the efficiency and operating parameters of the condensers from the Off-Gas Condensing Recovery System, the capture efficiency, destruction and removal efficiency, and the actual nature, pattern, and quantity of emissions from EPN EP-1, EP-2, the TOU, and any other fugitive or point source emissions of the TDU system capable of routing off-gas from the TDU to the atmosphere, including its air contaminant control systems, product recovery systems, and treated material handling system.

3. The Respondents shall make the trial burn plan and CMS performance test plan available for public review upon issuance of the notice of NIC public meeting.

4. The Respondents shall implement the trial burn plan and the CMS performance test plan as approved by TCEQ, within ninety (90) days after approval of the trial burn plan and the CMS performance test plan. During the testing, the Respondents shall comply with 40 C.F.R. §§ 63.7(e) and 63.1207(g).

5. If the Respondents determine (based on CEM recordings, results of analyses of stack samples, or results of CMS performance evaluations) that they have exceeded any emission standard for a mode of operation, they must cease hazardous waste burning immediately under that mode of operation, except as provided in 40 C.F.R. § 63.1207(l)(1). The Respondents must make this determination within forty-five (45) days following completion of the trial burn. The Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

6. All analyses required by the trial burn plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.

7. Pursuant to 40 C.F.R. §§ 63.7(g), 63.9(h), 63.1207(j), and 63.1210(d), within ninety (90) days from completion of the trial burn and the CMS performance test, the Respondents shall submit a Notification of Compliance (NOC) to TCEQ and EPA documenting compliance with the emission standards and continuous monitoring system requirements, and identifying operating parameter limits under 40 C.F.R. § 63.1209. All data collected during the trial burn and the CMS performance test (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to TCEQ and EPA along with the NOC.

8. As of the date of the submission of the NOC, the Respondent shall comply with all operating requirements of the NOC, and the requirements of 40 C.F.R. §§ 63.1209 and 63.1219.

9. The failure to timely submit an NOC to TCEQ and EPA within ninety (90) days from completion of the trial burn and the CMS performance test shall result in the termination of the Respondents' authorization to operate the TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. If the Respondent desires to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after it receives its RCRA Permit Modification, feedstock to the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170. Also acceptable is oil-bearing hazardous waste from facilities whose primary Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities)	213112	Support Activities for Oil and Gas Operations

	performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate, ~~independent~~ determination whether the hazardous waste in question is “oil-bearing”, and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator’s facility. The Respondents shall request that this provision be placed in ~~the issued its Final~~ RCRA permit.

G. Submission, Revision, and Approval Process

1. For all applications or plans required be submitted to TCEQ for approval under this CAFO, TCEQ will review these applications or plans and issue only one Notice of Deficiency (NOD) to the Respondents in accordance with 30 T.A.C. §§ 281.3(c) and 281.19(a). The Respondents must provide an approvable response to TCEQ, with a copy to EPA, within thirty (30) days of receipt of the NOD. In the event that the Respondents fail to submit a timely and

good-faith approvable NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline [thirty (30) days from the date of receipt of the NOD].

H. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the applicable requirements of 40 C.F.R. Part 63, Subparts A and EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of the CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

I. EPA Review and Comment

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate applicable requirements of 40 C.F.R. Parts 264 and 40 C.F.R. Part 63, Subparts A and EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was

necessary to implement approved State program requirements, whether or not that condition was included in the final permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

J. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

71. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of _____ **DOLLARS (\$ _____)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of _____ **DOLLARS (\$ _____)**.

72. Within thirty (30) days of the effective date of this CAFO, the Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to

“Treasurer, United States of America, EPA - Region 6”. Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
“D 68010727 Environmental Protection Agency”

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent’s name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions

shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

73. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

74. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

75. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

76. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

77. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall identify the following equipment in the oil reclamation unit and the TDU that is in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;

4. sampling connection systems;
5. open-ended valves or lines;
6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

The Respondents shall assume all the equipment is in VHAP service unless otherwise demonstrated in accordance with the requirements of 261.245(d).

C. Within sixty (60) days of the effective date of the CAFO, the Respondents shall submit a Subpart V Report to EPA, which includes the following information;

- a. Identification of all equipment specified in Paragraph 77.B above;
- b. Identification of all equipment that is in VHAP service;
- c. Identification of all equipment that is not in VHAP service, along with documentation that meets the requirements of 40 C.F.R. § 61.245(d) which demonstrates that the equipment does not in VHAP service. The Report shall be submitted in accordance with Paragraphs 77.~~KL~~ and 77.~~LM~~.

D. If applicable, within ninety (90) days of the effective date of the CAFO, the Respondents shall implement a fugitive monitoring program in accordance with the requirements of 40 C.F.R. Part 61, Subpart V.

E. If applicable, within ninety (90) days of the effective date of the CAFO, the Respondent shall submit the notice required by 40 C.F.R. § 61.247(a) to TCEQ.

~~F.~~ Pursuant to 40 C.F.R. § 61.343(a)(1), within ninety (90) days of the effective date of the CAFO, the Respondents shall install, operate, and maintain a fixed roof and closed vent system that routes all organic vapors from the following tanks set forth below to a control device:

- ~~1. Shaker Tank (T-30);~~
- ~~2. Surge Tank (T-34);~~
- ~~3. Condensate Water Tanks (T-3A, T3-B);~~
- ~~4. T-10 Series Tanks (T-10, T-11, T-12, T-13);~~
- ~~5. T-30 Series Tanks (T-31, T-32, T-33);~~
- ~~6. Filtrate Mix Tank (T-5);~~
- ~~7. Filtrate Tank (T-6);~~
- ~~8. Filtrate Skim Tank (T-6A); and~~
- ~~9. Centrifuge.~~

The fixed roofs shall meet the requirements of 40 C.F.R. § 61.343(a)(1)(i), and the control devices shall be designed and operated in accordance with the requirements of 40 C.F.R. § 61.349. The emissions from the tanks shall be routed to a carbon adsorption system when the TOU is not operating or out of service. The carbon in the carbon adsorption systems used as control device shall be replaced immediately when carbon breakthrough is indicated. The devices shall be monitored as required by 40 C.F.R. § 61.354(d).

~~FG.~~ Pursuant to 40 C.F.R. § 61.354(c), as within ninety (90) days of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

GH. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position (e.g., covered by a lid that is gasketed and latched) at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

HI. The Respondents shall use a submerge fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

IJ. Within _____ days of the effective date of the CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R. § 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within thirty (30) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 77.KL and 77.LM.

JK. Within 210 days of the effective date of the CAFO, the Respondent shall submit a written report to EPA. The Report shall include the following:

1. If applicable, a copy of the fugitive emission program required by Paragraph 77.D;
2. If applicable, a copy of the notice required by Paragraph 77.E;
3. Documentation showing compliance with Paragraphs 77.F, 77.G, and 77.H ~~and 77.I~~.

KL. The reports identified in this Section must be accompanied by the following certification:

"I certify under penalty of law that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

LM. All Reports required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

78. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports, Notices, or Plans - Paragraphs 70.A.3, 70.A.6, 70.A.8, 70.A.9, 70.C.1, 70.C.5, 70.D.1, and 70.E.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 70.A.4, 70.A.5, and 70.A.7

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

79. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 72 herein. Interest and late charges shall be paid as stated in Paragraphs 74 - 75 herein.

80. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

81. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

82. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

83. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated

by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

84. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

85. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

86. A "force majeure event" is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents' best efforts to fulfill the obligation. "Best efforts" includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting delay to the greatest extent possible. "Force Majeure" does not include the Respondents' financial inability to perform any obligation under this CAFO.

87. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first

knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the Respondents' past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents' rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

88. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

89. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

90. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of

the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

91. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

92. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

93. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

94. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment. Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and

criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

95. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

96. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

97. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

98. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

99. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

100. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

101. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

**THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT
AGREEMENT AND FINAL ORDER:**

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates, L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b) this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

CONFIDENTIAL SETTLEMENT COMMUNICATION – EPA REVISIONS – 8-10-12

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:)	
)	
US ECOLOGY TEXAS, INC., and)	DOCKET NOS. RCRA-06-2012-0936
TD*X ASSOCIATES LP)	and RCRA-06-2012-0937
)	
RESPONDENTS)	
_____)	

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents admit the jurisdictional allegations contained herein; however, the Respondents neither admit nor deny the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waive any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are set forth herein.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consent to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. “Person” is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as “an individual, corporation, organization, government or government subdivision or agency, business trust, partnership, association, or any other legal entity.”

10. The Respondent USET is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903(15).

11. The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

12. “Owner” is defined in 30 T.A.C. § 335.1(107) [40 C.F.R. § 260.10] as “the person who owns a facility or part of a facility.”

13. “Operator” is defined in 30 T.A.C. § 335.1(108) [40 C.F.R. § 260.10] as “whoever has legal authority and responsibility for a facility that generates, transports, processes, stores or disposes of any hazardous waste.”

14. “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

15. “Facility” is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10] as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for treating, storing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations thereof).”

16. The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Route 69, Robstown, TX 78380, EPA I.D. No. TSD069452340, Permit No. HW-50052-001.

17. The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) [40 C.F.R. § 260.10].

18. The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

19. An oil reclamation unit is located at the facility identified in Paragraph 16.

20. The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30) three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

21. The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

22. On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET's TSD facility and the oil reclamation unit were inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

23. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

24. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

25. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

26. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

28. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

29. Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

30. On various dates after June 15, 2008, certain recyclable materials were processed in the tanks identified in Paragraph 20.

31. The recyclable materials identified in Paragraph 30 did not meet the exemption in 30 T.A.C. § 335.24(c) [40 C.F.R. § 261.6(a)(3)(iv)(C) because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

32. The Respondent TD*X “processed” (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] in the tanks identified in Paragraph 20.

33. To date, neither the Respondent USET or Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the processing (treatment) of hazardous waste in the tanks identified in Paragraph 20.

34. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by processing (treating) hazardous waste without a RCRA permit or interim status.

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

35. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

36. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

37. “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

38. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

39. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

40. Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

41. On various dates after June 15, 2008, certain recyclable materials were fed into the TDU that did not meet the exemption in 30 T.A.C. § 335.24(c) [40 C.F.R. § 261.6(a)(3)(iv)(C)] because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.”

42. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning.").

43. Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the

Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

44. The TDU uses heat from an indirect heated rotary dryer to separate the organic contaminants from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. The vent stream is filtered, then nitrogen, along with non-condensable gases, is injected into the combustion chamber of the TDU, where it is burned.

45. The separation of the organic contaminants from the hazardous waste in the TDU's indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

46. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

47. Therefore, the Respondent USET and the Respondent TD*X have violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

48. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

49. "Hazardous waste" is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as "any solid waste identified or listed as a hazardous waste by the administrator of the United States

Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

50. The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

51. Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

52. On various dates after June 15, 2008, hazardous wastes were fed into the TDU.

53. The TDU uses heat from an indirect heated rotary dryer to separate the organic contaminants from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents to a gas treatment system. The oil is recovered by condensing vapor phase organic constituents in the gas treatment system. The vent stream is filtered, then nitrogen, along with non-condensable gases, is injected into the combustion chamber of the TDU, where it is burned.

54. Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10] as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning.")

55. Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste

or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

56. The burning of gases in the TDU's combustion chamber constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

57. An incinerator is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] as “any enclosed device that: (A) uses controlled flame combustion and neither meets the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; or (B) meets the definition of infrared incinerator or plasma arc incinerator.”

58. The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion.

59. The combustion chamber of the TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

60. The combustion chamber of the TDU is an “incinerator” as that term is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] because it thermally processes (thermally treats) hazardous waste by burning hazardous waste using controlled flame combustion.

61. To date, neither the Respondent USET nor Respondent TD*X has applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in an incinerator.

62. Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a RCRA permit or interim status.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

63. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

64. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

65. The roll-off boxes identified in Paragraph 64 contained material which had entered the oil reclamation process and was being temporarily staged before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

66. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

67. The roll-off boxes identified in Paragraph 64 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

68. The Respondent USET had not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y”.

69. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

70. Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock into the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170). Also acceptable is oil-bearing hazardous waste from facilities whose primary Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells

1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate determination whether the hazardous waste in question is “oil-bearing”, and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator’s facility.

3. Within seven (7) days of the effective date of this CAFO, the Respondents shall submit to EPA for approval, with a copy to TCEQ, interim limits on operating parameters, including, but not limited, to the following:

- a. maximum hazardous waste feed rate to the rotary dryer;
- b. limits on ash, semivolatile metals, low volatile metals, mercury, and total chlorine (organic and inorganic) (Cl_2 and HCl);
- c. minimum rotary dryer temperature;
- d. maximum gas/vapor flow rate to the Off-Gas Condensing Recovery System;
- e. maximum Off-Gas Condensing Recovery System outlet temperature;
- f. minimum combustion chamber temperature;
- g. maximum gas/vapor flow rate to the combustion chamber;
- h. other Off-Gas Condensing Recovery Systems operating parameter limits; and
- i. any other operating parameter limits for air pollution control devices used.

The submittal shall include monitoring and recordkeeping requirements. The Respondents shall implement the operating parameter limits as approved or modified by TCEQ.

4. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff at the TDU in accordance with the requirements of 40 C.F.R. § 63.1206(c)(3).

5. Within ninety (90) days of the effective date of this CAFO, the Respondents shall reconfigure the TDU so that the non-condensable vent gases are routed to a thermal oxidizer unit (TOU) instead of the combustion chamber of the TDU. After the reconfiguration has occurred, for the purposes of Section III and IV.C of this CAFO only, references to the TDU shall include the TOU, unless otherwise indicated.

6. Within ninety (90) days of the effective date of this CAFO, the Respondent shall also submit to EPA for approval, with a copy to TCEQ, interim operating parameters for the TOU including, but not limited to:

- a. minimum temperature of the TOU combustion chamber; and
- b. maximum flue gas flow rate.

The Respondents shall implement the operating parameter limits as approved or modified by TCEQ.

7. Within ninety (90) days of the effective date of this CAFO, the Respondents shall install, calibrate, and operate continuous emissions monitors in accordance with the requirements of 40 C.F.R. § 63.1209. The Respondents shall use carbon monoxide and hydrocarbon CEMS to demonstrate and monitor compliance with the carbon monoxide and hydrocarbon standards of 40 C.F.R. Part 63, Subpart EEE. The Respondents shall also use oxygen CEMS to continuously correct the carbon monoxide or hydrocarbon level to 7 percent oxygen. These CEMS shall be located in compliance with 40 C.F.R. Part 60, Appendix B requirements for rotary dryer emission point (EP-1), the combustion chamber emission point (EP-2), and the TOU. The Respondents shall operate the TDU and the TOU in a manner that the one minute and hourly rolling averages are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. § 63.1209(a).

8. Within one hundred twenty (120) days of the effective date of this CAFO, the Respondents shall submit to TCEQ for approval, with a copy to EPA, a feedstream analysis plan prepared in accordance with 40 C.F.R. § 63.1209(c)(2). The Respondents shall implement the plan as approved or modified by TCEQ.

9. Within six (6) months after the effective date of this CAFO, and every six months thereafter until this CAFO is terminated, the Respondents shall send a report to EPA, with a copy to TCEQ. The Report shall include the following:

- a. Identify the customer, the customer's SIC and NAICS code, copies of the relevant waste approval documents, and manifests for the previous six month period.
- b. All time periods in where there were exceedances of the one minute and hourly rolling averages required under Paragraph 72.A.7.
- c. The initial Report shall include documentation showing the installation dates of the equipment required by Paragraphs 72.A.4, A5, and A.7.

The Report may be submitted in an electronic format (i.e., compact disk). The Respondent may claim the report as confidential business information, in accordance with the requirements of 40 C.F.R. Part 2.

B. RCRA Permit Modification

1. Within ninety (90) days of the effective date of this CAFO, the Respondents shall submit to TCEQ, with a copy to EPA, an application for a Class 3 RCRA Permit Modification to permit the TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33]. This permit application will serve as the Documentation of Compliance required by 40 C.F.R. § 63.1211(c).

2. The permit application shall also include relevant requirements of 40 C.F.R. Part 264 that are appropriate for the operation of the TDU, the TOU, and the oil reclamation unit, including an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) [40 C.F.R. §§ 264.341, 264.347, and 264.351].

3. The Respondents shall also request that the final RCRA permit also include the following:

- a. The applicable requirements of 40 C.F.R. Part 63, Subparts A and EEE;
- b. The feedstock limitations set forth in Paragraph 68.F;
- c. Operating parameters for the condensers from the Off-Gas Condensing Recovery System, including appropriate monitoring and recordkeeping requirements for the condensers; and

- d. Any risk-based terms and conditions necessary to protect human health and the environment.

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 72.B.1 shall result in the termination of the Respondents' authorization to operate the TDU on that date.

5. By no later than two and one-half years (30 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and have a final RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the applicable requirements of 40 C.F.R. Part 63, Subparts A and EEE. In the event that TCEQ does not issue a final RCRA Subpart X permit for the TDU as described above by the above deadline, the Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

C. Notice of Intent to Comply (NIC)/Public Participation

1. Within seven (7) days of the effective date of this CAFO, the Respondents shall submit to TCEQ and EPA a draft Notice of Intent to Comply (NIC) pursuant to 40 C.F.R. § 63.1210(b), and an initial notification pursuant to 40 C.F.R. § 63.9(b).

2. The Respondents shall make the draft NIC available to the public either (a) at least thirty (30) days prior to the public meeting pursuant to 40 C.F.R. § 63.1210(b)(2), or (b) at a time approved by EPA and TCEQ.

3. The Respondents shall provide the following notices to the public:

a. Notice of Receipt of Application and Intent to Obtain Permit pursuant to 30 T.A.C. §§ 39.418 and 39.509. Notice of the public meeting required by 30 T.A.C. § 305.69(d)(4) shall be included with the Notice of Receipt of Application and Intent to Obtain Permit, as required by 30 T.A.C. § 39.418;

b. Notice to the public of the Notice of Application and Preliminary Decision pursuant to 30 T.A.C. §§ 39.419 and 39.509; and

c. NIC public meeting required by 40 C.F.R. § 63.1210(c)(3).

4. The Respondents shall hold a public meeting pursuant to 30 T.A.C. § 305.69(d)(4) [40 C.F.R. § 270.42(c)] no earlier than fifteen (15) days following publication of the notice and no later than fifteen (15) days before the close of the sixty (60) day comment period. This public meeting shall also be coordinated with the NIC public meeting required by 40 C.F.R. § 63.1210(c).

5. The Respondents shall submit to TCEQ and EPA the final NIC pursuant to 40 C.F.R. § 63.1210(b)(3) no later than 60 days following the public meeting.

6. The failure to timely submit the final NIC to TCEQ and EPA no later than 60 days following the public meeting shall result in the termination of the Respondents' authorization to operate the TDU on that date.

D. Startup, Shutdown, and Malfunction Plan

1. Within one hundred twenty (120) days of the effective date of this CAFO, the Respondents shall submit a Startup, Shutdown, and Malfunction Plan to TCEQ for approval, with a copy to EPA. This plan shall be prepared in accordance with 40 C.F.R. §§ 63.6(e)(3) and 63.1206(c)(2). The Respondents shall comply with any instructions or directives from TCEQ regarding approval, disapproval, or submission of any additional information.

E. Trial Burn

1. The Respondents shall perform a trial burn as set forth below. The trial burn is required to demonstrate compliance with the emissions standards of 40 C.F.R. Part 63, Subpart EEE, establish limits for the operating parameters provided by 40 C.F.R. § 61.1209, and demonstrate compliance with the performance specifications for continuous monitoring systems.

2. Within one hundred twenty (120) days of the effective date of this CAFO, the Respondents shall submit to TCEQ for approval, with a copy to EPA, a complete and approvable trial burn plan and a continuous monitoring system (CMS) performance test plan pursuant to the requirements of 40 C.F.R. §§ 63.7, 63.1207, and 63.1209. The trial burn plan shall also provide for a performance test to determine the efficiency and operating parameters of the condensers from the Off-Gas Condensing Recovery System, the capture efficiency, destruction and removal efficiency, and the actual nature, pattern, and quantity of emissions from EPN EP-1, EP-2, the TOU, and any other fugitive or point source emissions of the TDU system capable of routing off-gas from the TDU to the atmosphere, including its air contaminant control systems, product recovery systems, and treated material handling system.

3. The Respondents shall make the trial burn plan and CMS performance test plan available for public review upon issuance of the notice of NIC public meeting.

4. The Respondents shall implement the trial burn plan and the CMS performance test plan as approved by TCEQ, within ninety (90) days after approval of the trial burn plan and the CMS performance test plan. During the testing, the Respondents shall comply with 40 C.F.R. §§ 63.7(e) and 63.1207(g).

5. If the Respondents determine (based on CEM recordings, results of analyses of stack samples, or results of CMS performance evaluations) that they have exceeded any emission standard for a mode of operation, they must cease hazardous waste burning immediately under that mode of operation, except as provided in 40 C.F.R. § 63.1207(l)(1). The Respondents must make this determination within forty-five (45) days following completion of the trial burn. The Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

6. All analyses required by the trial burn plan shall be performed by a NELAC accredited laboratory or by a laboratory pre-approved by TCEQ.

7. Pursuant to 40 C.F.R. §§ 63.7(g), 63.9(h), 63.1207(j), and 63.1210(d), within ninety (90) days from completion of the trial burn and the CMS performance test, the Respondents shall submit a Notification of Compliance (NOC) to TCEQ and EPA documenting compliance with the emission standards and continuous monitoring system requirements, and identifying operating parameter limits under 40 C.F.R. § 63.1209. All data collected during the trial burn and the CMS performance test (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted to TCEQ and EPA along with the NOC.

8. As of the date of the submission of the NOC, the Respondent shall comply with all operating requirements of the NOC, and the requirements of 40 C.F.R. §§ 63.1209 and 63.1219.

9. The failure to timely submit an NOC to TCEQ and EPA within ninety (90) days from completion of the trial burn and the CMS performance test shall result in the termination of the Respondents' authorization to operate the TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. If the Respondent desires to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after it receives its RCRA Permit Modification, feedstock to the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production, and transportation practices. Oil-bearing hazardous waste from petroleum refining, production, or transportation practices includes the following listed waste from specific Petroleum Refining Sources (K049, K050, K051, K052, K169, and K170. Also acceptable is oil-bearing hazardous waste from facilities whose primary Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities	213112	Support Activities for Oil and Gas Operations

	performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to make a separate, ~~independent~~ determination whether the hazardous waste in question is “oil-bearing”, and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator’s facility. The Respondents shall request that this provision be placed in the issued ~~its Final~~ RCRA permit.

G. Submission, Revision, and Approval Process

1. For all applications or plans required be submitted to TCEQ for approval under this CAFO, TCEQ will review these applications or plans and issue only one Notice of Deficiency (NOD) to the Respondents in accordance with 30 T.A.C. §§ 281.3(c) and 281.19(a). The Respondents must provide an approvable response to TCEQ, with a copy to EPA, within thirty (30) days of receipt of the NOD. In the event that the Respondents fail to submit a timely and

good-faith approvable NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline [thirty (30) days from the date of receipt of the NOD].

H. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) [40 C.F.R. Part 264, Subpart X], 30 T.A.C. Chapter 305 [40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33], and which incorporates the applicable requirements of 40 C.F.R. Part 63, Subparts A and EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of the CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

I. EPA Review and Comment

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate applicable requirements of 40 C.F.R. Parts 264 and 40 C.F.R. Part 63, Subparts A and EEE directly into the permit or establish other permit conditions that are based on those parts; or take action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was

necessary to implement approved State program requirements, whether or not that condition was included in the final permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R. § 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

J. Submissions

In all instances in which this Compliance Order requires written submissions to EPA and TCEQ, each submission must be accompanied by the following certification:

“I certify that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

71. Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents’ good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby **ORDERED** that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of _____ **DOLLARS (\$_____)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of _____ **DOLLARS (\$_____)**.

72. Within thirty (30) days of the effective date of this CAFO, the Respondents shall pay the assessed civil penalty by certified check, cashier’s check, or wire transfer, made payable to

“Treasurer, United States of America, EPA - Region 6”. Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
“D 68010727 Environmental Protection Agency”

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent’s name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions

shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

73. The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

74. Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

75. EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

76. The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it.

C. ADDITIONAL REQUIREMENTS

77. The Respondents shall undertake the following additional requirements:

A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subpart FF.

B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall identify the following equipment in the oil reclamation unit and the TDU that is in “volatile hazardous air pollutant” (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:

1. pumps;
2. compressors;
3. pressure relief devices;

4. sampling connection systems;
5. open-ended valves or lines;
6. valves;
7. connectors;
8. surge control vessels;
9. bottoms receivers; and
10. control devices and systems.

The Respondents shall assume all the equipment is in VHAP service unless otherwise demonstrated in accordance with the requirements of 261.245(d).

C. Within sixty (60) days of the effective date of the CAFO, the Respondents shall submit a Subpart V Report to EPA, which includes the following information;

- a. Identification of all equipment specified in Paragraph 77.B above;
- b. Identification of all equipment that is in VHAP service;
- c. Identification of all equipment that is not in VHAP service, along with documentation that meets the requirements of 40 C.F.R. § 61.245(d) which demonstrates that the equipment does not in VHAP service. The Report shall be submitted in accordance with Paragraphs 77.~~KL~~ and 77.~~LM~~.

D. If applicable, within ninety (90) days of the effective date of the CAFO, the Respondents shall implement a fugitive monitoring program in accordance with the requirements of 40 C.F.R. Part 61, Subpart V.

E. If applicable, within ninety (90) days of the effective date of the CAFO, the Respondent shall submit the notice required by 40 C.F.R. § 61.247(a) to TCEQ.

~~F.~~ Pursuant to 40 C.F.R. § 61.343(a)(1), within ninety (90) days of the effective date of the CAFO, the Respondents shall install, operate, and maintain a fixed roof and closed vent system that routes all organic vapors from the following tanks set forth below to a control device:

- ~~1. Shaker Tank (T-30);~~
- ~~2. Surge Tank (T-34);~~
- ~~3. Condensate Water Tanks (T-3A, T3-B);~~
- ~~4. T-10 Series Tanks (T-10, T-11, T-12, T-13);~~
- ~~5. T-30 Series Tanks (T-31, T-32, T-33);~~
- ~~6. Filtrate Mix Tank (T-5);~~
- ~~7. Filtrate Tank (T-6);~~
- ~~8. Filtrate Skim Tank (T-6A); and~~
- ~~9. Centrifuge.~~

The fixed roofs shall meet the requirements of 40 C.F.R. § 61.343(a)(1)(i), and the control devices shall be designed and operated in accordance with the requirements of 40 C.F.R. § 61.349. The emissions from the tanks shall be routed to a carbon adsorption system when the TOU is not operating or out of service. The carbon in the carbon adsorption systems used as control device shall be replaced immediately when carbon breakthrough is indicated. The devices shall be monitored as required by 40 C.F.R. § 61.354(d). ~~FG.~~ Pursuant to 40 C.F.R. § 61.354(c), as within ninety (90) days of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

GH. Pursuant to 40 C.F.R. § 61.345(a), within 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain covers on Bins 1, 2, 3, 4, and the

Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be in a closed, sealed position (e.g., covered by a lid that is gasketed and latched) at all times that waste is in the container except when it is necessary to use the opening for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii). The Respondents shall monitor the cover and all openings for no detectable emissions initially and thereafter at least once per year by the methods specified in 40 C.F.R. § 61.355(h).

HI. The Respondents shall use a submerge fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

I. Within _____ days of the effective date of the CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R. § 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355. A copy of the performance test results shall be submitted to EPA within thirty (30) days of completion of the performance tests. The performance tests results shall be submitted in accordance with Paragraphs 77.KL and 77.LM.

JK. Within 210 days of the effective date of the CAFO, the Respondent shall submit a written report to EPA. The Report shall include the following:

1. If applicable, a copy of the fugitive emission program required by Paragraph 77.D;
2. If applicable, a copy of the notice required by Paragraph 77.E;
3. Documentation showing compliance with Paragraphs 77.F, 77.G, and 77.H ~~and 77.I~~.

KL. The reports identified in this Section must be accompanied by the following certification:

“I certify under penalty of law that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are

significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

LM. All Reports required under this Section shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

78. In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports, Notices, or Plans - Paragraphs 70.A.3, 70.A.6, 70.A.8, 70.A.9, 70.C.1, 70.C.5, 70.D.1, and 70.E.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs 70.A.4, 70.A.5, and 70.A.7

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
--------------------------------	--------------------------------------

1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

79. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 72 herein. Interest and late charges shall be paid as stated in Paragraphs 74 - 75 herein.

80. Nothing in this agreement shall be construed as prohibiting, altering, or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

81. If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within thirty (30) calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)

Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

82. The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional thirty (30) calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

83. If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach agreement within this second 30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

84. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

85. The invocation of dispute resolution procedures under this Section shall not extend, postpone, or affect in any way, any obligations of the Respondents under this CAFO, unless and until final resolution of the dispute so provides. Stipulated penalties with respect to the disputed matter shall continue to accrue from the first day of noncompliance, but payment shall be stayed pending resolution of the dispute. If the Respondents do not prevail on the disputed issue, stipulated penalties shall be assessed and paid as provided in Section IV.D.

F. FORCE MAJEURE

86. A “force majeure event” is any event beyond the control of the Respondents, their contractors, or any entity controlled by the Respondents that delays the performance of any obligation under this CAFO despite the Respondents’ best efforts to fulfill the obligation. “Best efforts” includes anticipating any potential force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting delay to the greatest extent possible. “Force Majeure” does not include the Respondents’ financial inability to perform any obligation under this CAFO.

87. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.G of this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated

duration of any delay; its cause(s); the Respondents' past and proposed actions to prevent or minimize any delay; a schedule for carrying out those actions; and the Respondents' rationale for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondents from asserting any claim of force majeure.

88. The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

89. If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondents to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.H of this CAFO.

90. If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondents, the Complainant's position shall be binding, unless the Respondents invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondents bear the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the Respondents gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents' claimed was attributable to that event; and that the Respondents exercised their reasonable best efforts to prevent or minimize any delay caused by

the event. If the Respondents carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

91. Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

92. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTS

93. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

94. Except as herein provided, nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health, welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment.

Furthermore, nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

95. The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. This CAFO shall not be construed to limit the rights of the EPA or

United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

96. In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, or other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to this CAFO.

97. This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The Complainant does not warrant or aver in any manner that the Respondents' compliance with any aspect of this CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

98. Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States

Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

99. Each party shall bear its own costs and attorney's fees. Furthermore, each Respondent specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

100. At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

101. This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

**THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT
AGREEMENT AND FINAL ORDER:**

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates, L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive relief or other equitable relief for criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b) this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

CONFIDENTIAL SETTLEMENT COMMUNICATION

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 6
DALLAS, TEXAS

IN THE MATTER OF:

US ECOLOGY TEXAS, INC., and
TD*X ASSOCIATES LP

RESPONDENTS

DOCKET NOS. RCRA-06-2012-0936
and RCRA-06-2012-0937

CONSENT AGREEMENT AND FINAL ORDER

The Director of the Compliance Assurance and Enforcement Division of the United States Environmental Protection Agency (EPA), Region 6 (Complainant) and US Ecology Texas, Inc. and TD*X Associates L.P. (Respondents) in the above-referenced proceeding, hereby agree to resolve this matter through the issuance of this Consent Agreement and Final Order (CAFO).

I. PRELIMINARY STATEMENT

1. This proceeding for the assessment of civil penalties and the issuance of a compliance order is brought by EPA pursuant to Section 3008 of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928, as amended by the Hazardous and Solid Waste Amendments of 1984 (HSWA), and is simultaneously commenced and concluded through the issuance of this Consent Agreement and Final Order (CAFO) pursuant to 40 C.F.R. §§ 22.13(b), 22.18(b)(2) and (3), and 22.37.

2. Notice of this action was given to the State of Texas prior to the issuance of this CAFO, as required by Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2).

3. For the purposes of this proceeding, the Respondents deny any liability to the United States arising out of the transaction or occurrences alleged in this CAFO. Respondents also deny the truth of any allegations in this CAFO except the allegations pertaining to venue and subject matter jurisdiction in Section II.A. of this CAFO. ~~admits the jurisdictional allegations herein; however, the Respondents neither admits nor denies the specific factual allegations contained in this CAFO.~~

4. The Respondents explicitly waives any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are either specifically set forth herein, or are alleged violations of 40 C.F.R. Part 61; Subpart FF, for which injunctive relief is specified in Section IV.C of this CAFO.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consents to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. "Person" is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as "an individual, corporation, organization,

government or government subdivision or agency, business trust, partnership, association, or any other legal entity.”

~~10.~~The Respondent USET is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. ~~11.10.~~ § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

~~11.~~The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. ~~13.11.~~ § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

~~12.~~“Owner” is defined in 30 T.A.C. § 335.1(107) (40 C.F.R. § 260.10) as “the person who owns a facility or part of a facility.”

~~13.~~“Operator” is defined in 30 T.A.C. § 335.1(108) (40 C.F.R. § 260.10) as “whoever has legal authority and responsibility for a facility that generates, transports, processes, stores or disposes of any hazardous waste.”

~~14.~~“Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

~~15.~~“Facility” is defined in 30 T.A.C. § 335.1(59) (40 C.F.R. § 260.10) as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for treating, storing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations thereof).”

~~16.~~The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Route 69, Robstown, TX 78380, EPA I.D. No. TSD069452340, Permit No. HW-50052-001.

~~17.~~The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) (40 C.F.R. § 260.10).

~~20-18.~~ The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

~~21-19.~~ ~~The Respondent USET has a~~An oil reclamation unit is located ~~on~~at the facility identified in Paragraph 16.

~~22-20.~~ The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30) three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

~~23-21.~~ The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

~~24-22.~~ On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET’s TSD facility and the oil reclamation unit was inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. ALLEGED VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

~~25-23.~~ Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

~~26-24.~~ “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

~~27-25.~~ “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

~~28-26.~~ The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

~~27.~~ The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

~~28.~~ Recyclable materials identified in 30 T.A.C. § 335.24(c) [40 C.F.R. §261.6(a)(3)] are not subject to regulation under Subchapters B-I or O of Chapter 335, 30 T.A.C. Chapters 1, 3, 10, 17, 20, 31, 39, 40, 50, 70, 80, 86, 261 or 305, except as provided in 30 T.A.C. § 335.24(g) and (h) [40 C.F.R. Parts 262 through 268, 270 or 124].

~~29.~~ The Respondent USET notified the Texas Commission on Environmental Quality (TCEQ) of this activity that it reclaims oil from oil-bearing hazardous wastes from petroleum refining, production and transportation practices in accordance with 40 C.F.R. § 261.6(a)(3)(iv)(C):

~~30-EPA has not promulgated a definition of “oil bearing hazardous wastes from petroleum refining, production and transportation practices” in its regulations.~~

~~30.~~ Hazardous wastes-Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

~~31.~~ Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the

treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

32. On various dates ~~between~~ after June 15, 2008, ~~and the present,~~ certain recyclable materials ~~hazardous wastes~~ were processed in the tanks identified in Paragraph 20.

33. ~~Some of the hazardous waste identified~~ recyclable materials referred to in Paragraph 30 did not meet the exemption definition of "recyclable materials" as that term is defined in 40 C.F.R. § 261.6(a)(3)(iv)(C) ~~because the hazardous wastes were not "oil-bearing hazardous wastes from petroleum refining, production, and transportation practices." EPA has not promulgated a definition of "oil-bearing hazardous wastes from petroleum refining, production and transportation practices in its regulations. Recyclable materials identified in 30 T.A.C. § 335.24(e) [40 C.F.R. § 261.6(a)(3)] are not subject to regulation under Subchapters B-I or O of Chapter 335, 30 T.A.C. Chapters 1, 3, 10, 17, 20, 31, 39, 40, 50, 70, 80, 86, 261 or 305, except as provided in 30 T.A.C. § 335.24(g) and (h) [parts 262 through 268, 270 or 124].~~

34. ~~The exemption for recyclable materials in 30 T.A.C. § 335.24(e) [40 C.F.R.~~

~~§ 261.6(a)(3)] is not applicable for the hazardous waste identified in Paragraphs 30–31.~~

Respondent USET ceased the receipt of the hazardous waste identified in Paragraphs 320-331.

35-34. The Respondents TD*X “processed” (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(117) (40 C.F.R. § 260.10) in the tanks identified in Paragraph 20.

36-35. To date, neither the Respondent USET or Respondent TD*X haves applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste in the tanks identified in Paragraph 20.

37-36. Therefore, the Respondent USET and the Respondent TD*X have violated ~~and continue to violate~~ Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] ~~by processing (treating) hazardous waste without a permit.~~

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

38-37. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

39-38. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

~~40-39.~~ “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

~~41-40.~~ The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

~~41.~~ The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)]. ~~The Respondent USET notified the TCEQ of this activity.~~

~~42.~~ Recyclable materials identified in 30 T.A.C. § 335.24(c) [40 C.F.R. §261.6(a)(3)] are not subject to regulation under Subchapters B-I or O of Chapter 335, 30 T.A.C. Chapters 1, 3, 10, 17, 20, 31, 39, 40, 50, 70, 80, 86, 261 or 305, except as provided in 30 T.A.C. § 335.24(g) and (h) [parts 262 through 268, 270 or 124].

~~43.~~ The Respondent USET notified the ~~Texas Commission on Environmental Quality (TCEQ)~~ that it reclaims oil from oil-bearing hazardous wastes from petroleum refining, production and transportation practices in accordance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

~~42-44.~~ EPA has not promulgated a definition of “oil bearing hazardous wastes from petroleum refining, production and transportation practices” in its regulations.

~~43-45.~~ Recyclable materials Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

~~46.~~ On various dates ~~between after~~ June 15, 2008 and the present, certain hazardous wastes ~~Recyclable Materials~~ were fed into the TDU that did not meet the exemption in 40 C.F.R. § 261.6(a)(3)(iv)(C) definition of “recyclable materials” as that term is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] because the hazardous wastes were not “oil-bearing

hazardous wastes from petroleum refining, production, and transportation practices.”

Respondent USET ceased the receipt of these hazardous wastes.

~~47. The exemption for recyclable materials in 30 T.A.C. §335.24(e) [40 C.F.R. 47. § 261.6(a)(3)] is not applicable for the hazardous waste identified in Paragraph 42.~~

~~45-47.~~ Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) (40 C.F.R. § 260.10) as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning.").

~~46-48.~~ Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

~~47-49.~~ The TDU uses heat from an indirect heated rotary dryer to separate the organic contaminants and to remove them from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents, and transfers them to a gas treatment

~~system using a nitrogen carrier gas. The oil is then recovered by condensing its vapor phase organic constituents in the gas treatment system. The noncondensable gases are recirculated to the heated rotary dryer. The _____~~ An approximate 100 cfm vent stream of noncondensable gases is extracted to balance pressures within the system, filtered and injected into the combustion chamber of the TDU, filtered, then nitrogen, along with non-condensable gases, is injected into the combustion chamber of the TDU, and burned

~~48-50.~~ The separation of the organic contaminants from the hazardous waste in the TDU's indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

~~49-51.~~ To date, neither the Respondent USET nor Respondent TD*X has~~ve~~ applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

~~50-52.~~ Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste without a permit.

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

~~51-53.~~ Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

~~52-54.~~ "Hazardous waste" is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as "any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal

Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

~~§3-55.~~ Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) (40 C.F.R. § 260.10) as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning.")

~~§4-56.~~ Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

~~§4.~~ The burning of gases in the TDU's combustion chamber constitutes thermal processing (thermal treatment), as term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

~~§5-57.~~ An incinerator is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] as

“any enclosed device that: (A) uses controlled flame combustion and neither meets the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; or (B) meets the definition of infrared incinerator or plasma arc incinerator.”

~~56-58.~~ The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion to indirectly heat a rotary dryer.

~~57-59.~~ The TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

~~58-60.~~ The TDU is an “incinerator” as that term is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] because it thermally processes (thermally treats) hazardous waste by burning hazardous waste using controlled flame combustion meets the criteria established in Paragraphs II.B.57 and 58.

[EPA NEEDS TO LAY OUT ITS ARGUMENT THAT WE ARE BURNING HAZARDOUS WASTE TO GET TO PARAGRAPH 60].

~~59-61.~~ To date, neither the Respondent USET nor Respondent TD*X has~~ve~~ applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in an incinerator.

~~60-62.~~ Therefore, the Respondent USET and the Respondent TD*X have violated and ~~continue to violate~~ Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] ~~by thermally processing (thermally treating) hazardous waste in an unpermitted incinerator.~~ The Respondent USET and the Respondent TD*X have proposed to reconfigure the TDU so that the vent stream of noncondensable gases is

routed to a thermal oxidizer unit (TOU) instead of the external combustion chamber of the TDU rotary dryer.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61-63. Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62-64. Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

63-65. The roll-off boxes identified in Paragraph 623 contained material which was destined for the TDU had entered the oil reclamation process and was ~~being temporarily staged to before undergoing subsequent stages of the reclamation process.~~ The Respondent USET discontinued the use of the area called the “Y” for this purpose.

64-66. “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

65-67. The roll-off boxes identified in Paragraph 623 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

66-68. ~~To date,~~ The Respondent USET has not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y” between on or about March 9, 2010, and June 11, 2010.

67-69. Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA,

42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] ~~by storing hazardous waste without a RCRA permit or interim status.~~

III. COMPLIANCE ORDER

~~68-70.~~ Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock into the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production and transportation practices. Oil-bearing hazardous waste from petroleum refining, production or transportation practices includes listed waste from specific Petroleum Refining Sources (F037, F038, ~~K048, K049, K050, K051, K052, K169, and K170, K171, AND K172~~). Also acceptable are materials generated from processes meeting the definition established for facilities whose primary Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) ~~are as follows:~~

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from the processes meeting the definition of aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to obtain a certification from the generator that the hazardous waste in question is oil-bearing hazardous waste from petroleum refining, production and transportation practices and make a separate, independent determination based on information provided by the generator as to whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator’s facility.

3. Within seven (7) 14 days of Beginning on the effective date of this CAFO, the Respondents shall submit to EPA and TCEQ for approval operate the TDU with; the following interim limits on operating parameters; including, but not limited, to the following:

a. the maximum hazardous waste feed rate to the rotary dryer shall be 34913 tons per dayhour based on an hourly rolling average;

b. limits on ash, semivolatile metals, low-volatile metals, mercury, and total chlorine (organic and inorganic) (Cl_2 and HCl); dryer feed material shall be limited as follows:

1. to a maximum organic halogen content of at 40001500 ppm,
2. maximum mercury concentration in of 26050 ppm in feed to TDU,
3. no limit on Semi-Volatile Metals concentration in feed to TDU,
4. no limit on Low-Volatile Metals concentration in feed to TDU,
5. no limit on ash content of feed to TDU.

i

c. a minimum solids discharge temperature of 650°F from the rotary dryer or that treated product desorber solids must be considered to be untreated, be separately collected, and be reprocessed through the rotary dryers, except for the first two hours after start-up of feed when the product material does not contact the product thermocouple temperature;

d. -maximum internal pressure in the rotary dryer of 0.00 inches (W.C.) with a 60-second time delay while the dryer feed is on; gas/vapor flow rate to the Off-Gas Condensing Recovery System;

e. maximum Off-Gas Condensing Recovery System outlet temperature of 1320°F based on an hourly rolling average with a 51-minute delay when the dryer feed is on;

f. minimum combustion chamber temperature of 1400°F based on an hourly rolling average with a 5-minute delay in the rotary dryer external furnace while the dryer feed is on; and

g. maximum gas/vapor flow rate to the combustion chamber of 180 scfm on an hourly rolling average basis with a continuous supply of air to the process vent injectors including 20%

or more excess air required to completely combust the process vent gas while the dryer feed is on; and--

h. a HEPA filter shall be in service at all times on the TDU process vent stream and the HEPA filter shall be confirmed as functioning with a measurable pressure drop once per operating shift while the dryer feed is on.

~~h. other Off Gas Condensing Recovery Systems operating parameter limits; and~~

~~i. any other operating parameter limits for air pollution control devices used.~~

~~The submittal shall include monitoring and recordkeeping requirements. The Respondents shall perform implement the monitoring and maintain records relating to these operating parameter limits, as approved or modified by EPA and TCEQ.~~

4. Within ninety ~~180 (180)~~ 90 days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff at the TDU that immediately and automatically cuts off the hazardous waste feed when any of the following conditions occurs; in accordance with the requirements of 40 C.F.R. § 63.1206(e)(3).

a. ~~O~~oxygen content in the process vent greater than 7% with 1-minute delay;

b. internal pressure in the dryer feed breach greater than 0.0 inches W.C. with 1-minute delay;

c. temperature at the outlet of the gas treatment system condensers greater than 1320°F based on an hourly rolling averagewith ~~51-minute delay;~~

d. temperature in the combustion zone of the dryer's external furnace less than 1,400°F based on an hourly rolling averagewith ~~a 5-minute delay;~~

e. loss of operation of the gas treatment system carrier gas recirculation blower; and

- f. valve position of the process vent injection verified as directing the process vent away from the dryer's external furnace combustion zone with a 1-minute delay;
- g. feed rate to the TDU exceeding 34013 ton/dayhr based on an ~~twentyfour~~ hourly rolling average; and
- h. process vent flow rate exceeding 180 scfm based on a one-hour rolling average.

5. Within 120 days after the effective date of this CAFO, Respondents shall submit to the TCEQ an application for the construction and operation of the thermal oxidizer under Texas Health and Safety Code Chapter 382. Within ~~ninety 180 (180) days~~ one year of the effective date of this CAFO, or within ninety (90) days after issuance of the permit required for installation of the reconfigured TDU under Tex. Health and Safety Code Chapter 382, whichever is later, the Respondents shall reconfigure the TDU so that the non-condensable vent gases and the tank vent closed-vent system gases are routed to a thermal oxidizer unit (TOU) instead of the external combustion chamber of the TDU rotary dryer. After the reconfiguration has occurred, for the purposes of Section III and IV.C of this CAFO only, references to the TDU shall include the TOU, unless otherwise indicated.

6. ~~Within ninety 180 (180) days of~~ Beginning on the effective date of this CAFO initial operation of the TOU, the Respondents shall comply with also submit to EPA and TCEQ for approval, the following interim operating parameters for the TOU including, but not limited to:

- a. minimum ~~operating~~ temperature of 1,400°F based on an hourly rolling average in the TOU combustion chamber when the feed to the dryer is on; and

b. maximum flue gas flow rate based on a residence time of 0.5 seconds at 1400°F, as determined by engineering calculations at the measured process flow rate when the feed to the dryer is on; and;

c. maximum process vent gas/vapor flow rate to the TOU combustion chamber of 250 scfm based on an hourly rolling average, based on the design capacity of the TOU, with a continuous supply of air including 20% or more excess air required to completely combust the process vent gas while the dryer feed is on.

~~The Respondents shall implement the operating parameter limits as approved or modified by EPA and TCEQ.~~

7. Within thirty (30)~~ninety (90)~~ days~~180 (180) days~~ of the effective date of this CAFO, the Respondents shall install, calibrate, and operate continuous emissions monitors in accordance with the requirements of 40 C.F.R. § 264.1033~~(pf)~~ applicable to process heaters~~63.1209(a)~~. Within sixty (60) days of the initial operation of the reconfigured TDU, The Respondents shall also install, calibrate and operate temporary continuous monitors to verify that use carbon monoxide and/or hydrocarbon CEMS to demonstrate and monitor is in compliance with the following carbon monoxide and/or hydrocarbon standards: (i) carbon monoxide less than 100 ppm by volume, or (ii) hydrocarbons less than 10 ppm by volume as propane, both over an hourly rolling average, dry basis corrected to 7 percent oxygen of 40 C.F.R. Part 63, Subpart EEE§63.1203(a)(5), provided that any compliance demonstration required by that subsection shall be conducted pursuant to the performance test specified in Section III.D. of this CAFO.

The Respondents shall also use oxygen CEMS to continuously correct the carbon monoxide or hydrocarbon level to 7 percent oxygen. These CEMS shall be located in compliance with 40

C.F.R. Part 60, Appendix B requirements for rotary dryer emission point (EP-1), for the combustion chamber emission point (EP2), and following for the TOU. The Respondents shall operate the TDU and the TOU in a manner that the one-minute and hourly rolling averages are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §

63.1209(a)(6). After the compliance demonstration test required by Section III.D of this CAFO thirty (30) days of operation of temporary CEMS, the Respondents are allowed to remove these temporary CEMS instruments provided that both the data from the compliance demonstration test confirm compliance with the CO or hydrocarbon standards of 40 C.F.R. §63.1203(a)(5), and the CEMS required by §264.1033(f) actuates the AWFCO. The Respondents shall submit a written demonstration as to these findings to the TCEQ/EPA in the compliance demonstration test report.

8. Within one hundred twenty (120) days of the effective date of this CAFO, the Respondents shall submit to EPA and TCEQ for approval, a feedstream analysis plan prepared in accordance with 40 C.F.R. § 63.1209(e)(2). The Respondents shall implement the plan as approved or modified by EPA and TCEQ.

89. Within six (6) months after the effective date of this CAFO, and every six months thereafter until this CAFO is terminated, the Respondents shall send a report to EPA, with a copy to TCEQ, which contains: The Report shall include the following:

a. Identification of the customer, the customer's SIC and NAICS code, copies of the relevant waste approval documents, including the generator's certification that the oil-bearing hazardous waste is from petroleum refining, production and transportation practices, and manifests for the previous six month period.

[NEED TO DISCUSS DETAILS AND FORMAT OF INFORMATION NEEDED BY EPA]

~~b. All time periods in where there were exceedances of the one minute and hourly rolling averages required under Paragraph 68.A.7.~~

~~be. The initial Report shall include dDocumentation showing the of installation dates of the equipment required by Paragraphs 698.A.4, A5, and A.7.~~

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information, in accordance with the requirements of 40 C.F.R. Part 2.

B. RCRA Permit Modification

1. Within ~~ninety (90) days~~ one year of the effective date of this CAFO, the Respondents shall submit to TCEQ ~~and EPA~~, an application for a Class 3 RCRA Permit Modification to permit the TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) (40 C.F.R. Part 264, Subpart X), 30 T.A.C. Chapter 305 (40 C.F.R. §§ 270.10 – 270.14, ~~270.19, 270.23, and 270.30 – 270.33~~). ~~This permit application will serve as the Documentation of Compliance required by 40 C.F.R. § 63.1211(c).~~ A copy of this permit modification application shall also be submitted to EPA.

2. The permit application shall also include ~~relevant~~ requirements of 40 C.F.R. Part 264 that are appropriate for the operation of the TDU, the TOU, and the oil reclamation unit, ~~including relating to an engineering report,~~ waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) (40 C.F.R. §§ 264.341, 264.347, and 264.351), except that with regard to continuous monitoring required by §264.347(a)(1) and (2), only continuous monitoring of combustion temperature shall be required.

3. The Respondents shall also request that the ~~final~~ issued RCRA permit ~~also include the~~ following:

- a. ~~The relevant Appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC and 40 C.F.R. Part 63, Subparts A and EEE;~~
- b. ~~The feedstock limitations set forth in Paragraph 68.F; and~~
- c. Operating parameters for the condensers from the Off-Gas Condensing Recovery System, including appropriate monitoring and recordkeeping requirements for the condensers; and,
- d. ~~Any risk-based terms and conditions necessary to protect human health and the environment.~~

4. The failure to timely submit a Class 3 Permit Modification to TCEQ and EPA within the deadline set forth in Paragraph 698.B.1 shall result in the termination of the Respondents' authorization to operate the TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

5. By no later than ~~two~~three and one-half years (~~30~~42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and ~~have a final obtain~~ issuance from the TCEQ of a RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) (40 C.F.R. Part 264, Subpart X), 30 T.A.C. Chapter 305 (40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33), and which incorporates the ~~applicable~~ appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC and 40 C.F.R. Part 63, Subparts A and EEE. In the event that TCEQ does not issue a final RCRA Subpart X permit for the TDU as described above by the above deadline, the Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

~~C. Public Notice~~Public Notice of Intent to Comply (NIC)/Public Participation

~~1. Within seven (7) days of the effective date of this CAFO, the Respondents shall submit to TCEQ and EPA a draft Notice of Intent to Comply (NIC) pursuant to 40 C.F.R. § 63.1210(b), and an initial notification pursuant to 40 C.F.R. § 63.9(b).~~

~~2. The Respondents shall make the draft NIC available to the public either (a) at least thirty (30) days prior to the public meeting pursuant to 40 C.F.R. § 63.1210(b)(2), or (b) at a time approved by EPA and TCEQ.~~

~~31. The Respondents shall provide the following notices to the public:~~

~~a. Notice of Receipt of Application and Intent to Obtain Permit pursuant to 30 T.A.C. §§ 39.418 and 39.509. Notice of the public meeting required by 30 T.A.C. § 305.69(d)(4) shall be included with the Notice of Receipt of Application and Intent to Obtain Permit, as required by 30 T.A.C. § 39.418; and~~

~~b. Notice to the public of the Notice of Application and Preliminary Decision pursuant to 30 T.A.C. §§ 39.419 and 39.509; and~~

~~c. NIC public meeting required by 40 C.F.R. § 63.1210(e)(3).~~

~~42. The Respondents shall hold a public meeting pursuant to 30 T.A.C. § 305.69(d)(4) [40 C.F.R. § 270.42(c)] no earlier than fifteen (15) days following publication of the notice and no later than fifteen (15) days before the close of the sixty (60) day comment period. This public meeting shall also be coordinated with the NIC public meeting required by 40 C.F.R. § 63.1210(e).~~

~~5. The Respondents shall submit to TCEQ and EPA the final NIC pursuant to 40 C.F.R. § 63.1210(b)(3) no later than 60 days following the public meeting.~~

~~6. The failure to timely submit the final NIC to TCEQ and EPA no later than 60 days following the public meeting shall result in the termination of the Respondents' authorization to operate the TDU on that date.~~

CD. Startup, Shutdown, and Malfunction Plan

1. ~~Prior to operation of the reconfigured TDU, Within one hundred twenty (120)240 days of the effective date of this CAFO,~~ the Respondents shall submit a Startup, Shutdown, and Malfunction Plan to TCEQ for approval. This plan shall be prepared in accordance with 40 C.F.R. §§ 63.6(e)(3) and ~~63.1206(e)(2)~~include provisions to comply with AWFCOs as per Section 698.A.4 of this CAFO during Startup, Shutdown and Malfunctions. The Respondents shall implement the Startup, Shutdown and Malfunction Plan as approved by TCEQ~~comply with any instructions or directives from TCEQ regarding approval, disapproval, or submission of any additional information.~~ A copy of the Startup, Shutdown, and Malfunction Plan shall also be submitted to EPA.

DE. Comprehensive Performance Compliance Demonstration Test (CDPT)

1. The Respondents shall perform a ~~comprehensive performance compliance demonstration test (CDPT)~~ as set forth below. The CDPT is required to demonstrate compliance with the appropriate emissions standards of 40 C.F.R. Part 63.264, Subparts O and AA, and Part 63 Subpart EEE-EEE, establish limits for the operating parameters ~~provided by 40 C.F.R. § 61.1209, identified in the RCRA permit modification application required by Section III.B,~~ and demonstrate compliance with the performance specifications for continuous monitoring systems.

2. Within one hundred twenty (~~90~~120) days of the effective date of this CAFO, the Respondents shall submit to ~~TCEQ and EPA~~ for approval a ~~complete and approvable~~

~~comprehensive performance test~~CDPT plan and a continuous monitoring system (CMS) performance test plan pursuant to the appropriate requirements of 40 C.F.R. §§ ~~63.7, 63.1207, and 63.1209~~270.62(b)(2). The CDPT plan shall also provide for a performance test to determine the ~~efficiency and operating parameters of the condensers from the Off-Gas Condensing Recovery System, the overall equivalent capture efficiency, destruction and removal efficiency of the TDU system including the TOU, and the actual nature, pattern, and quantity of emissions from EPN EP 2, the TOU, and any other fugitive or point source emissions of the TDU system capable of routing off-gas from the TDU to the atmosphere, including its air contaminant control systems, product recovery systems, and treated material handling system.~~ Based on the principal operation of the TDU being the reclamation of oil-bearing hazardous waste from petroleum refining, production and transportation practices, the POHC for the DRE determination shall be the sum of all polynuclear aromatic hydrocarbon (PAH) compounds in the listings for K048-K052, K169-K172, F037 and F038, because PAH compounds have the highest difficulty of incineration of the organic constituents that are the basis for listing of these wastes. ~~Copies of the CDT plan and CMS test plan shall also be submitted to EPA.~~

~~3. The Respondents shall make the CPT plan and CMS performance test plan available for public review upon issuance of the notice of NIC public meeting.~~

~~43.~~ The Respondents shall implement the CDPT Plan and the CMS performance test plan as approved by ~~TCEQ and EPA~~, within ninety (90) days after approval of the CDPT Plan and the CMS performance test plan, or within sixty (60) days after installation of the TOU, whichever is later. During the testing, the Respondents shall ~~comply with 40 C.F.R. §§ 63.7(e) and 63.1207(g)~~ assure that each performance test shall consist of three separate runs using the applicable test method. Each run shall be conducted for the time and under the conditions

specified in the relevant standard. For the purpose of determining compliance with a relevant standard, the arithmetic mean of the results of the three runs shall apply. At a minimum during the CDPT, the Respondents shall demonstrate that the TDU and TOU achieve the following performance standards:

a. the equivalent "destruction and removal efficiency" (DRE) must be greater than 99.99% for ~~one~~the designated POHC fed to the TDU, as per 40 CFR 264, Subpart O, based on the mass feed rate of the POHC fed to the TDU and the mass emission rate of the same POHC present in the exhaust emissions from the combusted process vent, and the POHC shall be the total of the PAH compounds that are the basis for listing for waste codes K048-K052, K169-K172, F037 and F038;

b. the process vent must be controlled by combustion in a control device in accordance with RCRA emissions control standards for process vents as per 40 CFR Part 264, Subpart AA, by providing a minimum residence time of 0.50 seconds at a minimum temperature of 760°C;

c. the closed vent system emissions shall be controlled by combustion in a device that provides a minimum residence time of 0.5 seconds at a minimum temperature of 760°C (1,400°F), as per 40 CFR Part 61, Subpart FF;~~and~~

d. ~~d~~Dioxins and furans emissions shall be less than 0.240 ng TEO/dscm corrected to 7 percent oxygen from the combusted process vent gas emission stream;

e. mercury emissions less than 8.1 µg/dscm corrected to 7% oxygen in the TOU stack;

f. semi-volatile metals (Cd, Pb) emissions less than 10 µg/dscm corrected to 7% oxygen in the TOU stack;

g. low-volatile metals (As, Be, Cr) emissions less than 23 µg/dscm combined emissions corrected to 7% oxygen in the TOU stack;

h. carbon monoxide emissions less than 100 ppmV, or hydrocarbons emissions less than 10 ppmV as propane, over an hourly rolling average, dry basis, corrected to 7% oxygen in the TOU stack;

i. hydrogen chloride and chlorine gas emissions less than 21 ppmV, combined emissions, expressed as chloride equivalent, dry basis, corrected to 7% oxygen in the TOU stack;

j. particulate matter emissions less than 0.0016 gr/dscf corrected to 7% oxygen in the TOU stack; and

k. during one run of the CDT, the organic compounds reduction efficiency for the TOU shall demonstrated to be greater than 95%, based on Method 18 organic concentration samples taken from the process vent, the tank vent closed vent system, and the TOU stack, and flow measurements made from these same points, using the equation as per 40 CFR § 61.355(i)(4).

45. If the Respondents determine (based on CEM recordings, results of analyses of stack samples, or results of CMS performance evaluations) that they have exceeded any emission standard for a mode of operation, they must cease hazardous waste burning immediately under that mode of operation, except that the Respondents may burn hazardous waste for the purpose of conducting demonstration tests under revised operating conditions for the emission standard exceeded except as provided in 40 C.F.R. § 63.1207(d)(1). The Respondents must make this determination within ~~forty five (45)~~ninety (90) days following completion of the CPDT. The Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

65. All analyses required by the CDPT plan shall be performed by a NELAC -accredited laboratory or by a laboratory pre-approved by TCEQ.

~~76. Pursuant to 40 C.F.R. §§ 63.7(g), 63.9(h), 63.1207(j), and 63.1210(d), w~~Within ninety (90) days from completion of the CPDT and the CMS performance test, the Respondents shall prepare and submit to TCEQ and EPA a comprehensive test report CDT report that includes results for the analysis of samples, determination of emissions, and raw data, as well as the results of any performance tests, opacity or visible emission observations, continuous monitoring system (CMS) performance evaluations, and/or other monitoring procedures or methods that were conducted. Submit a Notification of Compliance (NOC) to TCEQ and EPA. The report shall documenting compliance with the emission standards and continuous monitoring system requirements, and identifying the operating parameter limits under 40 C.F.R. § 63.1209 for the minimum combustion chamber temperature. All data collected during the CDPT and the CMS performance test (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted as part of the CDT report to TCEQ and EPA along with the NOC test report. A copy of the CDT report shall also be submitted to the EPA.

~~87.~~ As of the date of the submission of the demonstration test report, the Respondents shall comply with all operating requirements of the CDT demonstration NOC report and the requirements of 40 C.F.R. §§ 63.1209 AND 63.1219.

98. The failure to timely submit an NOC CDT report to TCEQ and EPA within ninety (90) days from completion of the CDPT and the CMS performance test shall result in the

termination of the Respondents' authorization to operate the TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. If the Respondent desires to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after it receives its RCRA Permit Modification, during that mode of operation under §261.6(a)(3)(iv)(C), feedstock to the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production and transportation practices. Oil-bearing hazardous waste from petroleum refining, production or transportation practices includes listed waste from specific petroleum refining sources (F037, F038, K048, K049, K050, K051, K052, K169 and K170, K171 AND K172). Also acceptable are materials generated from processes meeting the definition established for facilities whose primary Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follow:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products

4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.F shall be construed to preclude Respondents from seeking authorization to process oil-bearing materials outside the scope of §261.6(a)(3)(iv)(C).

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to obtain a certification from the generator that the hazardous waste in question is oil-bearing hazardous waste from petroleum refining, production and transportation practices and make a separate, independent determination based on information provided by the generator as to whether the hazardous waste in question is "oil-bearing"; and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator's facility. The Respondents shall request that this provision be placed in the issued its Final RCRA permit.

G. Submission, Revision, and Approval Process

1. For all applications or plans required be submitted to TCEQ and/or EPA approval under this CAFO, TCEQ/EPA will review these applications or plans and issue only one Notice of Deficiency (NOD) to the Respondents in accordance with 30 T.A.C. §§ 281.3(c) and 281.19(a). The Respondents must provide an approvable response to any Notice of Deficiency

~~(NOD) TCEQ and EPA within the thirty (30) days of receipt of time period specified by TCEQ in the NOD unless extendedeented by the TCEQ. In the event that the Respondents fail to submit a timely and completegood-faith approvable NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section V.F (Force Majeure). [thirty (30) days from the date of receipt of the NOD].~~

H. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) (40 C.F.R. Part 264, Subpart X), 30 T.A.C. Chapter 305 (40 C.F.R. §§ 270.10 – 270.14, ~~270.19~~, 270.23, and 270.30 – 270.33), and which incorporates ~~the applicable~~ appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC and 40 C.F.R. Part 63, Subparts A and EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of ~~this~~ CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

I. EPA Review and Comment

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate applicable and appropriate requirements of 40 C.F.R. Parts 264 and 40 C.F.R. Part 63, Subparts A and EEE directly into the permit or establish other permit conditions that are based on those parts; or take

action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the final permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R.

§ 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

J. Submissions

In all instances in which this Compliance Order requires written submissions to EPA, each submission must be accompanied by the following certification:

"I certify under penalty of law to the best of my knowledge and belief that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

~~69.71.~~ Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents' good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby

ORDERED that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of _____ **DOLLARS** (\$ _____), and the Respondent TD*X Associates L.P. be assessed a civil penalty of _____ **DOLLARS** (\$ _____).

~~70-72.~~ Within thirty (30) days of the effective date of this CAFO, the Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

~~71.73.~~ The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

~~72.74.~~ Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the

effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

~~73-75.~~ EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

~~74-76.~~ The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it. To the extent that this CAFO imposes obligations that are to be fulfilled specifically by one of the Respondents (including without limitation civil penalties imposed specifically against one Respondent or specific compliance actions that this CAFO indicates are to be taken specifically by one Respondent), only such Respondent shall be liable

for the failure to fulfill such obligations. The other Respondent shall be required to use commercially reasonable efforts to mitigate and limit the effects of such failure.

C. ADDITIONAL REQUIREMENTS

~~75-77.~~ The Respondents shall undertake the following additional requirements:

~~_____ A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subparts V and FF.~~

~~_____ B. Within thirty (30) days of the effective date of the CAFO, the Respondents shall identify the following equipment in the oil reclamation unit and the TDU that is in "volatile hazardous air pollutant" (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:~~

- ~~_____ 1. pumps;~~
- ~~_____ 2. compressors;~~
- ~~_____ 3. pressure relief devices;~~
- ~~_____ 4. sampling connection systems;~~
- ~~_____ 5. open ended valves or lines;~~
- ~~_____ 6. valves;~~
- ~~_____ 7. connectors;~~
- ~~_____ 8. surge control vessels;~~
- ~~_____ 9. bottoms receivers; and~~
- ~~_____ 10. control devices and systems.~~

~~The Respondents shall assume all that the above-described equipment is in VHAP service unless otherwise demonstrated in accordance with the requirements of § 261.245(d).~~

~~_____ C. Within ninety (90) 180 days of the effective date of the CAFO, the Respondents shall implement a fugitive monitoring program in accordance with the requirements of 40 C.F.R.~~

~~Part 61, Subpart V.~~

~~.....D. Within ninety (90) 180 days of the effective date of the CAFO, the Respondent shall submit the notice required by 40 C.F.R. § 61.247(a) to TCEQ.~~

E.A. Pursuant to 40 C.F.R. § 61.343(a)(1), within ~~ninety (90)~~ 180 days of the effective date of the CAFO, the Respondents shall install, operate, and maintain a fixed roof and closed-vent system that routes all organic vapors from the following tanks set forth below to a control device: 1. Shaker Tank (T-30);

2. Surge Tank (T-34);

3. Condensate Water Tanks (T-3A, T3-B);

4. T-10 Series Tanks (T-10, T-11, T-12, T-13);

5. T-30 Series Tanks (T-31, T-32, T-33);

6. Filtrate Mix Tank (T-5);

7. Filtrate Tank (T-6);

8. Filtrate Skim Tank (T-6A); and

9. ~~Waste Water Tanks (M3, M6, S1, S2); and~~

~~.....10. Centrifuge.~~

The fixed-roofs shall meet the requirements of 40 C.F.R. § 61.343(a)(1)(i), and the control devices shall be designed and operated in accordance with the requirements of 40 C.F.R.

§ 61.349. The emissions from the tanks shall be routed to a carbon adsorption system when the TOU is not operating or out of service. The carbon in the carbon adsorption systems used as control device shall be replaced immediately when carbon breakthrough is indicated. The devices shall be monitored ~~on a daily basis when emissions are routed to the device, as required~~ by 40 C.F.R. § 61.354(d).

FB. Pursuant to 40 C.F.R. § 61.354(c), within ~~ninety (90)~~ 180 days of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

GC. Pursuant to 40 C.F.R. § 61.345(a), within ~~ninety (90)~~ 180 days of the effective date of the CAFO, the Respondents shall install, operate and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be closed and secured at all time except for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii).

HD. The Respondents shall use a submerge fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

~~IE. Within ninety (90) 180 days of the effective date of the CAFO, the Respondents shall conduct performance tests for the TCU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R. § 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355.~~

~~JE. Within six (6) months of the effective date of the CAFO, the Respondents shall submit a written report to EPA. The Report shall include the following:~~

- ~~1. A copy of the equipment list required by Paragraph 75.B;~~
- ~~2. A copy of the fugitive emission program required by Paragraph 75.C;~~
- ~~3. A copy of the notice required by Paragraph 75.D;~~
- ~~4. Documentation showing compliance with Paragraphs 75.EA, 75.FB, 75.GC, and 75.HD. This includes documentation that the control devices meet the requirements set forth in 40 C.F.R. § 61.349(a)(2), and~~

~~52. A copy of the performance tests required by Paragraph 75.EI.~~

~~KE.~~ The report must be accompanied by the following certification:

"I certify to the best of my knowledge and belief that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

~~LG.~~ The Report shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

~~76-78.~~ In addition to any other remedies or sanctions available to EPA, the Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports, Notices, or Plans - Paragraphs ~~689~~.A.3, ~~689~~.A.6, ~~689~~.A.8, ~~689~~.A.9, ~~689~~.C.1, ~~689~~.C.5, ~~689~~.D.1, and ~~689~~.E.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs ~~689~~.A.4, ~~689~~.A.5, and ~~689~~.A.7

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500

31st day and beyond \$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

~~77-79.~~ For the violations described in Paragraph IV.D.a.-d., “Noncompliance” shall not be deemed to have commenced, and the associated penalties shall not begin to accrue, unless such noncompliance remains uncured following seven (7) days written notice from EPA. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 70 herein. Interest and late charges shall be paid as stated in Paragraphs 72 - 73 herein.

~~79.~~ Nothing in this agreement shall be construed as prohibiting, altering or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

~~78-80.~~ If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within ~~fifteen (15)~~ 30 calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

~~79-81.~~ The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional ~~fifteen (15)~~ 30 calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

~~80-82.~~ If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second ~~15~~ 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach

agreement within this second ~~45~~30-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

~~81-84.~~ Any period of noncompliance and associated monetary penalties, shall be tolled during the period of any dispute resolution under this section IV.E., provided that such period shall not be tolled if the Associate Director or the Division Director, as applicable, determines in his or her reasonable discretion that the Respondents' objection was trivial or frivolous.

F. **FORCE MAJEURE**

~~82-85.~~ A "force majeure event" is any event beyond the control of ~~the either~~ Respondents, ~~their~~its contractors, or any entity controlled by ~~the a~~ Respondents that delays the performance of any obligation under this CAFO despite ~~Defendant's the Respondent's best~~ commercially reasonable efforts to fulfill the obligation. "Commercially Reasonable~~Best~~ efforts" includes anticipating any ~~potential~~reasonably foreseeable force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting delay to the greatest extent possible. "Force Majeure" does not include ~~the a~~ Respondent's² financial inability to perform any obligation under this CAFO.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondent's² first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.F of

this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the ~~Respondent's~~ past and proposed actions of the Respondent(s) to prevent or minimize any delay; a schedule for carrying out those actions; and the ~~Respondents'~~ rationale of the Respondent(s) for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondent(s) from asserting any claim of force majeure.

~~83-87.~~ The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

~~84-88.~~ If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondent(s) to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.G of this CAFO.

~~85-89.~~ If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondent(s), the Complainant's position shall be binding, unless the Respondent(s) invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondent(s) bears the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the

Respondent(s) gave the notice required by the paragraph above, that the force majeure event caused any delay ~~the Respondents' claimed by the Respondent(s) was to be attributable~~ to that event; and that the Respondent(s) exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondent(s) carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

~~§6-90.~~ Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.-:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000

Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

87-91. The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. ~~RETENTION OF ENFORCEMENT RIGHT~~ EFFECT OF SETTLEMENT/RESERVATION OF RIGHTS

88-92. This CAFO resolves the claims of the United States for the violations alleged in this CAFO and for any other alleged violation or area of concern under RCRA identified by EPA resulting from the June 8-11, 2010, June 14-17, 2010 and August 9-11, 2010 inspection and resulting investigation and any claims for injunctive relief relating to alleged violations of 40 C.F.R. Part 61, Subpart FF. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

89-93. Except as herein provided, ~~N~~nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health,

welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment. Furthermore, ~~nothing in this CAFO shall be construed or~~ to prevent or limit EPA's civil and ~~criminal authorities~~, or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

~~90-94.~~ The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. Except as herein provided, ~~this~~ CAFO shall not be construed to limit the rights of the United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

~~91-95.~~ In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to Section Paragraph I.92 of this CAFO.

~~92-96.~~ This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The

Complainant, does not warrant or aver in any manner that the Respondents' compliance with any aspect of this CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

~~93-97.~~ Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

~~94-98.~~ Each party shall bear its own costs and attorney's fees. Furthermore, the Respondents specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

~~95-99.~~ At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

~~96.100.~~_____This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

**THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT
AGREEMENT AND FINAL ORDER:**

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

FOR THE RESPONDENT:

Date: _____

TD*X Associates, L.P.

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. ~~This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive or other equitable relief or criminal sanctions for any violations of law.~~ This Final Order shall resolve only those ~~causes of action alleged herein~~ claims identified in Section I.89 of the foregoing Consent Agreement. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive or other equitable relief or criminal sanctions for any other violations of law. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b) this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701

3. For the purposes of this proceeding, the Respondents deny any liability to the United States arising out of the transaction or occurrences alleged in this CAFO. Respondents also deny the truth of any allegations in this CAFO except the allegations pertaining to venue and subject matter jurisdiction in Section II.A. of this CAFO, admits the jurisdictional allegations herein, however, the Respondents neither admits nor denies the specific factual allegations contained in this CAFO.

4. The Respondents explicitly waives any right to contest the allegations and their right to appeal the proposed Final Order set forth therein, and waive all defenses which have been raised or could have been raised to the claims set forth in the CAFO.

5. Compliance with all the terms and conditions of this CAFO shall resolve only those violations which are either specifically set forth herein, or are alleged violations of 40 C.F.R. Part 61; Subpart FF, for which injunctive relief is specified in Section IV.C of this CAFO.

6. The Respondents consent to the issuance of the CAFO hereinafter recited and consents to the issuance of the Compliance Order contained therein.

II. FINDINGS OF FACT AND CONCLUSIONS OF LAW

A. PRELIMINARY ALLEGATIONS

7. US Ecology Texas, Inc. (USET) is a corporation incorporated under the laws of the State of Delaware and authorized to do business in the State of Texas.

8. TD*X Associates LP (TD*X) is a limited partnership authorized to do business in the State of Texas.

9. "Person" is defined in 30 T.A.C. § 3.2(25) [40 C.F.R. §§ 260.10 and 270.2], and Section 1004(5) of RCRA, 42 U.S.C. § 6903(15) as "an individual, corporation, organization,

government or government subdivision or agency, business trust, partnership, association, or any other legal entity.”

~~10.~~The Respondent USET is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. ~~11.10.~~ § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

Formatted: Bullets and Numbering

~~11.~~The Respondent TD*X is a “person” as defined by 30 T.A.C. § 3.2 (25) [40 C.F.R. ~~13.11.~~ § 260.10], and Section 1004 (15) of RCRA, 42 U.S.C. § 6903 (15).

Formatted: Bullets and Numbering

~~14.12.~~ “Owner” is defined in 30 T.A.C. § 335.1(107) (40 C.F.R. § 260.10) as “the person who owns a facility or part of a facility.”

~~15.13.~~ “Operator” is defined in 30 T.A.C. § 335.1(108) (40 C.F.R. § 260.10) as “whoever has legal authority and responsibility for a facility that generates, transports, processes, stores or disposes of any hazardous waste.”

~~16.14.~~ “Owner or operator” is defined in 40 C.F.R. § 270.2 as “the owner or operator of any facility or activity subject to regulation under RCRA.”

~~17.15.~~ “Facility” is defined in 30 T.A.C. § 335.1(59) (40 C.F.R. § 260.10) as meaning “all contiguous land, and structures, other appurtenances, and improvements on the land, used for treating, storing, or disposing of municipal hazardous waste or industrial solid waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations thereof).”

~~18.16.~~ The Respondent USET owns and operates a hazardous waste treatment, storage, and disposal (TSD) facility located at 3327 County Route 69, Robstown, TX 78380, EPA I.D. No. TSD069452340, Permit No. HW-50052-001.

~~19.17.~~ The TSD identified in Paragraph 16 is a “facility” as that term is defined in 30 T.A.C. § 335.1(59) (40 C.F.R. § 260.10).

~~20.18.~~ The Respondent USET is the “owner” and/or “operator” of the facility identified in Paragraph 16, as those terms are defined in 30 TAC § 335.1(107) & (108) [40 C.F.R. § 260.10] and 40 C.F.R. § 270.2.

~~21.19.~~ The Respondent USET has a/an oil reclamation unit is located on/at the facility identified in Paragraph 16.

~~22.20.~~ The Respondent TD*X owns and operates a thermal desorption unit (TDU), as well as the feed preparation system that includes a shaker tank (T-30) three mix tanks (T-31, T-32, and T-33), a centrifuge, and a surge tank (T-34) at the oil reclamation unit.

~~23.21.~~ The Respondent TD*X began operating the TDU and related equipment on or about June 15, 2008.

~~24.22.~~ On or about June 8 – 11, 2010, June 14 – 17, 2010, and August 9 – 11, 2010, the Respondent USET’s TSD facility and the oil reclamation unit was inspected by representatives of EPA pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927.

B. ALLEGED VIOLATIONS

Count One – Processing Hazardous Waste Without a Permit or Interim Status

~~25.23.~~ Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment),¹ storage, or disposal of hazardous waste.

~~26.24.~~ “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal

¹ The Texas Administrative Code uses the term “processing” instead of “treatment”. The term “processing” as used by Texas is essentially equivalent to the term “treatment” as used in the federal statute and regulations.

Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

~~27-25~~ “Recyclable materials” is defined in 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

~~28-26~~ The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

27. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)].

Formatted: Bullets and Numbering

28. Recyclable materials identified in 30 T.A.C. § 335.24(c) [40 C.F.R. § 261.6(a)(3)] are not subject to regulation under Subchapters B-I or O of Chapter 335, 30 T.A.C. Chapters 1, 3, 10, 17, 20, 31, 39, 40, 50, 70, 80, 86, 261 or 305, except as provided in 30 T.A.C. § 335.24(g) and (h) [40 C.F.R. Parts 262 through 268, 270 or 124].

29. The Respondent USET notified the Texas Commission on Environmental Quality (TCEQ) of this activity that it reclaims oil from oil-bearing hazardous wastes from petroleum refining, production and transportation practices in accordance with 40 C.F.R. § 261.6(a)(3)(iv)(C).

~~30-EPA has not promulgated a definition of “oil bearing hazardous wastes from petroleum refining, production and transportation practices” in its regulations.~~

30. ~~Hazardous wastes~~ Recyclable materials destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

31. Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the

treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

32. On various dates ~~between after June 15, 2008, and the present,~~ certain recyclable materials hazardous wastes were processed in the tanks identified in Paragraph 20.

33. ~~Some of The hazardous waste identified recyclable materials referred to in~~ Paragraph 30 did not meet the exemption definition of “recyclable materials” as that term is defined in 40 T.A.C. § 335.24(a) [in 40 C.F.R. § 261.6(a)(3)(iv)(C)] because the hazardous wastes were not “oil-bearing hazardous wastes from petroleum refining, production, and transportation practices.” EPA has not promulgated a definition of “oil bearing hazardous wastes from petroleum refining, production and transportation practices in its regulations. Recyclable materials identified in 30 T.A.C. § 335.24(c) [40 C.F.R. § 261.6(a)(3)] are not subject to regulation under Subchapters B-I or O of Chapter 335, 30 T.A.C. Chapters 1, 3, 10, 17, 20, 31, 39, 40, 50, 70, 80, 86, 261 or 305, except as provided in 30 T.A.C. § 335.24(g) and (h) [parts 262 through 268, 270 or 124].

34. ~~The exemption for recyclable materials in 30 T.A.C. § 335.24(c) [40 C.F.R.~~

~~§ 261.6(a)(3)] is not applicable for the hazardous waste identified in Paragraphs 30–31.~~

~~Respondent USET ceased the receipt of the hazardous waste identified in Paragraphs 320-334.~~

~~35.34.~~ The Respondents ~~TD*X~~ “processed” (treated) hazardous waste as that term is defined in 30 T.A.C. § 335.1(117) (40 C.F.R. § 260.10) in the tanks identified in Paragraph 20.

~~36.35.~~ To date, neither the Respondent USET or Respondent ~~TD*X~~ ~~have~~ applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste in the tanks identified in Paragraph 20.

~~37.36.~~ Therefore, the Respondent USET and the Respondent ~~TD*X~~ have violated and ~~continue to violate~~ Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by ~~processing (treating) hazardous waste without a permit.~~

Count Two – Processing Hazardous Waste Without a Permit or Interim Status

~~38.37.~~ Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

~~39.38.~~ “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

~~40-39.~~ “Recyclable materials” is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] as “hazardous wastes that are recycled”.

~~41-40.~~ The Respondent USET receives “hazardous waste” from off-site generators, as that term is defined by 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

41. The Respondent USET receives “recyclable materials” from off-site generators, as that term is defined by 30 T.A.C. § 335.24(a) [40 C.F.R. § 261.6(a)(1)]. ~~The Respondent USET notified the TCEQ of this activity.~~

Formatted: Bullets and Numbering

~~42.~~ Recyclable materials identified in 30 T.A.C. § 335.24(c) [40 C.F.R. §261.6(a)(3)] are not subject to regulation under Subchapters B-I or O of Chapter 335, 30 T.A.C. Chapters 1, 3, 10, 17, 20, 31, 39, 40, 50, 70, 80, 86, 261 or 305, except as provided in 30 T.A.C. § 335.24(g) and (h) [parts 262 through 268, 270 or 124].

~~43.~~ The Respondent USET notified the Texas Commission on Environmental Quality (TCEQ) that it reclaims oil from oil-bearing hazardous wastes from petroleum refining, production and transportation practices in accordance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

~~42-44.~~ EPA has not promulgated a definition of “oil bearing hazardous wastes from petroleum refining, production and transportation practices” in its regulations.

~~43-45.~~ Recyclable materials Hazardous wastes destined for oil reclamation are transferred to the Respondent TD*X by the Respondent USET.

46. On various dates ~~between after~~ June 15, 2008 and the present, certain hazardous wastes ~~Recyclable Materials~~ were fed into the TDU that did not meet the exemption in 40 C.F.R. § 261.6(a)(3)(iv)(C) definition of “recyclable materials” as that term is defined in 30 T.A.C. §335.24(a) [40 C.F.R. § 261.6(a)(1)] because the hazardous wastes were not “oil-bearing

Formatted: Bullets and Numbering

hazardous wastes from petroleum refining, production, and transportation practices.”

Respondent USET ceased the receipt of these hazardous wastes.

~~47. The exemption for recyclable materials in 30 T.A.C. §335.24(c) [40 C.F.R.~~

~~47. § 261.6(a)(3)] is not applicable for to the hazardous waste identified in Paragraph 42.~~

~~45.47.~~ Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) (40

C.F.R. § 260.10) as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning.").

~~46.48.~~ Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R.

§ 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

~~47.49.~~ The TDU uses heat from an indirect heated rotary dryer to separate the organic contaminants ~~and to remove them~~ from the hazardous waste feed material. A nitrogen carrier gas is used to transfer the vapor phase organic constituents, and transfers them to a gas treatment

~~system using a nitrogen carrier gas. The oil is then recovered by condensing it vapor phase organic constituents in the gas treatment system. The noncondensable gases are recirculated to the heated rotary dryer. The _____ An approximate 100 cfm vent stream of noncondensable gases is extracted to balance pressures within the system, filtered and injected into the combustion chamber of the TDU, filtered, then nitrogen, along with non-condensable gases, is injected into the combustion chamber of the TDU, and burned~~

~~48-50~~ The separation of the organic contaminants from the hazardous waste in the TDU's indirectly heated rotary dryer constitutes thermal processing (thermal treatment) as that term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].

~~49-51~~ To date, neither the Respondent USET nor Respondent TD*X has~~ve~~ applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in the TDU.

~~50-52~~ Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] ~~by thermally processing (thermally treating) hazardous waste without a permit.~~

Count Three - Processing Hazardous Waste Without a Permit or Interim Status

~~51-53~~ Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

~~52-54~~ "Hazardous waste" is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as "any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal

Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

~~§§ 55~~ Thermal processing (thermal treatment) is defined in 30 T.A.C. § 335.1(149) (40 C.F.R. § 260.10) as follows:

the processing of solid waste or hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the solid waste or hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning.")

~~§§ 56~~ Processing (treatment) is defined in 30 T.A.C. § 335.1(117) [40 C.F.R. § 260.10] as follows:

The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the treatment or neutralization of solid waste or hazardous waste, designed to change the physical, chemical, or biological character or composition of any solid waste or hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§6901 *et seq.*, as amended.

~~§4. The burning of gases in the TDU's combustion chamber constitutes thermal processing (thermal treatment), as term is defined in 30 T.A.C. § 335.1(149) [40 C.F.R. § 260.10].~~

~~§§ 57~~ An incinerator is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] as

“any enclosed device that: (A) uses controlled flame combustion and neither meets the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; or (B) meets the definition of infrared incinerator or plasma arc incinerator.”

~~§6.58.~~ The combustion chamber of the TDU is an enclosed device that uses controlled flame combustion to indirectly heat a rotary dryer.

~~§7.59.~~ The TDU does not meet the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; nor meets the definition of infrared incinerator or plasma arc incinerator.”

~~§8.60.~~ The TDU is an “incinerator” as that term is defined in 30 T.A.C. § 335.1(75) [40 C.F.R. § 260.10] because it thermally processes (thermally treats) hazardous waste by burning hazardous waste using controlled flame combustion meets the criteria established in Paragraphs II.B.57 and 58.

[EPA NEEDS TO LAY OUT ITS ARGUMENT THAT WE ARE BURNING HAZARDOUS WASTE TO GET TO PARAGRAPH 60].

~~§9.61.~~ To date, neither the Respondent USET nor Respondent TD*X has~~ve~~ applied for nor received a RCRA permit or interim status to allow the thermal processing (thermal treatment) of hazardous waste in an incinerator.

~~§10.62.~~ Therefore, the Respondent USET and the Respondent TD*X have violated and continue to violate Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e) and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by thermally processing (thermally treating) hazardous waste in an unpermitted incinerator. The Respondent USET and the Respondent TD*X have proposed to reconfigure the TDU so that the vent stream of noncondensable gases is

61.63 routed to a thermal oxidizer unit (TOU) instead of the external combustion chamber of the TDU rotary dryer.

Count Four – Storing Hazardous Waste Without a Permit Or Interim Status

61.63 Pursuant to Sections 3005(a) and (e) of RCRA, 42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)], a RCRA permit or interim status is required for the processing (treatment), storage, or disposal of hazardous waste.

62.64 Between on or about March 9, 2010, and June 11, 2010, the Respondent USET stored roll-off boxes in the area called the “Y” at the facility.

63.65 The roll-off boxes identified in Paragraph 623 contained material which was destined for the TDU had entered the oil reclamation process and wasere being temporarily staged to before undergoing subsequent stages of the reclamation process. The Respondent USET discontinued the use of the area called the “Y” for this purpose.

64.66 “Hazardous waste” is defined in 30 T.A.C. § 335.1(69) [40 C.F.R. § 261.3] as “any solid waste identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency in accordance with the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code, §§ 6901 *et seq.*”

65.67 The roll-off boxes identified in Paragraph 623 contained “hazardous waste” as that term is defined in T.A.C. § 335.1(69) [40 C.F.R. § 261.3].

66.68 ~~To date, t~~The Respondent USET has~~d~~ not applied for nor received a RCRA permit or interim status to allow the storage of hazardous waste at the area called the “Y” between on or about March 9, 2010, and June 11, 2010.

67.69 Therefore, the Respondent USET has violated Sections 3005(a) and (e) of RCRA,

42 U.S.C. §§ 6925(a) and (e), and 30 T.A.C. § 335.43(a) [40 C.F.R. § 270.1(b)] by storing hazardous waste without a RCRA permit or interim status.

III. COMPLIANCE ORDER

~~68,70.~~ Pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), the Respondents are hereby **ORDERED** to take the following actions and provide evidence of compliance within the time period specified below:

A. Interim Operating Requirements

1. As of the effective date of this CAFO, feedstock into the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production and transportation practices. Oil-bearing hazardous waste from petroleum refining, production or transportation practices includes listed waste from specific Petroleum Refining Sources (F037, F038, K048, K049, K050, K051, K052, K169, and K170, ~~K171, AND K172~~). Also acceptable are materials generated from processes meeting the definition established for facilities whose primary Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follows:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site	213112	Support Activities for Oil and Gas Operations

	preparation and related construction activities performed on a contract or fee basis)		
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products
4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

2. Using feedstock from the processes meeting the definition of aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to obtain a certification from the generator that the hazardous waste in question is oil-bearing hazardous waste from petroleum refining, production and transportation practices and make a separate, independent determination based on information provided by the generator as to whether the hazardous waste in question is “oil-bearing,” and that the hazardous waste actually came from petroleum refining, production, or transportation practices at the generator’s facility.

3. Within seven (7) 14 days of Beginning on the effective date of this CAFO, the Respondents shall submit to EPA and TCEQ for approval operate the TDU with, the following interim limits on operating parameters, including, but not limited, to the following:

a. the maximum hazardous waste feed rate to the rotary dryer shall be 31013 tons per day/hour based on an hourly rolling average;

Formatted: Highlight

Formatted: Highlight

b. limits on ash, semivolatile metals, low volatile metals, mercury, and total chlorine (organic and inorganic) (Cl₂ and HCl); dryer feed material shall be limited as follows:

1. to a maximum organic halogen content of at 40001500 ppm,

Formatted: Bullets and Numbering

Formatted: Highlight

2. maximum mercury concentration in of 26050 ppm in feed to TDU,

Formatted: Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 1" + Tab after: 1.25" + Indent at: 1.25"

3. no limit on Semi-Volatile Metals concentration in feed to TDU,

Formatted: Highlight

4. no limit on Low-Volatile Metals concentration in feed to TDU,

5. no limit on ash content of feed to TDU.

i

c. a minimum solids discharge temperature of 650°F from the rotary dryer or that treated product desorber solids must be considered to be untreated, be separately collected, and be reprocessed through the rotary dryers, except for the first two hours after start-up of feed when the product material does not contact the product thermocouple temperature;

d. maximum internal pressure in the rotary dryer of 0.00 inches (W.C.) with a 60-second time delay while the dryer feed is on; gas/vapor flow rate to the Off-Gas Condensing Recovery System;

e. maximum Off-Gas Condensing Recovery System outlet temperature of 1320°F based on an hourly rolling average with a 51 minute delay when the dryer feed is on;

Formatted: Highlight

Formatted: Highlight

f. minimum combustion chamber temperature of 1400°F based on an hourly rolling average with a 5 minute delay in the rotary dryer external furnace while the dryer feed is on; and

Formatted: Highlight

g. maximum gas/vapor flow rate to the combustion chamber of 180 scfm on an hourly rolling average basis with a continuous supply of air to the process vent injectors including 20%

or more excess air required to completely combust the process vent gas while the dryer feed is on; and--

h. a HEPA filter shall be in service at all times on the TDU process vent stream and the HEPA filter shall be confirmed as functioning with a measurable pressure drop once per operating shift while the dryer feed is on.

Formatted: Highlight

~~h. other Off-Gas Condensing Recovery Systems operating parameter limits; and~~
~~i. any other operating parameter limits for air pollution control devices used.~~

~~The submittal shall include monitoring and recordkeeping requirements. The Respondents shall perform implement the monitoring and maintain records relating to these operating parameter limits, as approved or modified by EPA and TCEQ.~~

4. Within ninety ~~180 (180)~~ 90 days of the effective date of this CAFO, the Respondents shall install, monitor, and operate an automatic hazardous waste feed cutoff at the TDU that immediately and automatically cuts off the hazardous waste feed when any of the following conditions occurs; in accordance with the requirements of 40 C.F.R. § 63.1206(e)(3).

- a. Oxygen content in the process vent greater than 7% with 1-minute delay;
- b. internal pressure in the dryer feed breach greater than 0.0 inches W.C. with 1-minute delay;
- c. temperature at the outlet of the gas treatment system condensers greater than 1320°F based on an hourly rolling average with 51-minute delay.
- d. temperature in the combustion zone of the dryer's external furnace less than 1,400°F based on an hourly rolling average with a 5-minute delay;
- e. loss of operation of the gas treatment system carrier gas recirculation blower; and

Formatted: Highlight

- f. valve position of the process vent injection verified as directing the process vent away from the dryer's external furnace combustion zone with a 1-minute delay;
- g. feed rate to the TDU exceeding ~~31013 ton/day~~ based on an ~~twenty-four-hour~~ hourly rolling average; and
- h. process vent flow rate exceeding 180 scfm based on a one-hour rolling average.

Formatted: Highlight

Formatted: Highlight

5. Within 120 days after the effective date of this CAFO, Respondents shall submit to the TCEQ an application for the construction and operation of the thermal oxidizer under Texas Health and Safety Code Chapter 382. Within ~~ninety 180 (180) days~~ one year of the effective date of this CAFO, or within ninety (90) days after issuance of the permit required for installation of the reconfigured TDU under Tex. Health and Safety Code Chapter 382, whichever is later, the Respondents shall reconfigure the TDU so that the non-condensable vent gases and the tank vent closed-vent system gases are routed to a thermal oxidizer unit (TOU) instead of the external combustion chamber of the TDU rotary dryer. After the reconfiguration has occurred, for the purposes of Section III and IV.C of this CAFO only, references to the TDU shall include the TOU, unless otherwise indicated.

6. Within ~~ninety 180 (180) days~~ of Beginning on the effective date of this CAFO initial operation of the TOU, the Respondents shall comply with also submit to EPA and TCEQ for approval, the following interim operating parameters for the TOU including, but not limited to:

- a. minimum ~~operating~~ temperature of ~~1,400°F~~ based on an hourly rolling average in the TOU combustion chamber when the feed to the dryer is on; and

Formatted: Highlight

b. maximum flue gas flow rate based on a residence time of 0.5 seconds at 1400°F, as determined by engineering calculations at the measured process flow rate when the feed to the dryer is on; and-

c. maximum process vent gas/vapor flow rate to the TOU combustion chamber of 250 scfm based on an hourly rolling average; based on the design capacity of the TOU, with a continuous supply of air including 20% or more excess air required to completely combust the process vent gas while the dryer feed is on.

Formatted: Highlight

~~The Respondents shall implement the operating parameter limits as approved or modified by EPA and TCEQ.~~

7. Within ~~thirty (30) ninety (90) 180 (180)~~ days of the effective date of this CAFO, the Respondents shall install, calibrate, and operate continuous emissions monitors in accordance with the requirements of 40 C.F.R. § 264.1033(pf) applicable to process heaters~~63-1209(a).~~ Within sixty (60) days of the initial operation of the reconfigured TDU, ~~The Respondents shall also install, calibrate and operate temporary continuous monitors to verify that use carbon monoxide and/or hydrocarbon CEMS to demonstrate and monitor is in compliance with the following carbon monoxide and/or hydrocarbon standards: (i) carbon monoxide less than 100 ppm by volume, or (ii) hydrocarbons less than 10 ppm by volume as propane, both over an hourly rolling average, dry basis corrected to 7 percent oxygen of 40 C.F.R. Part 63, Subpart EEE863.1203(a)(5); provided that any compliance demonstration required by that subsection shall be conducted pursuant to the performance test specified in Section III.D. of this CAFO.~~

The Respondents shall also use oxygen CEMS to continuously correct the carbon monoxide or hydrocarbon level to 7 percent oxygen. These CEMS shall be located in compliance with 40

C.F.R. Part 60, Appendix B requirements for rotary dryer emission point (EP-1), for the combustion chamber emission point (EP2), and following for the TOU. The Respondents shall operate the TDU and the TOU in a manner that the one minute and hourly rolling averages are not exceeded. The rolling averages shall be calculated in accordance with 40 C.F.R. §

63.1209(a)(6). After the compliance demonstration test required by Section III.D of this CAFO ~~thirty (30) days of operation of temporary CEMS~~, the Respondents are allowed to remove ~~these~~ the temporary CEMS instruments provided that both the data from the compliance demonstration test confirm compliance with the CO or hydrocarbon standards of 40 C.F.R. §63.1203(a)(5), and the CEMS required by §264.1033(f) actuates the AWFCO. The Respondents shall submit a written demonstration as to these findings to the ~~TCEQ~~EPA in the compliance demonstration test report.

~~8. Within one hundred twenty (120) days of the effective date of this CAFO, the Respondents shall submit to EPA and TCEQ for approval, a feedstream analysis plan prepared in accordance with 40 C.F.R. § 63.1209(c)(2). The Respondents shall implement the plan as approved or modified by EPA and TCEQ.~~

§9. Within six (6) months after the effective date of this CAFO, and every six months thereafter until this CAFO is terminated, the Respondents shall send a report to EPA, ~~with a copy to TCEQ, which contains~~. The Report shall include the following:

a. ~~Identification of~~ the customer, the customer's SIC and NAICS code, copies of the relevant waste approval documents, ~~including the generator's certification that the oil-bearing hazardous waste is from petroleum refining, production and transportation practices, and~~ manifests for the previous six month period.

[NEED TO DISCUSS DETAILS AND FORMAT OF INFORMATION NEEDED BY EPA]

~~b. All time periods in where there were exceedances of the one minute and hourly rolling averages required under Paragraph 68.A.7.~~

~~be. The initial Report shall include d) documentation showing the of installation dates of the equipment required by Paragraphs 698.A.4, A5, and A.7.~~

The Report may be submitted in an electronic format (i.e., compact disk). The Respondents may claim the report as confidential business information, in accordance with the requirements of 40 C.F.R. Part 2.

B. RCRA Permit Modification

1. Within ~~ninety (90) days~~ one year of the effective date of this CAFO, the Respondents shall submit to TCEQ and EPA, an application for a Class 3 RCRA Permit Modification to permit the TDU as a miscellaneous unit under 40 C.F.R. Part 264, Subpart X in accordance with 30 T.A.C. § 335.152(a)(16) (40 C.F.R. Part 264, Subpart X), 30 T.A.C. Chapter 305 (40 C.F.R. §§ 270.10 – 270.14, ~~270.19, 270.23, and 270.30 – 270.33~~). ~~This permit application will serve as the Documentation of Compliance required by 40 C.F.R. § 63.1211(c).~~ A copy of this permit modification application shall also be submitted to EPA.

2. The permit application shall also include ~~relevant~~ requirements of 40 C.F.R. Part 264 that are appropriate for the operation of the TDU, the TOU, and the oil reclamation unit, ~~including relating to an engineering report, waste analysis, monitoring and inspection requirements, and closure requirements set forth in 30 T.A.C. § 335.152(a)(13) (40 C.F.R. §§ 264.341, 264.347, and 264.351), except that with regard to continuous monitoring required by §264.347(a)(1) and (2), only continuous monitoring of combustion temperature shall be required.~~

3. The Respondents shall also request that the ~~final-issued~~ RCRA permit also include the following:

- a. ~~The relevant~~ Appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC and 40 C.F.R. Part 63, Subparts A and EEE;
 - b. ~~The feedstock limitations set forth in Paragraph 68.F; and~~
 - c. Operating parameters for the condensers from the Off-Gas Condensing Recovery System, including appropriate monitoring and recordkeeping requirements for the condensers; and
 - d. ~~Any risk-based terms and conditions necessary to protect human health and the environment.~~
4. The failure to timely submit a Class 3 Permit Modification to TCEQ ~~and EPA~~ within the deadline set forth in Paragraph 698.B.1 shall result in the termination of the Respondents' authorization to operate the TDU on that date unless that deadline has been extended pursuant to Section IV.F (Force Majeure).
5. By no later than ~~two~~ three and one-half years (~~30~~ 42 months) from the effective date of this CAFO, the Respondents must complete all permitting requirements and ~~have a final~~ obtain issuance from the TCEQ of a RCRA Subpart X permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) (40 C.F.R. Part 264, Subpart X), 30 T.A.C. Chapter 305 (40 C.F.R. §§ 270.10 – 270.14, 270.19, 270.23, and 270.30 – 270.33), and which incorporates ~~the applicable~~ appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC and 40 C.F.R. Part 63, Subparts A and EEE. In the event that TCEQ does not issue a final RCRA Subpart X permit for the TDU as described above by the above deadline, the Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

~~C. Public Notice~~ Public Notice of Intent to Comply (NIC)/Public Participation

~~1. Within seven (7) days of the effective date of this CAFO, the Respondents shall submit to TCEQ and EPA a draft Notice of Intent to Comply (NIC) pursuant to 40 C.F.R. § 63.1210(b), and an initial notification pursuant to 40 C.F.R. § 63.9(b).~~

~~2. The Respondents shall make the draft NIC available to the public either (a) at least thirty (30) days prior to the public meeting pursuant to 40 C.F.R. § 63.1210(b)(2), or (b) at a time approved by EPA and TCEQ.~~

~~31. The Respondents shall provide the following notices to the public:~~

~~a. Notice of Receipt of Application and Intent to Obtain Permit pursuant to 30 T.A.C. §§ 39.418 and 39.509. Notice of the public meeting required by 30 T.A.C. § 305.69(d)(4) shall be included with the Notice of Receipt of Application and Intent to Obtain Permit, as required by 30 T.A.C. § 39.418; and~~

~~b. Notice to the public of the Notice of Application and Preliminary Decision pursuant to 30 T.A.C. §§ 39.419 and 39.509; and~~

~~c. NIC public meeting required by 40 C.F.R. § 63.1210(c)(3).~~

~~42. The Respondents shall hold a public meeting pursuant to 30 T.A.C. § 305.69(d)(4) [40 C.F.R. § 270.42(e)] no earlier than fifteen (15) days following publication of the notice and no later than fifteen (15) days before the close of the sixty (60) day comment period. This public meeting shall also be coordinated with the NIC public meeting required by 40 C.F.R. § 63.1210(c).~~

~~5. The Respondents shall submit to TCEQ and EPA the final NIC pursuant to 40 C.F.R. § 63.1210(b)(3) no later than 60 days following the public meeting.~~

~~6. The failure to timely submit the final NIC to TCEQ and EPA no later than 60 days following the public meeting shall result in the termination of the Respondents' authorization to operate the TDU on that date.~~

CD. Startup, Shutdown, and Malfunction Plan

1. ~~Prior to operation of the reconfigured TDU. Within one hundred twenty (120) days of the effective date of this CAFO,~~ the Respondents shall submit a Startup, Shutdown, and Malfunction Plan to TCEQ for approval. This plan shall be prepared in accordance with 40 C.F.R. §§ 63.6(e)(3) and ~~63.1206(e)(2)~~ include provisions to comply with AWFCOs as per Section 698.A.4 of this CAFO during Startup, Shutdown and Malfunctions. ~~The Respondents shall implement the Startup, Shutdown and Malfunction Plan as approved by TCEQ. E~~ comply with any instructions or directives from TCEQ regarding approval, disapproval, or submission of any additional information. A copy of the Startup, Shutdown, and Malfunction Plan shall also be submitted to EPA.

Formatted: Not Highlight

Formatted: Not Highlight

Formatted: Not Highlight

DE. Comprehensive Performance Compliance Demonstration Test (CDPT)

1. The Respondents shall perform a ~~comprehensive performance compliance demonstration test (CDPT)~~ as set forth below. The CDPT is required to demonstrate compliance with the appropriate emissions standards of 40 C.F.R. Part ~~63.264~~, Subparts O and AA, and Part 63 Subpart ~~EEE-EEE~~, establish limits for the operating parameters provided by 40 C.F.R. § 61.1209, ~~identified in the RCRA permit modification application required by Section III.B.~~ and demonstrate compliance with the performance specifications for continuous monitoring systems.

2. Within one hundred twenty ~~(90)120~~ days of the effective date of this CAFO, the Respondents shall submit to TCEQ and EPA for approval a complete and approvable

Formatted: Not Highlight

~~comprehensive performance test~~CDPT plan and a continuous monitoring system (CMS) performance test plan pursuant to the appropriate requirements of 40 C.F.R. §§ ~~63.7, 63.1207, and 63.1209~~270.62(b)(2). The CDPT plan shall also provide for a performance test to determine the ~~efficiency and operating parameters of the condensers from the Off-Gas Condensing Recovery System, the overall equivalent capture efficiency, destruction and removal efficiency of the TDU system including the TOU, and the actual nature, pattern, and quantity of emissions from EPN EP-2, the TOU, and any other fugitive or point source emissions of the TDU system capable of routing off-gas from the TDU to the atmosphere, including its air contaminant control systems, product recovery systems, and treated material handling system.~~ Based on the principal operation of the TDU being the reclamation of oil-bearing hazardous waste from petroleum refining, production and transportation practices, the POHC for the DRE determination shall be the sum of all polynuclear aromatic hydrocarbon (PAH) compounds in the listings for K048-K052, K169-K172, F037 and F038, because PAH compounds have the highest difficulty of incineration of the organic constituents that are the basis for listing of these wastes. ~~Copies of the CDPT plan and CMS test plan shall also be submitted to EPA.~~

3. The Respondents shall make the CPT plan and CMS performance test plan available for public review upon issuance of the notice of NIC public meeting.

43. The Respondents shall implement the CDPT Plan and the CMS performance test plan as approved by ~~TCEQ and EPA~~, within ninety (90) days after approval of the CDPT Plan and the CMS performance test plan, or within sixty (60) days after installation of the TOU, whichever is later. During the testing, the Respondents shall ~~comply with 40 C.F.R. §§ 63.7(e) and 63.1207(g).~~ assure that each performance test shall consist of three separate runs using the applicable test method. Each run shall be conducted for the time and under the conditions

Formatted: Not Highlight

specified in the relevant standard. For the purpose of determining compliance with a relevant standard, the arithmetic mean of the results of the three runs shall apply. At a minimum during the CDPT, the Respondents shall demonstrate that the TDU and TOU achieve the following performance standards:

a. the equivalent "destruction and removal efficiency" (DRE) must be greater than 99.99% for ~~one~~the designated POHC fed to the TDU, as per 40 CFR 264, Subpart O, based on the mass feed rate of the POHC fed to the TDU and the mass emission rate of the same POHC present in the exhaust emissions from the combusted process vent, and the POHC shall be the total of the PAH compounds that are the basis for listing for waste codes K048-K052, K169-K172, F037 and F038;

b. the process vent must be controlled by combustion in a control device in accordance with RCRA emissions control standards for process vents as per 40 CFR Part 264, Subpart AA, by providing a minimum residence time of 0.50 seconds at a minimum temperature of 760°C;

c. the closed vent system emissions shall be controlled by combustion in a device that provides a minimum residence time of 0.5 seconds at a minimum temperature of 760°C (1,400°F), as per 40 CFR Part 61, Subpart FF; ~~and~~

d. ~~d~~Dioxins and furans emissions shall be less than 0.240 ng TEQ/dscm corrected to 7 percent oxygen from the combusted process vent gas emission stream;

e. mercury emissions less than 8.1 µg/dscm corrected to 7% oxygen in the TOU stack;

f. semi-volatile metals (Cd, Pb) emissions less than 10 µg/dscm corrected to 7% oxygen in the TOU stack;

g. low-volatile metals (As, Be, Cr) emissions less than 23 µg/dscm combined emissions corrected to 7% oxygen in the TOU stack;

h. carbon monoxide emissions less than 100 ppmV, or hydrocarbons emissions less than 10 ppmV as propane, over an hourly rolling average, dry basis, corrected to 7% oxygen in the TOU stack;

i. hydrogen chloride and chlorine gas emissions less than 21 ppmV, combined emissions, expressed as chloride equivalent, dry basis, corrected to 7% oxygen in the TOU stack;

j. particulate matter emissions less than 0.0016 gr/dscf corrected to 7% oxygen in the TOU stack; and

k. during one run of the CDT, the organic compounds reduction efficiency for the TOU shall demonstrated to be greater than 95%, based on Method 18 organic concentration samples taken from the process vent, the tank vent closed vent system, and the TOU stack, and flow measurements made from these same points, using the equation as per 40 CFR § 61.355(i)(4).

45. If the Respondents determine (based on CEM recordings, results of analyses of stack samples, or results of CMS performance evaluations) that they have exceeded any emission standard for a mode of operation, they must cease hazardous waste burning immediately under that mode of operation, except that the Respondents may burn hazardous waste for the purpose of conducting demonstration tests under revised operating conditions for the emission standard exceeded except as provided in 40 C.F.R. § 63.1207(f)(1). The Respondents must make this determination within forty-five (45) ninety (90) days following completion of the CPDT. The Respondents' authorization to operate the TDU terminates on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

65. All analyses required by the CDPT plan shall be performed by a NELAC -accredited laboratory or by a laboratory pre-approved by TCEQ.

76. Pursuant to 40 C.F.R. §§ 63.7(g), 63.9(h), 63.1207(i), and 63.1210(d), wWithin ninety (90) days from completion of the CPDT and the CMS performance test, the Respondents shall prepare and submit to TCEQ and EPA a comprehensive test report CDT report that includes results for the analysis of samples, determination of emissions, and raw data, as well as the results of any performance tests, opacity or visible emission observations, continuous monitoring system (CMS) performance evaluations, and/or other monitoring procedures or methods that were conducted. Submit a Notification of Compliance (NOC) to TCEQ and EPA. The report shall documenting compliance with the emission standards and continuous monitoring system requirements, and identifying the operating parameter limits under 40 C.F.R. § 63.1209 for the minimum combustion chamber temperature. All data collected during the CDPT and the CMS performance test (including, but not limited to, field logs, chain-of-custody documentation, monitoring data, sampling and analytical results, and any other data or calculations supporting the emissions calculations or operating parameter limits) must be submitted as part of the CDT report to TCEQ and EPA along with the NOC test report. A copy of the CDT report shall also be submitted to the EPA.

87. As of the date of the submission of the demonstration test report, the Respondents shall comply with all operating requirements of the CDT demonstration NOC report and the requirements of 40 C.F.R. §§ 63.1209 AND 63.1219.

98. The failure to timely submit an NOC CDT report to TCEQ and EPA within ninety (90) days from completion of the CDPT and the CMS performance test shall result in the

Formatted: Not Highlight

termination of the Respondents' authorization to operate the TDU on that date, unless that deadline has been extended pursuant to Section IV.F (Force Majeure).

F. Compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C)

1. If the Respondent desires to comply with 40 C.F.R. § 261.6(a)(3)(iv)(C) after it receives its RCRA Permit Modification, during that mode of operation under §261.6(a)(3)(iv)(C), feedstock to the TDU shall consist only of non-hazardous waste, and oil-bearing hazardous waste from petroleum refining, production and transportation practices. Oil-bearing hazardous waste from petroleum refining, production or transportation practices includes listed waste from specific petroleum refining sources (F037, F038, K048, K049, K050, K051, K052, K169 and, K170, K171 AND K172). Also acceptable are materials generated from processes meeting the definition established for facilities whose primary Standard Industrial Classification (SIC) codes and corresponding North American Industry Classification System (NAICS) codes (i.e., petroleum refining, production, and transportation practices) are as follow:

SIC Code	SIC Description	NAICS Code	NAICS Title
1311	Crude Petroleum & Natural Gas	211111	Crude Petroleum and Natural Gas Extraction
1321	Natural Gas Liquids	211112	Natural Gas Liquid Extraction
1381	Drilling Oil & Gas Wells	213111	Drilling Oil and Gas Wells
1382	Oil & Gas Field Exploration Services (except geophysical mapping & surveying)	213112	Support Activities for Oil & Gas Operations
1389	Oil and Gas Field Services, NEC (except construction of field gathering lines, site preparation and related construction activities performed on a contract or fee basis)	213112	Support Activities for Oil and Gas Operations
2911	Petroleum Refining	324110	Petroleum Refineries
4612	Crude Petroleum Pipelines	486110	Pipeline Transportation of Crude Oil
4613	Refined Petroleum Pipelines	486910	Pipeline Transportation of Refined Petroleum Products

4789	Transportation Services, NEC (pipeline terminals and stockyards for transportation)	488999	All Other Support Activities for Transportation
4922	Natural Gas Transmission	486210	Pipeline Transportation of Natural Gas
4923	Natural Gas Transmission and Distribution (distribution)	221210	Natural Gas Distribution
4923	Natural Gas Transmission and Distribution (transmission)	486210	Pipeline Transportation of Natural Gas
5171	Petroleum Bulk Stations and Terminals (except petroleum sold via retail method)	488999	All Other Support Activities for Transportation
5172	Petroleum and Petroleum Products Wholesalers, Except Bulk Stations and Terminals (merchant wholesalers)	424720	Petroleum and Petroleum Products Merchant Wholesalers (except Bulk Stations and Terminals)

Nothing in this Section III.F shall be construed to preclude Respondents from seeking authorization to process oil-bearing materials outside the scope of §261.6(a)(3)(iv)(C).

2. Using feedstock from the aforementioned SIC/NAICS Codes does not constitute compliance with 40 C.F.R. § 261.6(a)(3)(iv)(C) or this CAFO. The Respondents are required to obtain a certification from the generator that the hazardous waste in question is oil-bearing hazardous waste from petroleum refining, production and transportation practices and make a separate, independent determination based on information provided by the generator as to whether the hazardous waste in question is “oil-bearing.”; and that the hazardous waste actually came from petroleum refining, production, or transportation practices ~~at the generator’s facility~~. The Respondents shall request that this provision be placed in the issued its Final RCRA permit.

G. Submission, Revision, and Approval Process

1. For all applications or plans required be submitted to TCEQ and/or EPA approval under this CAFO, TCEQ/EPA will review these applications or plans ~~and issue only one Notice of Deficiency (NOD) to the Respondents in accordance with 30 T.A.C. §§ 281.3(c) and 281.19(a). The Respondents must provide an approvable response to any Notice of Deficiency~~

~~(NOD) TCEQ and EPA within the thirty (30) days of receipt of time period specified by TCEQ in the NOD unless extended by the TCEQ. In the event that the Respondents fail to submit a timely and complete good faith approvable NOD response, the Respondents' authorization to operate the TDU shall terminate on the NOD response deadline unless that deadline has been extended pursuant to Section V.F (Force Majeure) [thirty (30) days from the date of receipt of the NOD].~~

H. Additional Conditions

1. To comply with this CAFO, the Respondents must obtain a RCRA permit for the TDU as a Subpart X – Miscellaneous Unit in accordance with 30 T.A.C. § 335.152(a)(16) (40 C.F.R. Part 264, Subpart X), 30 T.A.C. Chapter 305 (40 C.F.R. §§ 270.10 – 270.14, ~~270.19, 270.23, and 270.30 – 270.33~~), and which incorporates the applicable appropriate requirements of 40 C.F.R. Part 264, Subparts I through O and AA through CC and 40 C.F.R. Part 63, Subparts A and EEE.

2. The Respondents may seek relief under the provisions of Section IV.F of this CAFO (Force Majeure) for any delay in the performance of any such obligations resulting from a failure to obtain, or a delay in obtaining, any permit or approval required to fulfill such obligation, if the Respondent has submitted a timely and complete application and has taken all other actions necessary to obtain such permit or approval.

I. EPA Review and Comment

1. Nothing in this CAFO shall limit EPA's rights under applicable environmental laws or regulations, including, but not limited to, Section 3005(c)(3) of RCRA, 42 U.S.C. § 6925(c)(3), 40 C.F.R. § 270.32 and 40 C.F.R. § 271.19, to review, comment, and incorporate applicable and appropriate requirements of 40 C.F.R. Parts 264 and 40 C.F.R. Part 63, Subparts A and EEE directly into the permit or establish other permit conditions that are based on those parts; or take

action under Section 3008(a)(3) of RCRA, 42 U.S.C. § 6928(a)(3), against the Respondents on the ground that the RCRA permit for the TDU does not comply with a condition that the EPA Region 6 Regional Administrator in commenting on the permit application or draft permit stated was necessary to implement approved State program requirements, whether or not that condition was included in the final permit. If the Respondent disputes an action taken by EPA pursuant to 40 C.F.R.

§ 270.32 or 40 C.F.R. § 271.19, the Defendant may invoke Dispute Resolution in accordance with Section IV.E of this CAFO.

J. Submissions

In all instances in which this Compliance Order requires written submissions to EPA, each submission must be accompanied by the following certification:

“I certify under penalty of law to the best of my knowledge and belief that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.”

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

IV. TERMS OF SETTLEMENT

A. CIVIL PENALTY

~~69.71.~~ Pursuant to the authority granted in Section 3008 of RCRA, 42 U.S.C. § 6928, and upon consideration of the entire record herein, including the Findings of Fact and Conclusions of Law, which are hereby adopted and made a part hereof, and upon consideration of the seriousness of the alleged violations, the Respondents’ good faith efforts to comply with the applicable regulations, and the June 2003 RCRA Civil Penalty Policy, it is hereby

ORDERED that the Respondent U.S. Ecology Texas, Inc. be assessed a civil penalty of _____ **DOLLARS (\$_____)**, and the Respondent TD*X Associates L.P. be assessed a civil penalty of _____ **DOLLARS (\$_____)**.

~~70.72~~ Within thirty (30) days of the effective date of this CAFO, the Respondents shall pay the assessed civil penalty by certified check, cashier's check, or wire transfer, made payable to "Treasurer, United States of America, EPA - Region 6". Payment shall be remitted in one of three (3) ways: regular U.S. Postal mail (including certified mail), overnight mail, or wire transfer. For regular U.S. Postal mail, U.S. Postal Service certified mail, or U.S. Postal Service express mail, the check(s) should be remitted to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

For overnight mail (non-U.S. Postal Service, e.g. Fed Ex), the check(s) should be remitted to:

U.S. Bank
Government Lockbox 979077
US EPA Fines & Penalties
1005 Convention Plaza
SL-MO-C2-GL
St. Louis, MO 63101
Phone No. (314) 418-1028

For wire transfer, the payment should be remitted to:

Federal Reserve Bank of New York
ABA: 021030004
Account No. 68010727
SWIFT address = FRNYUS33
33 Liberty Street
New York, NY 10045
Field Tag 4200 of the Fedwire message should read
"D 68010727 Environmental Protection Agency"

PLEASE NOTE: Docket numbers RCRA-06-2012-0936 (Respondent USET) and RCRA-06-2012-0937 (Respondent TD*X) shall be clearly typed on the respective checks to ensure proper credit. If payment is made by check, the check shall also be accompanied by a transmittal letter and shall reference the Respondent's name and address, the case name, and docket number of the CAFO. If payment is made by wire transfer, the wire transfer instructions shall reference the Respondent's name and address, the case name, and docket number of the CAFO. The Respondents shall also send a simultaneous notice of such payment, including a copy of the check and transmittal letter, or wire transfer instructions to the following:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Lorena Vaughn
Regional Hearing Clerk (6RC-D)
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

The Respondents' adherence to this request will ensure proper credit is given when penalties are received in the Region.

~~74.73.~~ The Respondents agree not to claim or attempt to claim a federal income tax deduction or credit covering all or any part of the civil penalty paid to the United States Treasurer.

~~72.74.~~ Pursuant to 31 U.S.C. § 3717 and 40 C.F.R. § 13.11, unless otherwise prohibited by law, EPA will assess interest and late payment penalties on outstanding debts owed to the United States and a charge to cover the costs of processing and handling a delinquent claim. Interest on the civil penalty assessed in this CAFO will begin to accrue thirty (30) days after the

effective date of the CAFO and will be recovered by EPA on any amount of the civil penalty that is not paid by the respective due date. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 40 C.F.R. § 13.11(a). Moreover, the costs of the Agency's administrative handling of overdue debts will be charged and assessed monthly throughout the period the debt is overdue. *See* 40 C.F.R. § 13.11(b).

~~73.75.~~ EPA will also assess a \$15.00 administrative handling charge for administrative costs on unpaid penalties for the first thirty (30) day period after the payment is due and an additional \$15.00 for each subsequent thirty (30) day period that the penalty remains unpaid. In addition, a penalty charge of up to six percent per year will be assessed monthly on any portion of the debt which remains delinquent more than ninety (90) days. *See* 40 C.F.R. § 13.11(c). Should a penalty charge on the debt be required, it shall accrue from the first day payment is delinquent. *See* 31 C.F.R. § 901.9(d). Other penalties for failure to make a payment may also apply.

B. PARTIES BOUND

~~74.76.~~ The provisions of this CAFO shall apply to and be binding upon the parties to this action, their officers, directors, agents, employees, successors, and assigns. The undersigned representative of each party to this CAFO certifies that he or she is fully authorized by the party whom he or she represents to enter into the terms and conditions of this CAFO and to execute and to legally bind that party to it. To the extent that this CAFO imposes obligations that are to be fulfilled specifically by one of the Respondents (including without limitation civil penalties imposed specifically against one Respondent or specific compliance actions that this CAFO indicates are to be taken specifically by one Respondent), only such Respondent shall be liable

for the failure to fulfill such obligations. The other Respondent shall be required to use commercially reasonable efforts to mitigate and limit the effects of such failure.

C. ADDITIONAL REQUIREMENTS

~~75.77.~~ The Respondents shall undertake the following additional requirements:

~~----- A. The Respondents agree that the oil reclamation unit and the TDU are subject to the requirements of 40 C.F.R. Part 61, Subparts V and FF.~~

~~----- BA. Within thirty (30) days of the effective date of the CAFO, the Respondents shall identify the following equipment in the oil reclamation unit and the TDU that is in "volatile hazardous air pollutant" (VHAP) service, as that term is defined by 40 C.F.R. § 61.241:~~

- ~~----- 1. pumps;~~
- ~~----- 2. compressors;~~
- ~~----- 3. pressure relief devices;~~
- ~~----- 4. sampling connection systems;~~
- ~~----- 5. open-ended valves or lines;~~
- ~~----- 6. valves;~~
- ~~----- 7. connectors;~~
- ~~----- 8. surge control vessels;~~
- ~~----- 9. bottoms receivers; and~~
- ~~----- 10. control devices and systems.~~

~~The Respondents shall assume all that the above-described equipment is in VHAP service unless otherwise demonstrated in accordance with the requirements of § 261.245(d).~~

~~----- C. Within ninety (90) 180 days of the effective date of the CAFO, the Respondents shall implement a fugitive monitoring program in accordance with the requirements of 40 C.F.R.~~

~~Part 61, Subpart V.~~

~~_____D. Within ninety (90) 180 days of the effective date of the CAFO, the Respondent shall submit the notice required by 40 C.F.R. § 61.247(a) to TCEQ.~~

~~EA.~~ Pursuant to 40 C.F.R. § 61.343(a)(1), within ~~ninety (90) 180~~ days of the effective date of the CAFO, the Respondents shall install, operate, and maintain a fixed roof and closed-vent system that routes all organic vapors from the following tanks set forth below to a control device: 1. Shaker Tank (T-30);

2. Surge Tank (T-34);

3. Condensate Water Tanks (T-3A, T3-B);

4. T-10 Series Tanks (T-10, T-11, T-12, T-13);

5. T-30 Series Tanks (T-31, T-32, T-33);

6. Filtrate Mix Tank (T-5);

7. Filtrate Tank (T-6);

8. Filtrate Skim Tank (T-6A); and

9. ~~Waste Water Tanks (M3, M6, S1, S2); and~~

~~_____10. Centrifuge.~~

The fixed-roofs shall meet the requirements of 40 C.F.R. § 61.343(a)(1)(i), and the control devices shall be designed and operated in accordance with the requirements of 40 C.F.R.

§ 61.349. The emissions from the tanks shall be routed to a carbon adsorption system when the TOU is not operating or out of service. The carbon in the carbon adsorption systems used as control device shall be replaced immediately when carbon breakthrough is indicated. The devices shall be monitored ~~on a daily basis when emissions are routed to the device, as required~~ by 40 C.F.R. § 61.354(d).

~~FB.~~ Pursuant to 40 C.F.R. § 61.354(c), within ~~ninety (90)~~ 180 days of the effective date of this CAFO, the Respondents shall install, calibrate, maintain, and operate according to manufacturer's specifications, devices to continuously monitor the control devices operations required by 40 C.F.R. § 61.349.

~~GC.~~ Pursuant to 40 C.F.R. § 61.345(a), within ~~ninety (90)~~ 180 days of the effective date of the CAFO, the Respondents shall install, operate and maintain covers on Bins 1, 2, 3, 4, and the Centrifuge solid bins that meet the requirements of 40 C.F.R. § 61.345(a)(1). The cover and openings shall be closed and secured at all time except for waste loading, removal, inspection or sampling, as required by 40 C.F.R. § 61.345(a)(1)(ii).

~~HD.~~ The Respondents shall use a submerge fill pipe when transferring waste into the containers by pumping, as required by 40 C.F.R. § 61.345(a)(2).

~~IE.~~ Within ~~ninety (90)~~ 180 days of the effective date of the CAFO, the Respondents shall conduct performance tests for the TOU and the carbon adsorption system to demonstrate compliance with the requirements of 40 C.F.R. § 61.349. The performance tests shall be conducted in accordance with the requirements of 40 C.F.R. § 61.355.

~~JE.~~ Within six (6) months of the effective date of the CAFO, the Respondents shall submit a written report to EPA. The Report shall include the following:

- ~~1. A copy of the equipment list required by Paragraph 75.B;~~
- ~~2. A copy of the fugitive emission program required by Paragraph 75.C;~~
- ~~3. A copy of the notice required by Paragraph 75.D;~~
- ~~4. Documentation showing compliance with Paragraphs 75.EA, 75.FB, 75.GC, and 75.HD.~~ This includes documentation that the control devices meet the requirements set forth in 40 C.F.R. § 61.349(a)(2); and

~~52. A copy of the performance tests required by Paragraph 75.FI.~~

~~KE.~~ The report must be accompanied by the following certification:

"I certify to the best of my knowledge and belief that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

All submissions must be certified on behalf of the Respondents by the signature of a person authorized to sign a permit application or a report under 40 C.F.R. § 270.11.

~~LG.~~ The Report shall be sent to the following:

Craig Lutz
Toxics Enforcement Section (6EN-AT)
Compliance Assurance and Enforcement Division
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

D. STIPULATED PENALTIES

~~76.78.~~ In addition to any other remedies or sanctions available to EPA, the

Respondent(s) shall pay stipulated penalties in the following amounts for each day during which each failure or refusal to comply continues:

a. Failure to Timely Submit Reports, Notices, or Plans - Paragraphs ~~689~~A.3, ~~689~~A.6, ~~689~~A.8, ~~689~~A.9, ~~689~~C.1, ~~689~~C.5, ~~689~~D.1, and ~~689~~E.2

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,000
16th through 30th day	\$ 1,500
31st day and beyond	\$ 2,500

b. Failure to Comply with Certain Interim Operating Requirements – Paragraphs ~~689~~A.4, ~~689~~A.5, and ~~689~~A.7

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500

31st day and beyond \$ 5,000

c. Failure to Comply with any Other Provision of Section III of this CAFO

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 500
16th through 30th day	\$ 1,000
31st day and beyond	\$ 1,500

d. Failure to Comply with Additional Requirements – Section IV.C

<u>Period of Noncompliance</u>	<u>Penalty Per Violation Per Day</u>
1st through 15th day	\$ 1,500
16th through 30th day	\$ 2,500
31st day and beyond	\$ 5,000

Penalties shall accrue from the date of the noncompliance until the date the violation is corrected, as determined by EPA.

~~77.79.~~ For the violations described in Paragraph IV.D.a.-d., "Noncompliance" shall not be deemed to have commenced, and the associated penalties shall not begin to accrue, unless such noncompliance remains uncured following seven (7) days written notice from EPA. The Respondent(s) shall pay stipulated penalties not more than fifteen (15) days after receipt of written demand by EPA for such penalties. Method of payment shall be in accordance with the provisions of Paragraph 70 herein. Interest and late charges shall be paid as stated in Paragraphs 72 - 73 herein.

~~79.~~ Nothing in this agreement shall be construed as prohibiting, altering or in any way limiting the ability of EPA to seek any other remedies or sanctions available by virtue of the Respondent(s) violation of this CAFO or of the statutes and regulations upon which this agreement is based, or for the Respondent's violation of any applicable provision of law.

E. DISPUTE RESOLUTION

~~78-80.~~ If the Respondents object to any decision or directive of EPA in regard to Section III or IV.C, the Respondents shall notify each other and the following persons in writing of its objections, and the basis for those objections, within ~~fifteen (15)~~ 30 calendar days of receipt of EPA's decision or directive:

Associate Director
Hazardous Waste Enforcement Branch (6EN-H)
Compliance Assurance and Enforcement Division
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Chief, RCRA Enforcement Branch (6RC-ER)
Office of Regional Counsel
U.S. EPA - Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

~~79-81.~~ The Associate Director of the Hazardous Waste Enforcement Branch or his/her designee (Associate Director), and the Respondents shall then have an additional ~~fifteen (15)~~ 30 calendar days from EPA's receipt of the Respondents' written objections to attempt to resolve the dispute. If an agreement is reached between the Associate Director and the Respondents, the agreement shall be reduced to writing and signed by the Associate Director and the Respondents and incorporated by reference into this CAFO.

~~80-82.~~ If no agreement is reached between the Associate Director and the Respondents within that time period, the dispute shall be submitted to the Director of the Compliance Assurance and Enforcement Division or his/her designee (Division Director). The Division Director and the Respondents shall then have a second ~~15~~ 30-day period to resolve the dispute. If an agreement is reached between the Division Director and the Respondents, the resolution shall be reduced to writing and signed by the Division Director and the Respondents and incorporated by reference into this CAFO. If the Division Director and the Respondents are unable to reach

agreement within this second ~~15~~³⁰-day period, the Division Director shall provide a written statement of EPA's decision to the Respondents, which shall be binding upon the Respondents and incorporated by reference into the CAFO.

83. If the Dispute Resolution process results in a modification of this CAFO, the modified CAFO must be approved by the Regional Judicial Officer and filed pursuant to Section IV.G (Modifications).

Formatted: Bullets and Numbering

~~84-84~~ Any period of noncompliance and associated monetary penalties, shall be tolled during the period of any dispute resolution under this section IV.E., provided that such period shall not be tolled if the Associate Director or the Division Director, as applicable, determines in his or her reasonable discretion that the Respondents' objection was trivial or frivolous.

F. FORCE MAJEURE

~~82-85~~ A "force majeure event" is any event beyond the control of the either Respondents, their ~~its~~ contractors, or any entity controlled by the a Respondents that delays the performance of any obligation under this CAFO despite Defendant's the Respondent's best commercially reasonable efforts to fulfill the obligation. "Commercially ReasonableBest efforts" includes anticipating any potential reasonably foreseeable force majeure event and addressing the effects of any such event (a) as it is occurring and (b) after it has occurred, to prevent or minimize any resulting delay to the greatest extent possible. "Force Majeure" does not include the a Respondent's financial inability to perform any obligation under this CAFO.

86. The Respondents shall provide notice orally or by electronic or facsimile transmission as soon as possible, but not later than 72 hours after the time the Respondent's first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event. The Respondents shall also provide written notice, as provided in Section IV.F of

Formatted: Bullets and Numbering

this CAFO, within seven days of the time the Respondents first knew of, or by the exercise of due diligence, reasonably should have known of, the event. The notice shall state the anticipated duration of any delay; its cause(s); the ~~Respondent's~~ past and proposed actions of the Respondent(s) to prevent or minimize any delay; a schedule for carrying out those actions; and the ~~Respondents' rationale of the Respondent(s)~~ for attributing any delay to a force majeure event. Failure to give such notice shall preclude the Respondent(s) from asserting any claim of force majeure.

~~§3-§7.~~ The Respondent also shall provide notice orally or by electronic or facsimile transmission to the other Respondent not later than 24 hours after the time Respondent first knew of, or by the exercise of due diligence, reasonably should have known of, a claimed force majeure event, provided that the failure to give such notice shall not limit either Respondent's responsibilities under this CAFO.

~~§4-§8.~~ If the Complainant agrees that a force majeure event has occurred, the Complainant may agree to extend the time for the Respondent(s) to perform the affected requirements for the time necessary to complete those obligations. An extension of time to perform the obligations affected by a force majeure event shall not, by itself, extend the time to perform any other obligation. Where the Complainant agrees to an extension of time, the appropriate modification shall be made pursuant to Section IV.G of this CAFO.

~~§5-§9.~~ If the Complainant does not agree that a force majeure event has occurred, or does not agree to the extension of time sought by the Respondent(s), the Complainant's position shall be binding, unless the Respondent(s) invokes Dispute Resolution under Section IV.D of this CAFO. In any such dispute, the Respondent(s) bears the burden of proving, by a preponderance of the evidence, that each claimed force majeure event is a force majeure event; that the

Respondent(s) gave the notice required by the paragraph above, that the force majeure event caused any delay the Respondents² claimed by the Respondent(s) was to be attributable to that event; and that the Respondent(s) exercised their reasonable best efforts to prevent or minimize any delay caused by the event. If the Respondent(s) carry this burden, the delay at issue shall be deemed not to be a violation of the affected obligation of this CAFO.

G. NOTIFICATION

~~86-90~~ Unless otherwise specified elsewhere in this CAFO, whenever notice is required to be given, whenever a report or other document is required to be forwarded by one party to another, or whenever a submission or demonstration is required to be made, it shall be directed to the individuals specified below at the addresses given (in addition to any action specified by law or regulation), unless these individuals or their successors give notice in writing to the other parties that another individual has been designated to receive the communication:

Complainant:

Chief, Compliance Enforcement Section (6EN-HE)
Hazardous Waste Enforcement Branch
U.S. EPA, Region 6
1445 Ross Avenue, Suite 1200
Dallas, TX 75202-2733

Respondent U.S. Ecology Texas, Inc.:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

Respondent TD*X Associates, L.P.-:

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000

Austin, TX 78701

Texas Commission on Environmental Quality

Section Manager
Industrial and Hazardous Permits Section
Waste Permits Division
Texas Commission on Environmental Quality
P.O. Box 13087 MC 130
Austin, TX 78711

H. MODIFICATION

~~§7-91.~~ The terms, conditions, and compliance requirements of this CAFO may not be modified or amended except as otherwise specified in this CAFO, or upon the written agreement of the Complainant and Respondent(s), and approved by the Regional Judicial Officer, and such modification or amendment being filed with the Regional Hearing Clerk.

I. RETENTION OF ENFORCEMENT RIGHTSEFFECT OF SETTLEMENT/RESERVATION OF RIGHTS

~~§8-92.~~ This CAFO resolves the claims of the United States for the violations alleged in this CAFO and for any other alleged violation or area of concern under RCRA identified by EPA resulting from the June 8-11, 2010, June 14-17, 2010 and August 9-11, 2010 inspection and resulting investigation and any claims for injunctive relief relating to alleged violations of 40 C.F.R. Part 61, Subpart FF. EPA does not waive any rights or remedies available to EPA for any other violations by the Respondents of Federal or State laws, regulations, or permitting conditions.

~~§9-93.~~ Except as herein provided, Nothing in this CAFO shall limit the power and authority of EPA or the United States to take, direct, or order all actions to protect public health,

welfare, or the environment, or prevent, abate or minimize an actual or threatened release of hazardous substances, pollutants, contaminants, hazardous substances on, at or from the Respondent USET's facility or Respondent TD*X's oil reclamation unit and related equipment. Furthermore, ~~nothing in this CAFO shall be construed or to prevent or limit EPA's civil and criminal authorities,~~ or that of other Federal, State, or local agencies or departments to obtain penalties or injunctive relief under other Federal, State, or local laws or regulations.

~~90-94~~ The Complainant reserves all legal and equitable remedies available to enforce the provisions of this CAFO. Except as herein provided, ~~This~~ CAFO shall not be construed to limit the rights of the United States to obtain penalties or injunctive relief under RCRA or under other federal or state laws, regulations, or permit conditions.

~~91-95~~ In any subsequent administrative or judicial proceeding initiated by the Complainant or the United States for injunctive relief, civil penalties, other appropriate relief relating to this Facility or the oil reclamation unit, the Respondents shall not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, claim preclusion, claim-splitting, or other defenses based upon any contention that the claims raised by the Complainant or the United States in the subsequent proceeding were or should have been brought in the instant case, except with respect to claims that have been specifically resolved pursuant to Section Paragraph I.92 of this CAFO.

~~92-96~~ This CAFO is not a permit, or a modification of any permit, under any federal, State, or local laws or regulations. The Respondents are responsible for achieving and maintaining complete compliance with all applicable federal, State, and local laws, regulations, and permits. The Respondents' compliance with this CAFO shall be no defense to any action commenced pursuant to any such laws, regulations, or permits, except as set forth herein. The

Complainant, does not warrant or aver in any manner that the Respondents' compliance with any aspect of this CAFO will result in compliance with provisions of the RCRA or with any other provisions of federal, State, or local laws, regulations, or permits.

J. INDEMNIFICATION OF EPA

~~93.97.~~ Neither EPA nor the United States Government shall be liable for any injuries or damages to person or property resulting from the acts or omissions of the Respondents, their officers, directors, employees, agents, receivers, trustees, successors, assigns, or contractors in carrying out the activities required by this CAFO, nor shall EPA or the United States Government be held out as a party to any contract entered into by the Respondents in carrying out the activities required by this CAFO.

K. COSTS

~~94.98.~~ Each party shall bear its own costs and attorney's fees. Furthermore, the Respondents specifically waives its right to seek reimbursement of its costs and attorney's fees under 5 U.S.C. § 504 and 40 C.F.R. Part 17.

L. TERMINATION

~~95.99.~~ At such time as the Respondents believe they have completed all of the requirements of this CAFO, they may request that EPA concur whether all of the requirements of this CAFO have been satisfied. Such request shall be in writing and shall provide the necessary documentation to establish whether there has been full compliance with the terms and conditions of this CAFO. EPA will respond to said request in writing within ninety (90) days of receipt of the request. This CAFO shall terminate when all actions required to be taken by this CAFO have been completed, and the Respondents have been notified by the EPA in writing that this CAFO has been satisfied and terminated.

M. EFFECTIVE DATE

~~96.100~~.....This CAFO, and any subsequent modifications, become effective upon filing with the Regional Hearing Clerk.

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

**THE UNDERSIGNED PARTIES CONSENT TO THE ENTRY OF THIS CONSENT
AGREEMENT AND FINAL ORDER:**

FOR THE RESPONDENT:

Date: _____

US Ecology Texas, Inc.

[PAGE]

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

FOR THE RESPONDENT:

Date: _____

TD*X Associates, L.P.

[PAGE]

Docket Nos. RCRA-06-2012-0936 and RCRA-06-2012-0937

FOR THE COMPLAINANT:

Date: _____

John Blevins
Director
Compliance Assurance and
Enforcement Division

[PAGE]

FINAL ORDER

Pursuant to the Section 3008 of RCRA, 42 U.S.C. § 6928, and the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, 40 C.F.R. Part 22, the foregoing Consent Agreement is hereby ratified. ~~This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive or other equitable relief or criminal sanctions for any violations of law. This Final Order shall resolve only those causes of action alleged herein.~~ claims identified in Section I.89 of the foregoing Consent Agreement. This Final Order shall not in any case affect the right of EPA or the United States to pursue appropriate injunctive or other equitable relief or criminal sanctions for any other violations of law. Nothing in this Final Order shall be construed to waive, extinguish or otherwise affect the Respondents' (or their officers, agents, servants, employees, successors, or assigns) obligation to comply with all applicable federal, state, and local statutes and regulations, including the regulations that were the subject of this action. The Respondents are ordered to comply with the Compliance Order and terms of settlement as set forth in the Consent Agreement. Pursuant to 40 C.F.R. § 22.31(b) this Final Order shall become effective upon filing with the Regional Hearing Clerk.

Date: _____

Patrick Rankin
Regional Judicial Officer

CERTIFICATE OF SERVICE

I hereby certify that on the _____ day of _____, 2012, the original and one copy of the foregoing Consent Agreement and Final Order (CAFO) was hand delivered to the Regional Hearing Clerk, U.S. EPA - Region 6, 1445 Ross Avenue, Dallas, Texas 75202-2733, and that a true and correct copies of the CAFO were placed in the United States Mail, certified mail, return receipt requested, _____ addressed to the following:

Mary Reagan
McGinnis, Lochridge & Kilgore, L.L.P.
600 Congress Avenue
Suite 2100
Austin, Texas 78701

J.D. Head
Fritz, Bryne, Head & Harrison, PLLC
98 San Jacinto Boulevard
Suite 2000
Austin, TX 78701
